

# Acusolo Admin Panel

## Documentation for managing the admin panel and day-to-day operations

Clear guides for layout, data tables, translations, and feature modules

### Consistent layout

Learn how the sidebar, header, page actions, and tables work the same way across modules so you can move between areas without relearning the UI.

### Data & actions

Understand search, pagination, row actions (edit, delete, status), and how records behave in the admin panel versus the public web app.

### Translations & content

Use SimpleLocalize preview from rows, rich description editors, and HTML-friendly workflows where supported.



- why it exists from a UX perspective,
- how users should interact with it for daily operations.

The panel uses a consistent layout pattern across modules (categories, devices, rewards, and similar sections), which reduces learning time and makes navigation predictable.

---

## Global Layout

The Admin Panel uses two persistent global regions:

1. **Sidebar (left navigation)** for module switching.
2. **Header (top bar)** for global search, account actions, and quick system controls.

These two regions remain visible across pages so users can move between sections without losing context.

---

## Header

### Global Search Bar

The header includes a global search bar that allows users to quickly locate menus and pages.

#### Purpose (UX):

- reduces click depth,
- helps power users navigate faster,
- improves discoverability of less frequently used pages.

### Profile Section (Top-Right)

The profile area shows:

- user name,
- profile image,

- role.

It also provides a dropdown menu that includes **Logout**.

#### **Purpose (UX):**

- confirms who is signed in,
- surfaces role awareness for permission-sensitive workflows,
- keeps account/session actions in one predictable place.

### **Additional Header Controls**

Depending on environment/setup, the header may also include:

- fullscreen toggle,
- theme/settings icons.

#### **Purpose (UX):**

- fullscreen supports focus during data-heavy tasks,
  - theme/settings improve usability and personalization.
- 

## **Sidebar**

The sidebar is always visible and contains module navigation entries such as categories, devices, rewards, and other admin areas.

### **Behavior**

- selecting an item switches to its module/page,
- active menu state indicates current location,
- grouping keeps related features together.

#### **Purpose (UX):**

- creates a stable navigation backbone,
- prevents disorientation when moving between modules,
- supports scalable information architecture as modules grow.

---

# Page Structure

Each content page follows the same pattern to keep user behavior consistent.

## 1) Top Action Bar

Contains:

- **Back, Refresh, and Forward** controls,
- a large **Page Title**,
- right-side **Breadcrumbs** and **Quick Action Menu**.

**Purpose (UX):**

- back/forward supports navigation history flows,
- refresh supports instant data revalidation,
- title and breadcrumb together answer "where am I?" and "how did I get here?",
- quick actions reduce time-to-task for common operations.

## 2) Summary Section

A short page description explains what this page manages.

**Purpose (UX):**

- provides immediate context before any action is taken,
- reduces user error in similar-looking modules.

## 3) Toggle + Description Section

Contains:

- a toggle control,
- nearby text describing what turning it on/off does.

Typical usage: enabling/disabling a module behavior or setting.

**Purpose (UX):**

- keeps state controls explicit,
- pairs control and explanation to reduce ambiguity,
- supports safer configuration decisions.

## 4) Description Editor Behavior

The description editor supports two editing modes controlled by buttons near the editor toolbar:

- **Maximize/Minimize button:** when clicked after selecting the editor, it expands the editor to a wider fullscreen-style mode for easier writing and reviewing long content.
- **Click again to minimize:** clicking the same button again exits wider mode and returns the editor to its previous embedded size/state.
- **Left toggle button (next to maximize/minimize):** switches the editor into a normal textarea-style input mode where rich text customization tools are hidden.

In textarea mode, formatting toolbars are not visible. This is useful when users want direct source editing.

## Raw HTML Support

In the plain textarea/source-focused mode, users can copy and paste raw HTML. This helps render predesigned content blocks without rebuilding them manually in the rich editor controls.

### Purpose (UX):

- fullscreen editing improves focus and reduces visual crowding,
- toggleable source-style mode supports advanced users and migration workflows,
- raw HTML paste speeds up documentation reuse and template-based publishing.

## 5) Image input & image editor

Across the admin panel, **every image input field** uses the same **image editor** experience shown above. You are not limited to picking a file only—you can open a dedicated editor to adjust the image before it is saved with the form.

## Where this applies

Any control that shows an **image preview** for an upload (program thumbnails, category images, session modal hero images, icons rendered from files, and similar) follows the same pattern: **upload or replace file** → **optional open editor from preview** → **save the parent form** (Create / Update / Save, depending on the screen).

## How to open the editor

- **Click the preview image** (the thumbnail or preview for that field). That opens the image editor so you can work on the asset in context without a separate “Edit image” menu elsewhere.
- If the field is **empty**, use **Choose file** / drag-and-drop first; after a file is attached, a preview appears and **clicking that preview** opens the editor the same way.

## What you can do inside the editor

Use the tools shown in the editor UI (your screenshot reflects the live product). In general you can:

- **Crop and frame** the image so important content is centered for cards, heroes, and list thumbnails.
- **Adjust** brightness, contrast, or other controls if the editor exposes them (exact controls depend on the build).
- **Convert to WebP** when the product offers that option: WebP usually **reduces file size** compared with PNG/JPEG at similar visual quality, which helps **faster loads** on mobile and web. After conversion, **confirm** or **apply** inside the editor (wording may vary), then **save the modal or page** so the server stores the final asset.

## Recommended workflow (step by step)

1. Open the create or edit form (program, category, session modal, etc.).
2. Upload an image or keep the existing one.
3. **Click the preview** to open the image editor.
4. Crop or adjust until the preview matches how it should appear in the app.
5. If you want a lighter file for production, **convert to WebP** and confirm in the editor.
6. Close the editor (Save / Done / X per UI), then submit the **parent form** with **Create** or **Update** (or equivalent).

Skipping step 6 leaves changes only in memory until the record is saved.

## WebP: when it helps

- **Hero and large banners:** biggest win for bytes saved and perceived speed.
- **Many small thumbnails:** still useful if you have a large list of programs or categories.
- **Already optimized assets:** if the source is already small WebP, reconverting may add little benefit; focus on composition instead.

If a downstream channel **requires** a specific format (for example strict JPEG only), follow your team's publishing rules; the editor's WebP option is for the common case where WebP is supported in the web app.

## If something looks wrong after save

- **Hard refresh** the web app (cache may show an old image URL).
- Re-open the record in admin and confirm the **preview** matches what you exported from the editor.
- Confirm you clicked **Update** on the form after closing the editor.

## Purpose (UX):

- one consistent pattern for all image fields (icons, banners, gallery items, and so on),
- preview is the main affordance: **click preview → edit**, which matches how people already think about "changing this picture,"
- WebP support keeps media optimized without needing external desktop tools for every upload.

---

## Table & Data Management

The data table is the main workspace for records.

## Controls Above the Table

- **Records per page selector** (dropdown): controls page size.
- **Search input:** filters records.
- **Add New button:** opens record creation flow.

## Purpose (UX):

- page-size control supports both quick scans and dense review,
- search reduces manual browsing effort,
- Add New keeps creation action prominent and predictable.

## Table Structure

The table includes:

- column headers for field meaning,
- row-based records for each entity.

Each row includes action controls:

- **Edit,**
- **Delete,**
- **Status Toggle.**

## Row Translation Preview (SimpleLocalize)

In each text row, the link-style icon button on the left acts as a **Preview** button for SimpleLocalize.

When clicked, it opens the related translation item preview so users can verify content across all supported languages from the SimpleLocalize dashboard view.

This helps teams validate:

- translation completeness per language,
- wording consistency across locales,
- how the text appears before final publishing.

### **Purpose (UX):**

- provides quick translation QA without leaving row context,
- reduces translation mistakes in multilingual releases,
- speeds up review by connecting admin rows directly to localization preview.

---

## Actions & Controls

### Edit

Updates an existing record's data.

#### Purpose (UX):

- supports correction and maintenance without duplication.

### Delete

Removes a record from the system (typically with confirmation in standard UI patterns).

#### Purpose (UX):

- allows cleanup of invalid or obsolete entries.

### Status Toggle (Critical Behavior)

The status toggle enables/disables a record.

When disabled:

- the record is hidden from the main WEB APP UI,
- the record remains manageable in the admin panel.

This is useful for:

- temporary visibility control,
- scheduled publishing/unpublishing behavior,
- safe operational testing before public exposure.

#### Purpose (UX):

- gives fine-grained visibility control,
- avoids permanent deletion for reversible changes.

---

## Pagination & Navigation

Below the table, the interface provides:

### Table Footer / Overview

Displays summary information such as:

- total records,
- current page,
- current visible item range.

#### Purpose (UX):

- keeps users aware of dataset size and scope,
- confirms that filtering/paging actions took effect.

### Pagination Controls

Supports movement through records using:

- First page,
- Previous page,
- Numbered pages (1, 2, 3...),
- Next page,
- Last page.

#### Purpose (UX):

- enables fast traversal for both small and large datasets,
- balances speed (first/last) and precision (numbered pages).

---

## End-to-End User Flow (Recommended)

1. Use **Sidebar** to open a module.
2. Confirm location with **Page Title + Breadcrumb**.

3. Read **Summary** for scope/context.
4. Use **Search / Records per page** to narrow data.
5. Perform row-level actions (**Edit/Delete/Status**).
6. Review **Footer + Pagination** to continue browsing.

This sequence keeps operations clear, auditable, and efficient across all modules.

# Admin Docs Priority Tracker

This tracker is a presentation-only inventory for the admin panel docs project.

- Priority is shown as a badge.
- Status is shown as a badge.
- Completed items always render as High Priority and receive a highlighted row.
- Parent rows pass their priority down to child rows.
- Click the reference chip to copy a tracker deep link for the selected row.

The table below keeps one row per route or module. Badge colors show task priority; completed rows are highlighted so the docs backlog is easy to scan.

REF	PAGE TITLE	ROUTE NAME	P/S	STATUS
01 COPY	Getting Started	/guide/getting-started	High	Completed
02 COPY	Program Flow Section row	-	High	Completed
03 COPY	Category	/admin/categories	High	Completed
04 COPY	Sub-category	/admin/sub-categories	High	Completed
05 COPY	Program	/admin/programs	High	Completed
06 COPY	Sessions	/admin/sessions	High	Completed
07 COPY	Steps	/admin/steps	High	Completed
08 COPY	Session modals	/admin/session-modal	High	Completed
09 COPY	Medical Point Section row	-	High	Completed
10 COPY	Medical Point Categories	/admin/medical-point-bank/categories	High	Completed
11 COPY	Medical Point Items	/admin/medical-point-bank/medical-point	High	Completed
12 COPY	12 Point Program	/admin/twelve-point/point-list	High	Completed
13 COPY	12 Point Program List	/admin/twelve-point/program-list	High	Completed
14 COPY	12 Point Session List	/admin/twelve-point/session-list	High	Completed

REF	PAGE TITLE	ROUTE NAME	P/S	STATUS
15 COPY	Music Library	/admin/music	High	Completed
16 COPY	Q&A Section row	–	High	Completed
17 COPY	Questions	/admin/questions	High	Completed
18 COPY	Answers	/admin/answers	High	Completed
18A COPY	FAQ Categories	/admin/faq-category	High	Completed
18B COPY	FAQs	/admin/faq	High	Completed
19 COPY	Device Management Section row	–	High	Completed
20 COPY	Devices	/admin/devices	High	Completed
21 COPY	Accessories	/admin/accessories	High	Completed
22 COPY	Hardware Pricing	/admin/hardware-pricing	High	Completed
23 COPY	AI Training Section row	–	Medium	Completed
24 COPY	AI Rules	/admin/ai/rule	Medium	Completed
25 COPY	Audit Log	/admin/ai/audit-log	Medium	Completed
26 COPY	Suggestions	/admin/ai/suggestions	Medium	Completed
27 COPY	Test Bench	/admin/ai/test-bench	Medium	Completed
28 COPY	Indexing	/admin/ai/indexing	Medium	Completed

REF	PAGE TITLE	ROUTE NAME	P/S	STATUS
29 COPY	Rewards	/admin/rewards	High	Completed
30 COPY	Coupons	/admin/coupons	High	Completed
31 COPY	Subscription Plan Refunds	/admin/refunds	High	Completed
32 COPY	Onboarding Section row	–	Medium	Completed
33 COPY	Onboarding List	/admin/onboarding	Medium	Completed
34 COPY	Onboarding Links	/admin/onboarding-links	Medium	Completed
35 COPY	Dashboard	/admin/dashboard	Low	Not Necessary
36 COPY	User Management Section row	–	High	Completed
37 COPY	Users	/admin/users	High	Completed
38 COPY	User Subscriptions	/admin/users/subscriptions	High	Completed
39 COPY	Languages	/admin/languages	Low	Completed
40 COPY	Contact Chips	/admin/contact-chip	Low	Completed
41 COPY	App Settings Section row	–	Low	Completed
42 COPY	Site Setting	/admin/app-settings/site-setting	Low	Completed

REF	PAGE TITLE	ROUTE NAME	P/S	STATUS
43 COPY	Color Scheme	/admin/app-settings/color-scheme	High	Completed
44 COPY	Session Start Warnings	/admin/app-settings/session-start-warning-popup-content	Low	Not Necessary
45 COPY	Notification Templates	/admin/notification-templates	High	Completed
46 COPY	Localized Templates	/admin/app-settings/localized-notification-templates	High	Completed
47 COPY	Push Notifications	/admin/push-notifications	High	Completed
48 COPY	Privacy Policy	/admin/app-settings/privacy-policy	High	Completed
49 COPY	Terms and Conditions	/admin/app-settings/terms-and-conditions	High	Completed
50 COPY	App Data	/admin/app-settings/app-data	High	Completed
51 COPY	Available Caches	/admin/app-settings/caches	High	Completed
52 COPY	Unlinked Routes Section row	–	Low	Not Necessary
53 COPY	Profile	/admin/profile	Low	Completed
54 COPY	Translations	/admin/translations	Low	Completed

## Rules Applied

- Completed items always resolve to High Priority.
- 12 Point Program stays High Priority and Ongoing across its child routes.
- Music Library, Q&A, Device Management, and Accessories are High Priority with Next Task status.
- AI Training, Rewards, Coupons, Subscription Plan Refunds, and Onboarding are Medium Priority.
- All remaining modules are Low Priority unless a parent row inherits a higher priority.


# User Management

This page explains how **web app users** are created through **Clerk**, synced into the backend, and managed from the admin panel.

- Clerk dashboard:  
[https://dashboard.clerk.com/apps/app\\_2xisVtcYiuvxzIWcMvWuIdzFHCs/instances/ins\\_2xxGfs6S4YTzz1CD2oZf6dFH95m](https://dashboard.clerk.com/apps/app_2xisVtcYiuvxzIWcMvWuIdzFHCs/instances/ins_2xxGfs6S4YTzz1CD2oZf6dFH95m)
- Clerk webhooks:  
[https://dashboard.clerk.com/apps/app\\_2xisVtcYiuvxzIWcMvWuIdzFHCs/instances/ins\\_2xxGfs6S4YTzz1CD2oZf6dFH95m/webhooks](https://dashboard.clerk.com/apps/app_2xisVtcYiuvxzIWcMvWuIdzFHCs/instances/ins_2xxGfs6S4YTzz1CD2oZf6dFH95m/webhooks)
- Admin users page: <https://admin.acusolo.net/admin/users>
- Web sign in: <https://web.acusolo.net/auth/signin?redirectUrl=/home>
- Web sign up: <https://web.acusolo.net/auth/signup>

## Clerk dashboard


The Clerk dashboard is the source for authentication users and auth-related configuration. Admin deletion in Acusolo should also remove the same user from this Clerk dashboard so the account cannot authenticate again.



---

## Clerk webhook setup

Clerk webhooks connect authentication events to the Acusolo backend. Events such as `user.created`, `user.updated`, `user.deleted`, `session.created`, and auth email events are received by the backend and used to create, update, or audit user records.



The backend endpoint is handled by the user auth module. Webhook payloads are verified before processing, then user records and audit logs are updated from the Clerk event data.

---

## Web app sign in

Existing users sign in from the web app sign-in page. Clerk handles the authentication step, and the web app uses the authenticated user session to continue into the product.



### Bienvenue

Connectez-vous pour continuer votre parcours bien-être  
Vous n'avez pas de compte ? [S'inscrire](#)

Adresse e-mail

Mot de passe

[Mot de passe oublié?](#)

J'accepte les [Conditions d'utilisation](#) et [Politique de confidentialité](#)

[Continuer >](#)

Ou continuer avec


[Continuer avec Google](#)

[Continuer avec Apple](#)

[Continuer avec Facebook](#)

## Web app sign up

New users create an account from the web app sign-up page. After successful sign-up, Clerk sends user information through the webhook flow and the user should appear in the admin users list.



### Créer un compte

Rejoignez Acusolo et commencez votre parcours bien-être  
Vous avez déjà un compte ? [Se connecter](#)

Adresse e-mail

Mot de passe

Confirmer le mot de passe

J'accepte les [Conditions d'utilisation](#) et [Politique de confidentialité](#)

[Continuer >](#)

Ou continuer avec

[Continuer avec Google](#)

[Continuer avec Apple](#)

[Continuer avec Facebook](#)

# Admin users list

Open <https://admin.acusolo.net/admin/users> to view users who signed up through the web application.

**User List**

Manage and track users for your team. View user history, approve or reject users, and maintain accurate records of users.

Note: if don't see the right translation, please checkout the simplelocalize dashboard and refresh the page to see the latest translations.

10 items in a page. Sort by serial ascending Search by name, email, or phone

Serial	Actions	Active	VIP Subscription	Subscription Label	Subscription Expires At	Name	Email	Phone	Gender	Birthday	Timestamp
1		<input checked="" type="checkbox"/>	<input type="checkbox"/>	N/A	N/A	Acusolo Admin	admi@acusolo.com	09123456789	N/A	N/A	Cr: Up:
2		<input type="checkbox"/>	<input type="checkbox"/>	N/A	N/A	Mohammad Amir	amirali300400@gmail.com	0152500578	Male	01/01/2003	Cr: Up:
3		<input checked="" type="checkbox"/>	<input type="checkbox"/>	N/A	N/A	Acusolo Admin	admin@acusolo.net	09123456789	MALE	21/09/2004	Cr: Up:
4		<input type="checkbox"/>	<input checked="" type="checkbox"/>	Free Plan (VIP)	N/A	Benjamin Vignon	benjamin@hubbers	0651215130	MALE	01/04/1990	Cr: Up:
5		<input type="checkbox"/>	<input type="checkbox"/>	N/A	N/A	Liton Hasan	litonhasan6246@gmail.com	01887505690	Male	01/01/1990	Cr: Up:
6		<input type="checkbox"/>	<input type="checkbox"/>	N/A	N/A	khan Ebrahim	khan.askibrahim@gmail.com	1768023798	Male	01/01/1990	Cr: Up:
7		<input type="checkbox"/>	<input type="checkbox"/>	N/A	N/A	Za'yn Miraj	zayn.miraj@gmail.com	17363726293	Male	01/01/1990	Cr: Up:
8		<input type="checkbox"/>	<input type="checkbox"/>	N/A	N/A	Benny B	benji@hubbers	0651215130	Male	01/01/1990	Cr: Up:
9		<input type="checkbox"/>	<input type="checkbox"/>	N/A	N/A	Miraj Nijum	njummiraj@gmail.com	222222222	Male	01/01/1990	Cr: Up:
10		<input type="checkbox"/>	<input type="checkbox"/>	N/A	N/A	Sk Shamim	shamimbdiavidbf@gmail.com	664444333	Male	01/01/1990	Cr: Up:

84 entries (Showing 10 items on page 1 of total 9 pages)

## Table controls

- **Search** — find users by name, email, or phone.
- **Sort** — sort supported columns such as active status, name, email, phone, gender, birthday, or timestamp.
- **Pagination** — move through large user lists.
- **Refresh** — reload the list from the current route.

## Table columns

Column	Purpose
No.	Row serial and internal user reference.
Actions	Delete user from the row action menu.
Active	Lock or unlock the user account.
VIP Subscription	Manually grant or remove lifetime/VIP access when allowed.
Subscription Label	Current subscription plan label, if any.
Subscription Expires At	Paid-plan expiration date; empty for no paid plan or lifetime access.
Name / Email / Phone	User identity and contact details synced from Clerk and profile data.
Gender / Birthday	Profile attributes when available.
Timestamp	Created and updated timestamps.

---

## VIP subscription toggle

The **VIP Subscription** toggle lets an admin manually grant subscription access without payment. When enabled, the backend assigns the lifetime/free subscription plan and the user can use subscription-protected features while that access remains active.

When the toggle is turned off, the manually granted VIP subscription is canceled. If the user already has an existing paid subscription plan, the VIP toggle is disabled so manual VIP access does not conflict with the paid subscription lifecycle.

---

## Delete user flow

Use the row delete action to remove a user. The flow follows the same delete confirmation pattern used across other table-based admin pages.

After confirmation:

- The user is deleted from Clerk when a Clerk user identifier or matching Clerk email is available.
- Related backend records are removed from the system.
- A backup JSON of deleted user data is saved by the backend.
- A deletion audit entry and deleted-user registry entry are kept for tracking and record purposes.

This operation is permanent. Protected default/admin email accounts cannot be deleted.

---

## Overall user flow

1. A user signs up from <https://web.acusolo.net/auth/signup> .
2. Clerk handles authentication and emits webhook events.
3. The backend verifies the webhook and stores or updates the user.
4. The user appears in <https://admin.acusolo.net/admin/users> .
5. Admin can lock/unlock, grant allowed VIP access, or permanently delete the user.
6. If deleted, the user is removed from Clerk and backend user data is removed, while audit history remains.

For subscription purchase records, see [User Subscriptions](#).

# User Subscriptions

This page explains how subscription purchases from the web app appear in the admin panel and how manual VIP access relates to paid subscription plans.

- Admin user subscriptions page: <https://admin.acusolo.net/admin/users/subscriptions>
- Web plans page: <https://web.acusolo.net/plans>
- Web billing page: <https://web.acusolo.net/settings/billings>
- Related admin users page: <https://admin.acusolo.net/admin/users>

## Web app plans page

Users view available subscription plans and purchase a plan from the web app plans page.

**Choisissez un Abonnement**  
Sélectionnez votre abonnement pour commencer votre premier cycle de revitalisation.

Abonnement mensuel ( Paiement à l'utilisation) | **Prépayé** ( Meilleur rapport qualité-prix )

1 Mois	3 Mois	6 Mois	12 Mois
Parfait pour essayer Acusolo	Économisez 46.0% par rapport à la facturation mensuelle	Économisez 50.0% par rapport à la facturation mensuelle	Économisez 67.0% par rapport à la facturation mensuelle
<b>€59</b> TTC Abonnement (1 Month) :	<b>€97</b> TTC Abonnement (3 Months) : €32.33/month	<b>€178</b> TTC Abonnement (6 Months) : €29.67/month	<b>€239</b> TTC Abonnement (12 Months) : €19.92/month
<ul style="list-style-type: none"><li>✓ Accès complet à tous les programmes Acusolo</li><li>✓ Abonnement de 1 mois</li><li>✓ Accès à l'application mobile</li><li>✓ Suivi des progrès</li><li>✓ Support communautaire</li></ul>	<ul style="list-style-type: none"><li>✓ Accès complet à tous les programmes Acusolo</li><li>✓ Abonnement de 3 mois</li><li>✓ Accès à l'application mobile</li><li>✓ Suivi des progrès</li><li>✓ Support communautaire</li><li>✓ Disponible pour la location d'appareil</li></ul>	<ul style="list-style-type: none"><li>✓ Accès complet à tous les programmes Acusolo</li><li>✓ Abonnement de 6 mois</li><li>✓ Accès à l'application mobile</li><li>✓ Suivi des progrès</li><li>✓ Support communautaire</li><li>✓ Disponible pour la location d'appareil</li></ul>	<ul style="list-style-type: none"><li>✓ Accès complet à tous les programmes Acusolo</li><li>✓ Abonnement de 12 mois</li><li>✓ Accès à l'application mobile</li><li>✓ Suivi des progrès</li><li>✓ Support communautaire</li><li>✓ Disponible pour la location d'appareil</li></ul>
Sélectionner	Sélectionner	Sélectionner	Sélectionner

After a successful purchase, the subscription details should appear in the admin user subscriptions list.

Signed-in users can also see their subscribed plan details on the same plans page.

### Mon abonnement

Active

Gérer votre abonnement et vos appareils

**Annuler l'abonnement**

Vous pouvez annuler votre abonnement à tout moment. Si vous annulez dans les 7 jours suivant la livraison, vous pourriez être éligible à un remboursement complet après retour du matériel.

**Annuler et demander un remboursement**

**12 Months**  
Plan de 12 mois

Prix total	Équivalent mensuel	Économies
<b>€299.00</b>	<b>€24.92/month</b>	<b>58% off</b>

**Chronologie de l'abonnement**

Démarré	Expire	Jours restants
April 14, 2026	April 21, 2027 (including 7 days trial)	354 jours

#### Votre appareil avec abonnement

Aucun accessoire assigné à cet abonnement

**Informations supplémentaires**

Type de plan	Durée du plan
MONTHLY	12 mois

For refund requests from the subscribed plan details, see [Subscription Refund Requests](#).

## Admin user subscriptions list

Open <https://admin.acusolo.net/admin/users/subscriptions> to review subscription records created for users.

ACUSOLO

Search for a menu

English

Acusolo Admin User

### User Subscriptions List

View and track all user subscriptions. Monitor subscription status, expiration dates, and payment information.

Note: If you don't see the right translation, please check out the simplelocalize dashboard and refresh the page to see the latest translations.

Toggle to See Translated

10 items in a page. Sort by serial ascending Search by user name, email, subscription plan, or status

Serial	Actions	User Name	User Email	Subscription Plan	Plan Type	Plan Duration	Price	Status	Started At	Expires At	Canceled At
1		Test Temp Amir	rj056pllx@yzcalo.com	1 Month	MONTHLY	1	€59.00	Active	Apr 14, 2026	May 21, 2026	-
2		Temp User	q7d3czafth@lnovic.com	3 Months	MONTHLY	3	€139.00	Active	Apr 6, 2026	Jul 13, 2026	-
3		Syed Amir Ali	domemej525@feralirex.com	1 Month	MONTHLY	1	€59.00	Trialing	Mar 25, 2026	May 8, 2026	-
4		Syed Amir Ali	syedamirali473@gmail.com	Free Plan (VIP)	LIFETIME	N/A	€0.00	Active	Mar 17, 2026	-	-
5		PaulAlex Vignon	paulalexpenard@gmail.com	Free Plan (VIP)	LIFETIME	N/A	€0.00	Active	Mar 13, 2026	-	-
6		zayn miraj	robomow312@keecs.com	1 Month	MONTHLY	1	€59.00	Expired	Mar 10, 2026	Apr 17, 2026	-
7		Za'yn Miraj	zayn.miraj@gmail.com	1 Month	MONTHLY	1	€59.00	Expired	Mar 8, 2026	Apr 15, 2026	-
8		Frédéric Baume	fred@acusolo.net	Free Plan (VIP)	LIFETIME	N/A	€0.00	Active	Mar 8, 2026	-	-
9		BennY	bbnnj@hubbers	Free Plan (VIP)	LIFETIME	N/A	€0.00	Active	Mar 7, 2026	-	-
10		Za'yn Miraj	zayn.miraj@gmail.com	1 Month	MONTHLY	1	€59.00	Expired	Mar 4, 2026	Mar 8, 2026	-

36 entries (Showing 10 items on page 1 of total 4 pages)

## Table controls

- **Search** — find records by user name, email, subscription plan, or status.
- **Sort** — sort supported columns such as plan, price, status, start date, expiration date, or timestamp.
- **Pagination** — move through subscription records.
- **Refresh** — reload the current list.

## Table columns

Column	Purpose
No.	Row serial and subscription record reference.
Actions	Delete a subscription record when allowed.
User Name / User Email	The subscribed user.
Subscription Plan	Plan label attached to the subscription record.
Plan Type	Plan category, such as monthly or lifetime.
Plan Duration	Duration value stored for the subscription.
Price	Subscription price shown in the admin table.
Status	Subscription state such as Active, Canceled, Expired, Past Due, Trialing, Renewed, or Deactivated.
Started At / Expires At / Canceled At	Lifecycle dates for the subscription.
Trial Days / Trial Ends At	Trial configuration and end date.
Balance Deducted At	Balance deduction timestamp when applicable.
Timestamp	Created and updated timestamps.

---

## VIP access rule

Manual VIP access is controlled from the **VIP Subscription** toggle in the admin users list. It assigns the lifetime/free subscription plan without payment.

Use this only for fresh users without an existing paid subscription. If a user already has a paid subscription plan, the VIP toggle is disabled to avoid conflicts between manual access and regular paid subscription behavior.

When VIP is enabled:

- The user receives full subscription access without payment.
- Access remains active while the toggle remains on.

- The backend creates or updates the lifetime subscription record.

When VIP is disabled:

- The manually granted lifetime/VIP subscription is canceled.
  - Paid subscription records are not used as the control path for this manual access.
- 

## Delete subscription record

The subscriptions table includes a delete action for subscription records. It uses the standard admin delete confirmation modal before removal.

Deleting a subscription record should be handled carefully because it affects the subscription history visible in the admin panel.

---

## Overall subscription flow

1. A user opens <https://web.acusolo.net/plans> .
2. The user purchases a subscription plan from the web app.
3. The backend creates or updates the user subscription record.
4. The subscription appears in <https://admin.acusolo.net/admin/users/subscriptions> .
5. Admin reviews subscription status, dates, plan details, and payment-related fields.
6. For fresh users only, admin can manually grant VIP access from the admin users list.
7. If a user requests a refund from the web app, admin reviews it from <https://admin.acusolo.net/admin/refunds> .

For user creation, Clerk sync, and deletion behavior, see [User Management](#).

# Program Category

Documentation for **parent categories** in the Program module. **Sub-categories** (child rows) are covered separately: [Program Sub-category](#).

- Base URL (Admin): <https://admin.acusolo.net/>
- Base URL (Web app): <https://web.acusolo.net/>

## Data model (parent category)

In the shared category table, a **parent category** is a row where **parentId** is **null** . Child rows are documented on the [sub-category](#) page.

## Admin list: Categories

The screenshot displays the 'Liste des catégories' (List of categories) page in the Acusolo admin interface. The page features a sidebar with navigation options like 'Tableau de bord', 'Paramètres utilisateur', 'Langues', 'Catégories', 'Sous-catégories', 'Gérer les programmes', 'Q et R', 'Gestion des appareils', 'Récompenses', 'Coupons', 'Demandes de remboursement', 'Bibliothèque musicale', 'Plans d'abonnement', 'Banque de points médicaux', 'Formation IA', and 'Intégration'. The main content area shows a table of categories with the following columns: Numéro, Actions, Statut, Nom, Icône, Genre, Images hommes, and Images femmes. The categories listed are:

Numéro	Actions	Statut	Nom	Icône	Genre	Images hommes	Images femmes
1	[Edit, Add, Delete]	Off	Arrêt Tabac Catégorie par âge (4 tranches d'âge)	N/A	BOTH	Child (8-17), Young Adult (18-35), Adult (36-55), Senior (55+)	Child (8-17)
2	[Edit, Add, Delete]	Off	Tutorial Category Catégorie par âge (4 tranches d'âge)	[Icon]	BOTH	Child (8-17), Young Adult (18-35), Adult (36-55), Senior (55+)	Child (8-17)
2	[Edit, Add, Delete]	On	BOUCLIER ENVIRONNEMENTAL-ALIMENTAIRE-CUTANÉ Catégorie par âge (4 tranches d'âge)	N/A	BOTH	Child (8-17), Young Adult (18-35), Adult (36-55), Senior (55+)	Child (8-17)
3	[Edit, Add, Delete]	On	HARMONIE ABDOMINALE Catégorie par âge (4 tranches d'âge)	N/A	BOTH	Child (8-17), Young Adult (18-35), Adult (36-55), Senior (55+)	Child (8-17)
4	[Edit, Add, Delete]	On	REGAIN DE VITALITÉ Catégorie par âge (1 tranches d'âge)	N/A	BOTH	Child (8-17)	Child (8-17)
5	[Edit, Add, Delete]	On	FORCE INTÉRIEURE ET BOUCLIER HIVERNAL Catégorie par âge (1 tranches d'âge)	N/A	BOTH	Child (8-17)	Child (8-17)

## Columns

Column	Definition
Serial	Display and <b>sort order</b> for categories in admin and in app UIs (cards/lists). Shown as <b>Numéro</b> in the table. Optional in the create form when you rely on default ordering.
Actions	Row actions, not a stored field: <b>Edit</b> (pen), <b>View</b> (eye), <b>Delete</b> (trash). See <a href="#">Actions and behavior</a> below.
Status	Boolean visibility: when <b>on</b> , the category appears in mobile and web app; when <b>off</b> , it is hidden from end users.
Name	Human-readable label for the category. <b>Required</b> . Maximum <b>256</b> characters.
Icon	Optional. Inline <b>HTML or SVG</b> used for the category icon (for example icon markup from Lucide, Font Awesome, or similar). If empty, the UI may show <b>N/A</b> or omit the icon.
Gender	Targeting for imagery and display (for example <b>Both</b> , or a specific gender where configured).
Male Images	Preview of <b>male</b> image assets: default and/or <b>age-group</b> slots (Child, Young Adult, Adult, Senior) when <b>Age-Based Images</b> is enabled. Upload rules match the modal (for example image types and <b>5 MB</b> max per file where shown).
Female Images	Same as male column, for <b>female</b> assets.
Description	Long-form copy (rich text in admin). <b>Optional</b> . Maximum size aligned with <b>MySQL TEXT : 65,535</b> bytes.
Timestamp	<b>Created</b> and <b>last updated</b> datetimes for the record ( <code>created / updated</code> , shown as <b>Cr / Up</b> or equivalent in the UI).

## Field rules (text fields)

- **Name**: required, maximum **256** characters.
- **Description**: optional, maximum **MySQL TEXT** size (**65,535** bytes).

## Actions and behavior

- **Edit** (pen): opens the [edit modal](#) with existing data.

- **View** (eye): opens the flow to manage **sub-categories** under this parent. See [Program Sub-category](#).
- **Delete** (trash): opens confirmation and permanently removes the record after confirmation.
- **Status toggle**: controls visibility in mobile and web app UI.

## Sort and display notes

- Category cards are rendered by **serial ascending** in app experiences.
  - List table previews gender-specific and age-tagged images where configured.
- 

## Create category modal

Use **Add category** to create a **top-level** category: leave **Parent category** empty (or equivalent "no parent") so `parentId` stays `null` .

### Main fields

- **Name** (required)
- **Serial** (optional)
- **Gender** ( Both , or specific target as configured)
- **Parent Category** — leave unset for a parent category; required when creating a [sub-category](#)
- **Male Image** and **Female Image**
- **Description** (rich text editor)
- **Icon (HTML)** input for SVG/XML icon markup (for example Lucide or Font Awesome SVG code)

### Description and icon notes

- Description uses a rich text editor and supports long content.
- Icon field accepts HTML/SVG code and is used by UI rendering layers where icon display is enabled.

---

## Edit category modal

From the list, click the yellow pen to open **Edit Category**.

### How edit differs from create

- All fields are **pre-filled** with the saved record (name, parent, images, description, age-based options, and so on).
- Primary save action is **Update** (for example **Update with Age groups** when age-based imagery is enabled), instead of **Create** / **Create with Age Groups**.
- **Cancel** closes the modal without persisting changes.

### Fields visible in edit (aligned with create)

- **Parent category** — for a top-level row, this remains empty; changing it is how you move or attach rows (see [sub-category](#)).
- **Age-Based images** — when enabled, the same default and per-age-group uploaders appear; existing uploads show as **previews** so you can replace files or keep them.
- **Default slots** — optional fallbacks (for example default image / default icon) when the age-based set is in use, depending on configuration.
- **Age group specific images** — per group (Child, Young Adult, Adult, Senior), **male** and **female** slots; formats and size limits match the create flow (for example up to 5 MB and common image types).
- **Description** — rich text editor; long content and embedded media behave like on create.

---

## Age-based images toggle

When **Age-Based Images** is enabled:

- Additional image sections appear.
- Modal action changes to **Create with Age Groups**.
- You can upload a default set plus age-specific sets.

## Age groups

- CHILD : Child (8-17 years)
- YOUNG\_ADULT : Young Adult (18-35 years)
- ADULT : Adult (36-55 years)
- SENIOR : Senior (55+ years)

For each age group, upload:

- Male image
- Female image

## Selection logic in web/mobile UI

Client apps calculate user age from birthday and combine it with gender:

1. Match gender
2. Match age group image (if available)
3. Fallback to default male/female image

Age-based images are intended to be supplied from admin for accurate UI targeting.

---

## Web UI: category cards and details

Category cards show image, title, and summary content; clicking opens detail flow.

On category detail:

- Main content and hero image are shown side-by-side.
  - Long description is displayed in a scrollable content area.
  - **Sub-category** cards are shown below — see [Program Sub-category](#).
- 

## URL binding (category)

Category detail routes can use **ID** or **slug**-based URLs, depending on product configuration. Example web host:

- <https://web.acusolo.net/...>
- 

## Video walkthrough

<https://www.youtube.com/watch?v=3JOsXSAKzq4>

# Program Sub-category

Documentation for sub-categories in the Program module. Parent categories are documented separately: [Program Category](#).

- Base URL (Admin): <https://admin.acusolo.net/>
- Base URL (Web app): <https://web.acusolo.net/>

## Data model (sub-category)

Sub-categories use the **same table** as parent categories. A sub-category is a row where **parentId** is set to a parent category id (not null ). See [Program Category — data model](#) for the parent side.

## Admin list: Sub-categories

The screenshot displays the 'Liste des catégories' page in the Acusolo Admin interface. The page features a sidebar on the left with navigation options such as 'Tableau de bord', 'Paramètres utilisateur', 'Langues', 'Catégories', 'Liste des catégories', 'Sous-catégories', 'Gérer les programmes', 'Q et R', 'Gestion des appareils', 'Récompenses', 'Coupons', 'Demandes de remboursement', 'Bibliothèque musicale', 'Plans d'abonnement', 'Banque de points médicaux', 'Formation IA', and 'Intégration'. The main content area shows a table of categories with columns for 'Numéro', 'Actions', 'Statut', 'Nom', 'Catégorie parents', 'Icône', 'Genre', and 'Images hommes'. The table lists several categories, including 'RYTHMES CIRCADIEN..', 'INCONFORT SEUL', 'INCONFORT LIÉ AU FROID', 'INCONFORTS DU NEZ', 'Arrêt Tabac Sub', and 'ÉQUILIBRE CUTANÉ'. A red box highlights the 'Voir les programmes' link in the actions column of the 'MOBILITÉ & DÉTENTE CORPORELLE' row. The URL at the bottom of the page is <https://admin.acusolo.net/admin/programs?categoryId=5914d686-8771-4264-948b-6a3bedf5e1b&categoryName=MOBILITÉ & DÉTENTE CORPORELLE&subCategoryId=3499c532-6418-492a-b51c-a9b88d6507b&subCategoryName=INCONFORT SEUL>

## Columns

The sub-category list uses the same structure as the [category list](#), with one additional column:

Column	Definition
Parent Category	Shows which <b>parent category</b> this row belongs to ( <code>parentId</code> ). Read-only in the list; set or changed in create/edit via the <b>Parent category</b> field.

All other column definitions (Serial, Actions, Status, Name, Icon, Gender, images, Description, Timestamp, field rules) match [Program Category — Columns](#).

## Actions and behavior

- **Edit** (pen): opens the edit modal (same form family as [Edit category](#)); sub-category rows include a parent selection.
- **View** (eye): navigates to **programs** for that sub-category (for example tooltip **Voir les programmes** in the admin UI).
- **Delete** (trash): same confirmation and permanent delete behavior as parent categories.
- **Status toggle**: same visibility rules for mobile and web app.

---

## Create sub-category

Creating a sub-category uses the **same modal** as a parent category, but you **must select a Parent category** so `parentId` is set. For field-by-field behavior (images, description, age-based toggle, icon HTML), see [Create category modal](#) on the Program Category page.

acUSOLO

Rechercher un menu

French

Acusolo Admin User

### Ajouter une catégorie

Name \* Serial (optional)  
Insert Name Insert Serial

Gender  
Both

Parent Category  
Select a parent category

**Age-Based Images**  
Upload different images for different age groups

**Male image** **Female image**

Upload Image or drag & drop


Supported formats: jpg, jpeg, png, gif, webp, svg  
Maximum file size: 5 MB

Description

File Edit View Insert Format Table

Paragraph System Font 12pt

Annuler Create



acUSOLO

Rechercher un menu

French

Acusolo Admin User

### Ajouter une catégorie

Supported formats: jpg, jpeg, png, gif, webp, svg  
Maximum file size: 5 MB

Supported formats: jpg, jpeg, png, gif, webp, svg  
Maximum file size: 5 MB

Description

File Edit View Insert Format Table

Paragraph System Font 12pt


Build with tinyMCE

Icon (HTML)


1

Enter HTML or SVG code for the icon. Leave empty if no icon is needed.

Annuler Create



Edit sub-category



Edit uses the same patterns as [Edit category](#): you can change the **Parent category** to move a row between parents when the product allows it.

## Age-based images

Sub-categories support the same **Age-Based Images** option and age groups as parent categories. See [Age-based images toggle](#).

## Web UI: sub-category

### Sub-category detail and programs

← Retour **Détails de la sous-catégorie**

# TUTORIAL SUB CATEGORY

PUBLIC HEALTH
SMOKING CESSATION

## Breathe Easy: Launching Our 2026 Anti-Smoking Initiative

Published on April 23, 2026 | Location: Sylhet, Bangladesh


---

As part of the broader Clean Air Initiative, our newly announced Smoking Cessation program




**Programmes**

2 Programmes



**TUTORIAL PROGRAM 2**  
Program Description The Clean Air Initiative's Smoking Cessation Program is a



**TUTORIAL PROGRAM**  
Public Health Program Smoking Cessation Tutorial Program Published on April 23, 2026 |

If multiple programs exist, program cards are shown for selection.

If only one program exists, the UI can show a direct **Start / Commencer** action instead of a card grid. Example program URL shape:

- <https://web.acusolo.net/program/c304cf66-8500-4543-b3a3-3669c946de6c>

## URL binding (sub-category)

Detail pages support both **id**-based and **slug**-based routes. Example:

- <https://web.acusolo.net/category/tutorial-sub-category>

## Video walkthrough

The walkthrough for categories and sub-categories lives on the Program Category page:  
[Video walkthrough.](#)

# Program

This page documents **Programs** under **Gérer les programmes** → **Programmes** in the admin panel, and how they appear in the **web app** after configuration.

- Base URL (Admin): <https://admin.acusolo.net/>
- Base URL (Web app): <https://web.acusolo.net/>

Related docs: [Category](#), [Sub-category](#).

---

## Video tutorial (how to manage programs)

Walkthrough for managing programs in the admin panel (same content as the embed <https://www.youtube.com/embed/3JOsXSAKzq4> ).

<https://www.youtube.com/watch?v=3JOsXSAKzq4>

---

## Admin: program list

The **Liste des programmes** screen is a data table of all programs with search, sort, items-per-page, pagination, and **Nouveau programme** to open the create modal.

- Tableau de bord
- Paramètres utilisateur
- Langues
- Catégories
  - Liste des catégories
  - Sous-catégories
  - Gérer les programmes**
  - Programmes
  - Sessions
  - Modales de session
  - Étapes
  - Programmes 12 points
- Q et R
- Gestion des appareils
- Récompenses
- Coupons
- Demandes de remboursement
- Bibliothèque musicale
- Plans d'abonnement

Liste des programmes Liste des programmes / Nouveau programme

Gérez et suivez les programmes de votre équipe. Consultez l'historique, approuvez ou rejetez les programmes et maintenez des enregistrements précis.  
 Note: si vous ne trouvez pas la traduction qui vous convient, veuillez consulter le tableau de bord simplelocalize et actualiser la page pour voir les dernières traductions. [Afficher la traduction](#)

10 éléments par page. Trier par numéro croissant Rechercher par nom, description ou statut

Numéro	Actions	Statut	T2 Point	Image	Nom	Comptes	Catégorie	Sous-cat
1		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Général sur l'ensemble du corps	21 Days 2 Linked answers 21 Sessions 26 Users Choices	MOBILITÉ & DÉTENTE CORPORELLE	INCONFO
1		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Tutorial Program	1 Day 0 Linked answer 0 Session 0 User Chose	Tutorial Category	Tutorial S
2		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Articulations en générales	11 Days 1 Linked answer 11 Sessions 27 Users Choices	MOBILITÉ & DÉTENTE CORPORELLE	INCONFO
2		<input type="checkbox"/>	<input checked="" type="checkbox"/>		Tutorial Program 2	2 Days 0 Linked answer 1 Session 0 User Chose	Tutorial Category	Tutorial S
3		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Les muscles	13 Days 1 Linked answer 13 Sessions 22 Users Choices	MOBILITÉ & DÉTENTE CORPORELLE	INCONFO
4		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		TÊTE / COU	21 Days 1 Linked answer 21 Sessions 18 Users Choices	MOBILITÉ & DÉTENTE CORPORELLE	INCONFO
5		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Épaules / Bras	21 Days 1 Linked answer 21 Sessions 22 Users Choices	MOBILITÉ & DÉTENTE CORPORELLE	INCONFO

# Columns

Column	Definition
<b>No.</b> ( Numéro )	Row serial / display order for the program in lists.
<b>Actions</b>	<b>Edit</b> (yellow pen), <b>View sessions</b> (blue play — opens the <u>sessions list</u> for this program), <b>Delete</b> (red trash — confirmation then permanent removal).
<b>Status</b>	Toggle: when <b>on</b> , the program is available in mobile and web app; when <b>off</b> , it is hidden from end users.
<b>12 Point</b>	Toggle that controls the <b>final-session welcome modal</b> CTA (see <u>12 Point toggle and welcome modal</u> ).
<b>Picture</b>	Program thumbnail from <b>Program image</b> upload.
<b>Name</b>	Program title (often shown as a link in the table).
<b>Counts</b> ( Comptes )	Aggregated metrics as badges (see <u>Counts column</u> ).
<b>Category</b>	Parent <u>category</u> name.
<b>Sub Category</b>	<u>Sub-category</u> name when assigned; may be empty depending on data.
<b>Days</b>	Assigned program length in <b>days</b> (how many calendar days the program spans in the product logic).
<b>Accessories</b>	Summary of required accessories (for example device, patches, stylus counts from the program form).
<b>Rehearsals</b>	Number of <b>répétitions</b> (rehearsals) configured for the program.
<b>Description</b>	Short or truncated view of the rich-text description.
<b>Timestamp</b>	<b>Created</b> and <b>updated</b> timestamps for the record.

The table can be **wide**; use the **horizontal scrollbar** to reach **Days**, **Accessories**, **Rehearsals**, **Description**, and **Timestamp** when they are off-screen.

## Counts column

The **Comptes** cell groups four metrics (numbered here as in the annotated list screenshot):

#	Meaning
1	<b>Program days</b> — how many days the user can continue or run this program (aligned with the program's day configuration).
2	<b>Sessions</b> — how many sessions exist under this program (admin-configured session count).
3	<b>AI suggestions</b> — how many times the <b>AI chat</b> has suggested this program to users.
4	<b>Linked answers</b> — how many <b>questionnaire</b> answers are linked to this program.

Badge labels in the UI may appear as localized strings (for example “Days”, “Sessions”, “Users Choices”, “Linked answers”).

## View sessions (play action)

The blue **play** action opens the sessions administration view for **that program**. See [Sessions](#) for the session list UI and columns. The URL typically passes program context (for example program id, title, and day count) as query parameters so the sessions list is scoped correctly (for example `.../admin/sessions?... with pid , pTitle , pDay` ).

## Search, sort, pagination

- **Search:** filter programs by name, description, or status (placeholder along the lines of *Rechercher par nom, description ou statut*).
  - **Sort:** for example **Trier par numéro croissant** (by serial ascending).
  - **Pagination:** standard page controls and "X entries per page" footer.
- 

## 12 Point toggle and welcome modal

The **12 Point** column is a per-program toggle. It does **not** replace **Status**; it only changes what the user sees after finishing the **last session** of the program.

### 12 Point disabled

Admin (toggle off):

Web app — after the final session, the welcome modal shows a button back to **program details**:

- Primary CTA example: **Voir les détails du programme** (see program details).

### 12 Point enabled

Admin (toggle on):

Web app — first welcome step after the final session:

- Primary CTA example: prompt about feelings before the next program (**12 Point** journey).

Tapping that CTA opens a **follow-up modal** (feedback / experience selection):

- Example: emoji choices (**Pas d'amélioration, Amélioration, Excellent**) and a continue action once an option is selected.

---

## Create program modal

Open **Nouveau programme** to create a record.

### Fields (from the UI)

- **Program name** ( Nom du programme ) — required ( \* ).
- **Accessories** — three numeric fields (required in the form): **Stylus** ( Stylet ), **Patches** ( Patches ), **Device** ( Appareil ).
- **Category** — required dropdown; links to program categories.
- **Number of days** ( Nombre de jours ) — dropdown (for example 1 Jours , 5 Jours , ...).
- **Serial** ( Numéro ) — optional ordering / reference field.
- **Rehearsals** ( Répétitions ) — numeric input.
- **Program image** — upload or drag-and-drop; common image types; **5 MB** max where shown.
- **Description** — rich text (TinyMCE-style) with toolbar, optional toggle, and fullscreen control.

### Actions

- **Annuler** — closes without saving.
- **Create** — submits and persists the program.

---

## Edit program modal

From the list, use **Edit** (pen) to open **Modifier le programme** with all values pre-filled.

### Differences from create

- **Sub-category** ( Sous-catégorie ) — searchable dropdown when the program is tied to a sub-category.

- All accessory counts, days, rehearsals, category, image preview, and description are editable.
- **Update** saves changes; **Annuler** discards.

## Delete

**Delete** (trash) follows the same confirmation pattern as other admin modules: confirm to permanently remove the program.

---

## Web app: program details (before start)

After admin configuration, the program appears on the web app program details page.

Typical layout:

- **Back** ( Retour ) and title **Détails du programme**.
- **Hero image** and program **name**, **description**, and **session count** (for example “21 sessions”).
- **Accessoires requis** card with icon quantities (device, patches, stylus) matching admin values, plus helper text (for example link to purchase a stylus).
- Primary **Commencer maintenant** (Start now) with play icon — starts the program flow.

---

## Web app: security warning on start

Pressing **Commencer maintenant** opens a **safety / contraindications** modal before the first session opens.

- Lists medical contraindications for electrostimulator use.
- **I have contraindications** — user should not proceed; modal closes / program does not start.
- **I do not have specific contraindications** — user confirms and can continue to **session 1** (first session details).

---

## Web app: program details after start

Once the program is in progress, the same page gains a **Programme en cours** section.

Notable elements:

- **EN COURS** (or similar) status badge.
- **Voir le calendrier** — opens the session calendar modal.
- Primary CTA: **Démarrez votre session N** — go to the current session (session number depends on progress).
- Secondary actions (examples from UI):
  - **Refaire la session précédente** — redo flow for the previous session.
  - **Mettre le programme en pause** — pause the active program.
  - **Mettre fin au programme** — end / abandon the program.

Exact labels may vary slightly by locale or build.

---

## Session calendar modal

From **Voir le calendrier** on the in-progress program page:

The **Calendrier des sessions** modal shows:

- Program thumbnail and title; category label when shown (for example **PERFORMANCE**).
- Summary: **next session index**, **average duration**, **total sessions**.
- Banner explaining **next session availability** (for example next session on **Day 2** after **Day 1** has been active **24 hours**), with a **countdown** timer.
- A **list of sessions** with states such as **started**, **planned / locked by time**, and **locked** for future days.
- Per-row actions where applicable (for example pause, cancel, view on an active session).
- **AFFICHER LES PROCHAINES SESSIONS** (or similar) to load more rows when the program has many sessions.

---

## 24-hour rule and “force next” / redo

Each session is intended to run **one day**; the **next** session becomes available after roughly **24 hours** from the product rules shown in the calendar and on the main progress bar.

### Opening the early-start modal

When the next session is **not** yet available by time, the page can still show a **Commencez dès maintenant** (start right now) text action (highlighted in the reference screenshot):

Choosing it opens a confirmation modal.

### Confirmation modal — variants

Single primary path (example: start session 2 now):

- Explains following sessions in order and the **~23 hour** redo delay for the previous session.
- **Commencer maintenant (session N)** — proceed with the indicated session.

When both **redo** and **force next** are offered:

- **Refaire la session précédente (session X)** — redo the previous session.
- **Commencer maintenant (session Y)** — advance to the next session **before** the natural 24-hour unlock (admin/product “force next” behavior).

Users can still use **Retour** / normal navigation to return to program details when allowed by the app.

# Sessions

This page documents **Sessions** under **Gérer les programmes** → **Sessions** in the admin panel. Each session belongs to a Program and is ordered by **day** within that program's schedule.

- Base URL (Admin): <https://admin.acusolo.net/>

Related: Program, Steps, Session modals, Category, Sub-category.

---

## How sessions fit in the product

Sessions are the **scheduled units** inside a Program: each program has a configured **length in days**, and each session is tied to a **day index** and a **program**. The web app uses this structure for “**session N**” progress, **24-hour unlock** rules between sessions, and the **calendar** view on the program page.

**Admin mental model:**

1. Category → Sub-category → Program (structure and marketing).
  2. **Sessions** → one row per **program + day** (or equivalent scheduling slot the UI calls “Day”).
  3. Steps → ordered instructions inside a single session.
  4. Session modals → **post-completion welcome** content after the user finishes a session in the app (separate from the program **12 Point** final-session CTA).
- 

## Entry points (two ways to reach the list)

### From the sidebar

**Gérer les programmes** → **Sessions** opens the **global** session list: all programs, with filters and pagination. Use this when you are auditing sessions across programs or fixing data without starting from one program row.

## From the program list (scoped)

On **Liste des programmes**, the blue **play** action opens the session list **filtered for that program** (query parameters such as program id, title, and day count are passed in the URL). See [Program — View sessions](#).

### Why two entry points matter (UX):

- Scoped entry reduces mistakes when you only care about **one** program's schedule.
- Global entry supports support teams and bulk review.

## Session list

The **Session List** screen lists every session with filters and pagination. Use **New Session** to open the create modal.

The screenshot shows the 'Session List' interface. The sidebar on the left contains navigation options: Programmes, Sessions (selected), Modales de session, Étapes, Programmes I2 points, Q et R, Gestion des appareils, Récompenses, Coupons, Demandes de remboursement, Bibliothèque musicale, Plans d'abonnement, Banque de points médicaux, and Formation IA. The main content area has a search bar and a 'New Session' button. Below the search bar is a table with the following columns: Day, Actions, Actif, Program, Program Category, Program Sub Category, and Horodatage. The table lists 10 sessions, each with a 'View Steps' button and a 'New Session' button. The sessions are:

Day	Actions	Actif	Program	Program Category	Program Sub Category	Horodatage
1			TRANSPIRATION	LÉGÈRETÉ & DYNAMISME DES JAMBES	TRANSPIRATION & CONFORT	Cr: Saturday, October 11, 2025 3:42 AM Up: Saturday, October 11, 2025 3:42 AM
1			Circulatoire	HARMONIE DU CYCLE DE LA FEMME	LÉGÈRETÉ DES JAMBES	Cr: Saturday, October 11, 2025 3:04 AM Up: Saturday, October 11, 2025 3:04 AM
1			13H / 15H	HARMONIE DU SOUFFLE	INCONFORT PAR HEURE	Cr: Saturday, October 11, 2025 3:33 AM Up: Saturday, October 11, 2025 3:33 AM
1			19H / 21H	HARMONIE DU CYCLE DE LA FEMME	RYTHMES CIRCADIEN.	Cr: Saturday, October 11, 2025 3:18 AM Up: Saturday, October 11, 2025 3:18 AM
1			MÉRIDIEN DES RÉSERVES	SIGNATURE IMPÉRIALE	MÉRIDIEN DES RÉSERVES	Cr: Saturday, October 11, 2025 2:33 AM Up: Saturday, October 11, 2025 2:33 AM
1			17H / 19H	HARMONIE DU SOUFFLE	INCONFORT PAR HEURE	Cr: Saturday, October 11, 2025 3:35 AM Up: Saturday, October 11, 2025 3:35 AM
1			15H / 17H	HARMONIE ABDOMINALE	INCONFORT PAR HEURE	Cr: Saturday, October 11, 2025 2:27 AM Up: Saturday, October 11, 2025 2:27 AM
1			Concentration	PERFORMANCES PROFESSIONNELLES	CONCENTRATION	Cr: Saturday, October 11, 2025 2:55 AM Up: Saturday, October 11, 2025 2:55 AM
1			Emotionnel	ANCRAGE, STABILITÉ ET PRÉVENTION	SÉRÉNITÉ MENTALE	Cr: Saturday, October 11, 2025 2:06 AM Up: Saturday, October 11, 2025 2:06 AM
1			HORMONAL	HARMONIE DU CYCLE DE LA FEMME	ÉQUILIBRE DES CYCLES CHEZ LA FEMME	Cr: Saturday, October 11, 2025 3:06 AM Up: Saturday, October 11, 2025 3:06 AM

2130 entrées (10 éléments par page, page 1 sur 213)

## Toolbar

- **Items per page** (for example 10 ).
- **Sort** — for example *Trier par date de mise à jour décroissante* (sort by last update, newest first).

- **Search** — filter by name, description, or status (placeholder may vary by locale).
- **New Session** — opens Create session modal.

## Columns

Column	Definition
<b>Day</b>	The <b>day index</b> of this session within its <b>Program</b> (for example Day 1 , Day 2 , ...). Must align with the program's configured length and ordering.
<b>Actions</b>	<b>Edit</b> (pen) — <u>edit modal</u> . <b>List</b> (list icon) — opens the <b>steps</b> list for this session (see <u>Steps</u> ). <b>Delete</b> (trash) — confirmation, then permanent removal.
<b>Active</b>	Toggle: when <b>on</b> , the session is available where the product uses it; when <b>off</b> , it is treated as inactive / hidden from those flows.
<b>Program</b>	The program this session belongs to (name shown in the table).
<b>Program Category</b>	Parent category of that program (read from program hierarchy).
<b>Program Sub Category</b>	Sub-category when the program has one; may be empty depending on data.
<b>Timestamp</b>	<b>Cr</b> : created at, <b>Up</b> : last updated at.

## Pagination

The footer shows total entries, page size, and current page (for example thousands of sessions across many pages). Use the pager controls to move between pages.

## Day column and program rules (practical)

- **Day** must be consistent with the parent program's **number of days** (you cannot rely on a session for "Day 99" if the program is only 7 days long—align with product limits shown in the program form).
- Each **program + day** combination should normally have **at most one** active session row; if duplicates exist, clarify with your team which row the app resolves (avoid creating overlapping Day values for the same program without intent).

- When you **change Program** or **Day** on an existing session (see [Edit session modal](#)), the same **steps** remain attached to that session row until you edit steps separately—verify [Steps](#) after moving a session.

## Active column vs program Status

- **Program Status** (on the program list) hides the **whole program** from end users when off.
- **Session Active** (on the session list) can hide or skip a **single session** inside an otherwise published program, depending on how the client app reads inactive sessions.

Treat **Active** as a surgical switch for one day's session without unpublishing the entire program.

---

## Create session modal

Open **New Session** to add a session. All main controls are **dropdowns** (searchable where the UI supports it).

### Fields

Field	Role
<b>Program</b>	<b>Which program</b> this session belongs to. Required context: pick from <i>Sélectionner un programme</i> (or equivalent).
<b>Day</b>	<b>Which day</b> of the selected program this session represents (for example <b>Day 1</b> , <b>Day 2</b> , ...). Must match the program's day model.
<b>Device</b>	<b>Required</b> hardware the user should use for this session — the <b>recommended device</b> to continue (for example the main TENS / therapy device).
<b>Accessory</b>	<b>Accessory</b> linked to that device (for example electrode patches).
<b>Stylus</b>	<b>Stylus</b> option linked to the same device family when applicable.

### Actions

- **Cancel** — closes without saving.
  - **Create** — saves the new session and associates it with the chosen program and day.
- 

## Edit session modal

From the list, click **Edit** (pen) to open **Edit Session** with **current values** pre-filled so you can adjust program, day, device, accessory, or stylus.

### Actions

- **Cancel** — discards unsaved changes.
- **Update** — persists modifications.

### Notes

- Changing **Program** or **Day** affects where this session appears in the schedule and which **steps** list opens from the **list** action.
- **Device**, **Accessory**, and **Stylus** should stay consistent with what the program expects for that day (and with inventory / UX copy in the web app).

### After you save: verification checklist

1. Find the session in the list (search by program name or use the scoped URL from the program row).
  2. Confirm **Day** matches the program day you intended.
  3. Click the **list** (steps) action and confirm Steps exist and are ordered for that session.
  4. In the web app, open the program and use **Voir le calendrier** (see Program — Session calendar modal) to confirm the session appears on the expected day with the expected state (started / locked / planned).
- 

## Relationship to other modules

- **Programs** define length, accessories at program level, and navigation from the program list's **play** action can land on the sessions list scoped to a program — see

## Program — View sessions.

- Steps (Étapes) are managed per session via the **list** action in the Actions column.
- Session modals define the post-session **welcome** content in the web app after a session is completed (not the same as the program **12 Point** final flow).

---

## Common issues (troubleshooting)

Symptom	What to check
Session does not appear in the app calendar	<b>Active</b> toggle, <b>program Status</b> , correct <b>Program</b> link, and <b>Day</b> within program length.
Wrong device text in the app	<b>Device / Accessory / Stylus</b> fields on this session vs copy on <u>Program</u> accessories card.
Steps action opens empty list	Create <u>Steps</u> for that session, or confirm you opened steps for the <b>same</b> session id after a program/day change.
Duplicate "Day 2" rows for one program	Edit or delete duplicates; keep one canonical row per intended day.

# Session modals (Modales de session)

These records control the **welcome / summary popup** shown in the **web app** after a user **finishes a session** (after the final step's completion flow). They are separate from the **Program 12 Point** toggle, which only affects the **last program session** CTA.


- Base URL (Admin): <https://admin.acusolo.net/>

Related: [Sessions](#), [Steps](#).

---

## Web app: session completion flow

When the user completes **all steps** of a session, the **last step** can open a **music / summary** modal (countdown, track, **Terminer**).



After the user clicks **Terminer** (Finish — highlighted in the reference UI), the **welcome** popup opens. Its **image**, **titles**, and **description** come from the **session modal** entry that matches the resolution rules below.

Session actuelle terminée avec succès. Navigation vers la session suivante...

**titre1 : Chaque petit pas compte pour arriver à la sérénité.**

titre2 : Chaque petit pas compte pour arriver à la sérénité.

description: test Ben

Continuer

## Admin: session modals list

Gérer les programmes → Modales de session. Create entries with Nouvelle modale de session.

Rechercher un menu

French

Acusolo Admin User

### Modales de session

Gérez les modales de session affichées pendant les programmes. Configurez le type, le moment d'ouverture et la session liée.

Note: si vous ne trouvez pas la traduction qui vous convient, veuillez consulter le tableau de bord simplelocalize et actualiser la page pour voir les dernières traductions.

10 éléments par page. Trier par numéro croissant

Rechercher par nom, titre ou statut

Nouvelle modale de session

Numéro de session # dans le programme.	Actions	Statut	Par défaut	Image	Nom interne	Titre	Ouverture	Description	Horodatage
99					Great Job	N/A	LAST_SESSION	N/A	Cr: Thursday, April 9, 2026 2:24 AM Up: Friday, April 10, 2026 9:23 AM
2					titre1 : Chaque petit pas...	titre2 : Chaque petit...	ALWAYS	description: test Ben	Cr: Thursday, April 9, 2026 8:31 PM Up: Tuesday, April 21, 2026 2:55 PM

1 entrées (1 éléments par page, page 1 sur 1)

## Columns (typical)

Column	Definition
Session no. # in Program	Serial number of the program session this row targets ( 1 = first session of any program, 2 = second, ...). This is the main matching key for ALWAYS rows.
Actions	Edit, Delete (with confirmation).
Statut	Enable / disable this modal record.
Default	At most one row should be default: used as fallback when no row matches the current session number (or when a session has no specific content).
Image	Hero image for the welcome popup.
Internal name	Admin-only label.
Title	User-facing title text (and related fields depending on your schema).
Open on ( Overture )	ALWAYS or LAST_SESSION — see <u>Types</u> .
Description	Body content (often rich text).
Timestamp	Created / updated.

Toolbar usually includes search, sort, translation toggle, and pagination like other admin lists.

---

## Types: ALWAYS vs LAST\_SESSION

### LAST\_SESSION

- Exactly one such record should exist across the whole table (global singleton).
- Supplies the welcome content for the final session of every program (program-agnostic "last session" experience).

- The **Session no. # in Program** value on that row may be a placeholder in the UI (for example 99 in a screenshot); the product treats the row by **type**, not by matching session index.

## ALWAYS

- One row per **session index** you want to customize (for example “show this copy after session 2 of any program”).
- Matching rule: if the user just finished **session N** of a program, use the **ALWAYS** row whose **Session no. # in Program** equals **N** .

## Default fallback

- Mark **one** record as **default**.
- If there is **no** matching **ALWAYS** row for session **N** , and the finished session is **not** handled by **LAST\_SESSION** , the app uses the **default** row’s content.

## Resolution order (conceptual)

1. If the completed session is the **last** session of the program → use the single **LAST\_SESSION** row (if active).
2. Else if an **ALWAYS** row exists for **Session no. # = N** → use it (if active).
3. Else → use the **Default** row (if active).

---

## Session no. # in Program (important)

The value is the **session serial inside the program**, not the calendar day label.

**Example:** After finishing **session 1** of any program, the app loads the modal row where **Session no. # in Program = 1** . After session **2**, it uses the row with **2** , and so on.

---

## Create session modal

Typical fields:

- **Internal name, Title, Serial** (display / sort order in admin lists).
- **Session no. # in Program** — numeric key for ALWAYS matching (for example 3 for “after session 3”).
- **Session modal image** — upload (common image types, **5 MB** max where shown).
- **Open on** — **Always** or **Last session of the program (one item)** (wording may vary by locale).
- **Description** — rich text.

**Annuler / Create.**

---

## **Edit session modal**

Same fields as create, pre-filled: **Slug**, internal name, title, serial, **Session no. # in program**, image, **Overture** dropdown ( **Always** vs last-session option), description.

**Annuler / Update.**

# Steps (Étapes)

Each **step** belongs to exactly one Session. Steps define order, the linked **medical point**, visuals (color / side), and the instruction text the user follows during that part of the session.

- Base URL (Admin): <https://admin.acusolo.net/>

Related: [Sessions](#), [Session modals](#), [Medical Point Items](#).

---

## What a step is (plain language)

A **step** is one beat inside a Session: "place the device here," "use this color," "follow this instruction." Users see steps **in order** during a session. The admin **Numéro** column is that order.

**Important:** Steps do **not** replace session-level welcome modals. Modals run **after** the user finishes the session flow; steps run **during** it.

---

## Steps list

Under **Gérer les programmes** → **Étapes**. Use **Nouvelle étape** to create a step.

ACUSOLO

Rechercher un menu

French

Acusolo Admin User

Gérez et suivez les étapes des sessions. Consultez les détails, points médicaux et fichiers associés.

Note: si vous ne trouvez pas la traduction qui vous convient, veuillez consulter le tableau de bord simplelocalize et actualiser la page pour voir les dernières traductions. [Afficher la traduction](#)

10 éléments par page. Trier par numéro croissant

Rechercher par point médical, instruction ou session

Nouvelle étape

Numéro	Actions	Statut	Session	Medical Point	Couleur	Side	Instruction du point médical	Horodatage	
2				Session 1	4 VC (MO)	ROUGE	CENTRE	Appliquez le patch avec le fil ROUGE 3 cm au dessus du pubis.	Cr: Thursday, April 23, 2026 1:17 AM Up: Thursday, April 23, 2026 1:17 AM
1				Session 1	5/6 TF(FEU)/STRESS)	NOIR	DROIT	Appliquez le patch avec le fil NOIR à l'extérieur de l'avant-bras droit à 3 cm du poignet droit.	Cr: Thursday, April 23, 2026 1:15 AM Up: Thursday, April 23, 2026 1:15 AM
2				N/A	PE2 (3patches +1 stylet)		N/A	<b>Préparez votre matériel</b> Pour le bon déroulement de votre session, assurez-vous d'avoir à portée de main :	Cr: Monday, April 20, 2026 8:18 PM Up: Monday, April 20, 2026 8:18 PM
1				N/A	STPREP2	ROUGE	N/A	PRÉPARATION Branchez le stylet avec le FIL ROUGE.	Cr: Monday, April 20, 2026 8:15 PM Up: Monday, April 20, 2026 8:19 PM
5				Jour 1	STPREP1		N/A	PRÉPARATION Placez vos 3 patchs. Branchez le stylet avec le FIL NOIR.	Cr: Friday, April 10, 2026 2:38 AM Up: Friday, April 10, 2026 2:38 AM
4				Jour 1	14 VG	NOIR	CENTRE	Appliquez le patch avec le fil NOIR sur la colonne vertébrale, à la base du cou.	Cr: Friday, April 10, 2026 2:37 AM Up: Friday, April 10, 2026 2:37 AM
3				Jour 1	10 GI	ROUGE	GAUCHE	Appliquez le patch avec le fil ROUGE sur la partie extérieure du bras gauche, juste en dessous du pli du coude gauche.	Cr: Friday, April 10, 2026 2:37 AM Up: Friday, April 10, 2026 2:37 AM
2				Jour 1	10 GI	ROUGE	DROITE	Appliquez le patch avec le fil ROUGE sur la partie extérieure du bras droit, juste en dessous du pli du coude droit.	Cr: Friday, April 10, 2026 2:36 AM Up: Friday, April 10, 2026 2:36 AM
2				Jour 1	10 GI	ROUGE	DROITE	Appliquez le patch avec le fil ROUGE sur la partie extérieure du bras droit, juste en dessous du pli du coude droit.	Cr: Friday, April 10, 2026 2:36 AM Up: Friday, April 10, 2026 2:36 AM
1				Jour 1	PE2 (3patches +1 stylet)		N/A	<b>Préparez votre matériel</b> Pour le bon déroulement de votre session, assurez-vous d'avoir à portée de main :	Cr: Friday, April 10, 2026 2:14 AM Up: Friday, April 10, 2026 2:14 AM

12075 entrées (10 éléments par page, page 1 sur 1208)

## Toolbar

- Items per page, **sort** (for example *Trier par numéro croissant*).
- **Search** — placeholder along the lines of *Rechercher par point médical, instruction ou session*.
- **Nouvelle étape** — opens Create step.

## Columns

Column	Definition
Numéro	Step order within the session ( 1 , 2 , ...).
Actions	<b>Edit</b> (pen), <b>Delete</b> (trash — confirm, then remove).
Statut	Toggle: active / inactive for this step in product flows.
Session	Which session this step belongs to (for example <b>Session 1, Jour 1</b> ).
Medical Point	Linked point code / label from the <u>medical point bank</u> .
Couleur	Color used in UI (for example <b>ROUGE / NOIR</b> ).
Side	Body side when applicable ( <b>GAUCHE, DROIT, CENTRE</b> , or <b>N/A</b> ).
Instruction du point médical	Instruction copy (may be truncated in the table).
Horodatage	<b>Cr / Up</b> created and updated times.

Large datasets use standard **pagination** at the bottom of the table.


## Step order ( Numéro ) — best practice

- Use **1, 2, 3, ...** without gaps when possible so operators and logs match user-facing “step 1 of N.”
- If you insert a new middle step, **renumber** siblings so the sequence stays intuitive (some UIs show “step N” to end users from this order).
- **Duplicate numbers** in the same session confuse QA and may produce undefined ordering in the client—avoid them.

## Statut (row toggle)

When **Statut** is off, treat the step as **excluded** from the live flow (exact client behavior may hide the step or skip it—design for “off means do not rely on this step in production”).

# Create step modal



Field	Role
Session	Required — pick the session this step belongs to ( <i>Sélectionner une session</i> ).
Medical Point	Required — choose the point for this step.
Numéro	Step sequence number inside the session.
Instruction	Rich text (TinyMCE); toggle and fullscreen helpers on the editor.

**Annuler** closes without saving. **Créer l'étape** saves the new step.

# Edit step modal

Same fields as create, **pre-filled**. You can change **Session** to move a step to another session when the product allows it.

**Prévisualiser tous les fichiers du point médical sélectionné** — thumbnail strip for assets tied to the selected medical point (helps verify the correct point before saving).

**Annuler / Update** — discard or save changes.

---

## Entry points

- Sidebar **Étapes** — full list of all steps.
- From Sessions, the **list** action on a row opens the steps view scoped to that session (same module, filtered context).

# 12 Point Programs

This module manages the special **12-point method** flow and the program suggestions that appear after users complete the 12-point selection journey.

- Base URL (Admin): <https://admin.acusolo.net/>
- Base URL (Web app): <https://web.acusolo.net/>

Related: [Program](#), [Session modals](#), [Category](#), [Sub-category](#).

## Admin list

Under **Gérer les programmes** → **12 Point Programs**.

The screenshot shows the 'Point List' page in the Acusolo Admin interface. The page has a sidebar on the left with navigation options like 'Sessions', 'Session modals', 'Steps', '12 Point Programs', 'Q & A', 'Device management', 'Rewards', 'Coupons', 'Refund Requests', 'Music Library', 'Subscription Plans', 'Medical Point Bank', 'AI Training', 'Onboarding', 'FAQ Management', 'Contact Chips', 'App Settings', 'Site Setting', 'Color Scheme', and 'Session Start Warnings'. The main content area is titled 'Point List' and includes a search bar, a 'Toggle to See Translated' button, and a table of 12 point programs. The table has columns for Serial, Actions, Status, Assets, Title, Programs, Summary, Instruction, and Timestamp. The table lists programs such as 'ÉQUILIBRE DU SOUFFLE', 'TRIPLE RÉCHAUFFEUR', 'SPHÈRE DE LA FLUIDITÉ', 'SPHÈRE DE LA VITALITÉ ANCRE', 'MÉRIDIEN DU DISCERNEMENT', 'SPHÈRE DE LA TRANSFORMATION', 'MÉRIDIEN DU CHOIX', 'PROTECTEUR DU CŒUR', 'MÉRIDIEN DE LA CLARTÉ', and 'MÉRIDIEN DES RÉSERVES'.

Serial	Actions	Status	Assets	Title	Programs	Summary	Instruction	Timestamp
1	[edit] [add] [delete]	[toggle]	[play] [play]	ÉQUILIBRE DU SOUFFLE	ÉQUILIBRE DU SOUFFLE	de la partie externe de la clavicules	de la partie externe de la clavicules	Cr: Saturday, October 11, 2025 Up: Friday, March 20, 2025
12	[edit] [add] [delete]	[toggle]	[play] [play]	TRIPLE RÉCHAUFFEUR	TRIPLE RÉCHAUFFEUR	prolongement et appuyez 3	prolongement et appuyez 3	Cr: Saturday, October 11, 2025 Up: Friday, March 20, 2025
11	[edit] [add] [delete]	[toggle]	[play] [play]	SPHÈRE DE LA FLUIDITÉ	SPHÈRE DE LA FLUIDITÉ	appuyez avec 2 doigts dans la partie	appuyez avec 2 doigts dans la partie	Cr: Saturday, October 11, 2025 Up: Friday, March 20, 2025
10	[edit] [add] [delete]	[toggle]	[play] [play]	SPHÈRE DE LA VITALITÉ ANCRE	SPHÈRE DE LA VITALITÉ ANCRE	puis reculez de 2 cm. Appuyez avec	puis reculez de 2 cm. Appuyez avec	Cr: Saturday, October 11, 2025 Up: Friday, March 20, 2025
9	[edit] [add] [delete]	[toggle]	[play] [play]	MÉRIDIEN DU DISCERNEMENT	MÉRIDIEN DU DISCERNEMENT	sein puis appuyez avec	sein puis appuyez avec	Cr: Saturday, October 11, 2025 Up: Friday, March 20, 2025
8	[edit] [add] [delete]	[toggle]	[play] [play]	SPHÈRE DE LA TRANSFORMATION	SPHÈRE DE LA TRANSFORMATION	pectoral droite et	pectoral droite et	Cr: Saturday, October 11, 2025 Up: Friday, March 20, 2025
7	[edit] [add] [delete]	[toggle]	[play] [play]	MÉRIDIEN DU CHOIX	MÉRIDIEN DU CHOIX	prolongement de la main et avec l'autre	prolongement de la main et avec l'autre	Cr: Saturday, October 11, 2025 Up: Friday, March 20, 2025
6	[edit] [add] [delete]	[toggle]	[play] [play]	PROTECTEUR DU CŒUR	PROTECTEUR DU CŒUR	Placez 2 doigts dans le	Placez 2 doigts dans le	Cr: Saturday, October 11, 2025 Up: Friday, March 20, 2025
5	[edit] [add] [delete]	[toggle]	[play] [play]	MÉRIDIEN DE LA CLARTÉ	MÉRIDIEN DE LA CLARTÉ	le nombril. Y a	le nombril. Y a	Cr: Saturday, October 11, 2025 Up: Friday, March 20, 2025
4	[edit] [add] [delete]	[toggle]	[play] [play]	MÉRIDIEN DES RÉSERVES	MÉRIDIEN DES RÉSERVES	l'autre main. Avec 2 doigts	l'autre main. Avec 2 doigts	Cr: Saturday, October 11, 2025 Up: Friday, March 20, 2025

## Columns

Column	Definition
Serial	Display order for 12-point items in admin list.
Actions	<b>Edit</b> (pen), <b>Delete</b> (trash), and <b>Add programs</b> (blue plus) to link regular programs to this 12-point item.
Status	Active/inactive visibility for this 12-point entry.
Assets / Media	Gender-specific images/videos used by the 12-point selection UI.
Title / Programs / Summary / Instruction / Timestamp	Labeling and content fields shown in list form (exact visible columns can vary with horizontal scroll and locale).

## Blue plus action: link programs

The blue plus opens this assignment modal:

The screenshot shows the Acusolo web application interface. At the top, there is a search bar and user information. The main content area is titled 'Point List' and contains a table with columns: Serial, Actions, Status, Assets, Title, Programs, Summary, Instruction, and Timestamp. The table lists 12-point items with their respective details. An 'Add Programs' modal is open over the table, showing a search for programs. The modal displays a search result for 'ÉQUILIBRE DU SOUFFLE' with its category and sub-category. The modal has 'Cancel' and 'Add Programs' buttons.

- Select one or more regular **Programs** to link under the current 12-point item.
- These links are used later in the web app suggestion modal after the 12-point answers are completed.
- Program chooser shows contextual category/sub-category info to reduce wrong links.

# Create 12-point program

The screenshot shows the 'Create 12 Point Program' modal in the Acusolo system. The modal is overlaid on a 'Point List' page. The modal contains the following fields and actions:

- Title** (required): A text input field with the placeholder 'Enter 12 point program name'.
- Step Number** (required): A text input field with the placeholder 'Step Number'.
- Male Image (5MB max)**: An 'Upload Image' button with a plus icon and the text 'or drag & drop'. Below it, supported formats are listed: jpg, jpeg, png, gif, webp, svg. Maximum file size is 5 MB.
- Female Image (5MB max)**: An 'Upload Image' button with a plus icon and the text 'or drag & drop'. Below it, supported formats are listed: jpg, jpeg, png, gif, webp, svg. Maximum file size is 5 MB.
- Male Video (Optional - 150MB max)**: A 'Drop files here or click to upload.' area with a plus icon. Below it, supported formats are listed: mp4, webm, mov, avi, mkv. Maximum file size is 150MB.
- Female Video (Optional - 150MB max)**: A 'Drop files here or click to upload.' area with a plus icon. Below it, supported formats are listed: mp4, webm, mov, avi, mkv. Maximum file size is 150MB.
- Write details about the medical point**: A text area with the placeholder 'Write your details here...'
- Write details about the program instruction**: A rich text editor with a toolbar containing 'File', 'Edit', 'View', 'Insert', 'Format', and 'Table'. The toolbar also includes undo, redo, paragraph, system font, 12pt, bold, italic, underline, and strikethrough.

At the bottom right of the modal, there are 'Cancel' and 'Create' buttons.


Core fields visible in the modal:

- **Title** (required)
- **Step Number** (required, index in the 12-point sequence)
- **Male Image** and **Female Image** (gender-based media)
- **Male Video** and **Female Video** (optional media where supported)
- **Write details about the medical point**
- **Write details about the program instruction** (rich text editor)

Standard actions:

- **Cancel**
- **Create**

# Edit 12-point program



Edit form is the same structure as create, pre-filled with existing values (including preview thumbnails). It also includes additional labels like **Day Label** depending on configuration.

Standard actions:

- Cancel
- Update

## Special storage category/sub-category

12-point-linked programs are stored under a dedicated category/sub-category pair so they can be managed in admin but hidden from the main public category browsing experience.

### Dedicated category

- This category is intentionally kept **inactive** in normal category UI visibility.
- It acts as a backend organization bucket for 12-point-linked programs.

### Dedicated sub-category

- Used the same way at sub-category level for 12-point program linkage management.
- 

## Web app flow

Users can reach this flow from session-end/welcome navigation (for example from a single-program sub-category progression path), then complete the 12-point sequence.

### 12-point selection page

Typical behavior:

- User reviews each point step-by-step.
- User selects response state such as **painful** or **not painful**.
- Navigation uses **Previous / Next** controls through the full point set.

### Suggested programs modal after completion

After the selection journey is finished, the app opens a suggestion modal with linked programs filtered by user responses.

- Displays candidate programs linked from admin via the blue-plus assignment.
- For the described flow, suggestions are based on the selected **painful** points and their mapped 12-point entries.

---

## Notes

- This module is tightly coupled to:
  - assignment rules in **12 Point Programs** (blue plus link modal),
  - completion/welcome flow from Session modals,
  - and regular Program records that are eventually suggested.

# Questions (Q&A)

This page documents the **Questions** module under **Q & A** in the admin panel: how questions and answers are structured, how each answer links to a **program**, how **warning popups** behave on the web app, and how user responses drive **program suggestions** after the questionnaire.

## Routes

Environment	URL
Admin — Question List	<a href="https://admin.acusolo.net/admin/questions">https://admin.acusolo.net/admin/questions</a>
Web — Questions History (questionnaire entry)	<a href="https://web.acusolo.net/settings/questions-history">https://web.acusolo.net/settings/questions-history</a>
Web — Suggested programs (typical outcome page)	<a href="https://web.acusolo.net/programs/suggested-via-questions">https://web.acusolo.net/programs/suggested-via-questions</a>

Related docs: [Program](#), [AI Suggestions](#).

**Preview clarification:** The blue **answer preview / expand** control on each question row opens the **nested answers panel inline on the Question List page** (see [Answer preview](#)). This is **not** the onboarding link preview UI used under **Onboarding Links**.

---

---

## Admin: Question List page

Opening `/admin/questions` loads the **Question List** screen: same overall admin layout as other modules (sidebar, top bar, breadcrumbs, table tooling), with **extra nested UI** for answers.

**Question List** Question List / New Question

Manage and track questions for your team. View question history, approve or reject questions, and maintain accurate records of questions.

**Note:** *If don't see the right translation, please checkout the simplelocalize dashboard and refresh the page to see the latest translations.* Toggle to See Translated

10 items in a page. **Sort by serial ascending** Search by name, description, or status New Question

Serial	Actions	Status	Gender	Name	Timestamp
1			Female <b>Both</b> Male	Si vous avez une de ces contre-indications, vous ne pouvez pas utiliser un électro-stimulateur. Contactez votre médecin avant toute utilisation.	<b>Cr:</b> Friday, September 12, 2025 2:52 AM <b>Up:</b> Friday, April 3, 2026 8:29 PM
2			Female <b>Both</b> Male	Quelles zones de tension ou de raideur souhaitez-vous travailler ?	<b>Cr:</b> Friday, September 12, 2025 2:52 AM <b>Up:</b> Thursday, March 5, 2026 3:56 PM
3			Female <b>Both</b> Male	Ressentez-vous des tensions liées à la charge mentale ?	<b>Cr:</b> Friday, September 12, 2025 2:52 AM <b>Up:</b> Friday, March 13, 2026 10:36 PM
4			Female <b>Both</b> Male	Êtes-vous sensible aux climats froids ou humides ?	<b>Cr:</b> Friday, September 12, 2025 2:52 AM <b>Up:</b> Friday, March 13, 2026 10:36 PM
5			Female <b>Both</b> Male	Ressentez-vous des inconforts toujours à la même Heure?	<b>Cr:</b> Friday, September 12, 2025 2:52 AM <b>Up:</b> Friday, April 3, 2026 8:58 PM
6			Female <b>Both</b> Male	Souhaitez-vous un Soutien pour Renforcer votre Volonté concernant l'Arrêt Tabac ?	<b>Cr:</b> Friday, September 12, 2025 2:52 AM <b>Up:</b> Friday, April 3, 2026 9:00 PM
7			Female <b>Both</b> Male	Quel aspect de votre potentiel physique souhaitez-vous optimiser ?	<b>Cr:</b> Friday, September 12, 2025 2:52 AM <b>Up:</b> Friday, March 13, 2026 10:30 PM
8			Female <b>Both</b> Male	Souhaitez-vous optimiser la qualité de vos nuits et votre récupération ?	<b>Cr:</b> Friday, September 12, 2025 2:52 AM <b>Up:</b> Friday, March 13, 2026 10:34 PM
9			Female <b>Both</b> Male	Quel type de baisse de tonus ressentez-vous principalement ?	<b>Cr:</b> Friday, September 12, 2025 2:52 AM <b>Up:</b> Friday, March 13, 2026 10:28 PM
10			Female <b>Both</b> Male	Avez-vous des sensibilités particulières face à votre environnement ?	<b>Cr:</b> Friday, September 12, 2025 2:52 AM <b>Up:</b> Friday, March 13, 2026 10:28 PM

17 entries (Showing 10 Items on page 1 of total 2 pages) « < 1 2 > »

## Page chrome

- **Breadcrumbs:** e.g. Question List / New Question .
- **Intro copy:** describes managing and tracking questions for the team.
- **Toggle to See Translated:** optional translated view for list content (same pattern as other modules).
- **Table controls:** items per page, **Sort by serial ascending** (default ordering matches **Serial** column), search (**Search by name, description, or status**), primary **New Question** action.

## Question row — columns

Column	Purpose
Serial	Display order for questions when sorted by serial ascending; primary ordering key for the questionnaire flow on web.
Actions	<b>Edit</b> (yellow pencil), <b>Answer preview / expand</b> (blue control — expands/collapses nested answers), <b>Delete</b> (red trash — confirmation modal).
Status	Toggle to temporarily enable/disable the question for end users.
Gender	Three-way control **Female
Name	The question text shown to admins (may appear as French copy in screenshots depending on locale/content).
Timestamp	<b>Cr:</b> created date — <b>Up:</b> last updated date.

## Gender targeting (web app and mobile app)

When an admin sets **Gender** on a question row, end users only see that question if their **profile gender** matches the rule:

Admin value	Who sees the question
Female	Users whose profile gender is <b>female</b> .
Male	Users whose profile gender is <b>male</b> .
Both	<b>All</b> users regardless of profile gender (default inclusive mode when you want everyone to answer).

This filtering applies consistently on **both** the **Acusolo web app** and the **Acusolo mobile app** — it is not web-only behavior.

---



---

## Answer preview: nested answers panel

Use the blue **Answer preview / expand** control on a question row to reveal the answers attached to that question **inline** on the same page (not the onboarding-links preview UI).

## Nested section header

- Title pattern: **Answers (N) - linked to this question** where N is the answer count.

## Nested answers table — columns

Each answer row represents one selectable option in the questionnaire, wired to routing logic via **Program**:

Column	Purpose
<b>Serial</b>	Order of this answer among siblings for that question.
<b>Category</b>	Program taxonomy — parent category label for the linked program.
<b>Sub Category</b>	Program taxonomy — sub-category label.
<b>Program</b>	Linked <b>program</b> record (what gets suggested when this answer path wins).
<b>Warning Popup</b>	Per-answer toggle controlling whether that answer shows <b>warning affordances</b> on the web questionnaire (see <a href="#">Warning popup flow</a> ).
<b>Actions</b>	<b>Edit</b> (opens answer modal), <b>Delete</b> (confirmation modal).

## Add Answer

- **+ Add Answer** opens **Create New Answer** for this question.
- 
- 

## Create New Answer (single answer modal)

From **+ Add Answer** on the nested panel:

## Fields

Field	Required	Behavior
<b>Answer Name</b>	Yes ( * )	Label shown as an answer option in the questionnaire.
<b>Serial</b>	Yes	Numeric ordering for this answer within the question.
<b>Program</b>	Yes	Searchable program picker — links this answer to exactly one program.

Program picker detail (search, pagination, category/sub-category lines):

Typical picker UX:

- Placeholder **Select a program.**
- Search **Search by code, name & description as well.**
- Each row shows **program name, serial, Category: ...** and **Sub Category: ...** in secondary lines.
- Large catalogs show **Total ... entries**, paging (e.g. page 1 of many), and **Load More.**

## Actions

- **Cancel** — discard.
  - **Create Answer** — persist the answer + program link.
- 

## Edit Answer

- **Answer Name ( \* ), Serial,** and **Program** are editable.
- Program field supports clearing/changing selection (clear icon + dropdown).
- **Update Answer** saves; **Cancel** closes.

Delete still uses the standard confirmation modal pattern.

---

---

## Create New Q/A Entry (multi-stage modal)

Click **New Question** to open **Create New Q/A Entry**. This modal is intentionally heavier than typical CRUD dialogs: it lets admins compose **one question** and **many answers**, each linked to a **program**, with **drag-and-drop reordering** driven by serial values.

Modal subtitle (from UI):

Create a question and add multiple answers with linked programs. Drag to reorder.

### Stage A — Question + serial

Field	Required	Notes
Question	Yes ( * )	Main questionnaire prompt text (placeholder along the lines of <i>Enter your question here...</i> ).
Serial	Yes	Question ordering in admin + web questionnaire sequence when sorted by serial ascending.

Footer:

- **Cancel**
- **Save Q/A Entry**

### Stage B — Instruction before answers

- Helper copy explains **drag to reorder answers by updating serial** and directs admins to **Add Answer** for the first answer row.

### Stage C — Answer blocks with program chips

Each answer is a **card** with:

- **Drag handle** (six-dot grip) — reorder blocks; serial values reflect order.
- **Per-answer delete** (red trash on the card).
- **Answer text input**.

- **Serial** input for that answer.
- **Program** selector showing selected program **name + serial**, plus **Category** and **Sub Category** labels; includes clear/remove controls.

## Stage D — Deep program search inside an answer

When picking or refining a program:

- Hint such as **Click find icon to hard search**.
- Search bar **Search by code, name & description as well**. with dedicated search trigger.
- Scrollable results listing programs with category/sub-category metadata.
- Pagination UX: **Load More**, **Page** selector, footer text like **Total 193 entries (Showing/Matches 30 items on page 1 of total 7 pages)**.

Always finish with **Save Q/A Entry** to persist the complete graph (question + all answers + program links).

## Edit Question

Field	Required	Notes
<b>Name</b>	Yes ( * )	Same semantic field as <b>Question</b> in create flow — the question text.
<b>Serial</b>	Yes	Ordering key.

Actions: **Cancel**, **Update**.

## Status and delete (questions)

- **Status** toggle on each question row enables/disables without deleting.
- **Delete** on the question row opens **delete confirmation**; confirming removes the question (confirm behavior matches other modules).

---

## Warning popup flow (admin → web app)

### Admin: Warning Popup toggle

Each **answer** row exposes **Warning Popup** as a toggle in the nested answers table.

### Web: questionnaire with warning markers

On `/settings/questions-history`, contraindication-style questions render options with **warning iconography** when those answers have warning enabled — see highlighted warning triangles next to sensitive items:

Typical UX chain:

1. Admin enables **Warning Popup** on specific answers.
2. Those answers render **warning symbols** next to the option labels in the questionnaire UI.
3. User interaction on warned paths opens the blocking modal below.

### Web: permanent warning modal

Selecting/interacting with a warned answer path can surface a **blocking safety modal** (persistent until user acknowledges navigation):

Modal copy (representative strings from UI):

- Title area includes **Important Usage Precautions**.
- Primary restriction line: **Your current profile does not allow the use of the Acusolo method**.
- Safety guidance recommending physician approval before stimulation-style wellness usage.
- Primary exit: **Back to Home**.

Treat this as **safety-critical UX**: admin teams should enable warnings only where clinical/legal copy requires hard stops.

---

---

## Web app: questionnaire experience

### Running the questionnaire

Users open **Settings** → **Questions History** ( /settings/questions-history ). The questionnaire UI shows:

Typical UI elements:

- **Step indicators** (numbered circles) + overall **percentage** progress bar.
- **Question X of Y** counter.
- Bold question prompt.
- **Multi-select or checklist-style answers** (per question configuration).
- **Previous / Next** navigation.

Admin **Serial** ordering drives question order when the product sorts **by serial ascending**.

### Recording answers & suggestions

User selections are **stored** server-side for profiling. After completion, the app presents **harmonization / suggested programs** driven by linked programs on answers — visually similar to:

Headline copy on the results view (representative):

- **Congratulations, your wellness profile has now been established.**
- **Here is the harmonization program(s) based on your current needs.**

Each card reflects **programs configured via answer** → **program links** in admin. Operators can cross-check outbound suggestions using AI Suggestions for monitoring chat/questionnaire-driven recommendations.

---

---

## Operational checklist

Goal	Where
Change question order	Adjust <b>Serial</b> on question rows / edit modal — keep sort <b>Serial ascending</b> .
Change answer order	Adjust answer <b>Serial</b> (nested table or edit/create answer modal).
Change suggestion outcome	Edit answer <b>Program</b> link — ties questionnaire path to program cards.
Add/remove safety gate	Toggle answer <b>Warning Popup</b> — controls warning chrome + blocking modal risk on web.
Bulk-create question + answers	Use <b>Create New Q/A Entry</b> multi-stage modal with drag reorder + embedded program search.

# Device List

Use **Device List** to manage hardware devices shown to end users (for example TENS units). Devices carry **marketing content** (name, image, description, weight) while **purchase price, rental deposit, monthly rental fee, and currency** come from the linked **Hardware Pricing** tier—not from manual currency fields on the device form.

- Admin base URL: <https://admin.acusolo.net/>
- Admin page path: `/admin/devices`

## Prerequisites

Create **Hardware Pricing** rows **before** adding devices. Each device **must** select a hardware pricing tier; that selection defines **purchase vs rental economics** for that SKU.

## Single currency across the catalog

Currency is inherited from **Hardware Pricing**. Keeping **one currency** for every pricing tier avoids mixed-currency carts and checkout failures (for example with Stripe). See **Hardware Pricing** for details.

---

## Device List screen

Opening <https://admin.acusolo.net/admin/devices> shows the **Device List**. The layout matches other admin lists: toolbar, search, sort, pagination, and a wide scrollable table.

The screenshot shows the 'Device List' page in the Acusolo admin interface. The page has a sidebar on the left with various navigation items. The main content area is titled 'Device List' and includes a search bar, a 'New Device' button, and a table with columns for Serial, Actions, Status, Picture, Name, Description, Purchase Price, Rental Deposit, Rental Monthly Fee, and Currency. Two device entries are visible in the table.

Serial	Actions	Status	Picture	Name	Description	Purchase Price	Rental Deposit	Rental Monthly Fee	Currency
1	[Edit] [Delete]	[On]	[Image]	Cefar Tens	Le Cefar est leader des électro-stimulateurs sur le marché	€199	€100	€19	EUR
2	[Edit] [Delete]	[Off]	[Image]	ICEN Physiotherapy Tense Device	A TENS (Transcutaneous Electrical Nerve Stimulation) device is a small, battery-powered unit that sends mild electrical	€149	€50	€12	EUR

## Toolbar and controls

- **Title:** Device List (breadcrumb-style hint such as Device List / New Device ).
- Short description about managing devices for your team.
- **Toggle to See Translated** when the UI supports translated fields.
- **Back / Refresh** where shown.
- **Items per page, Sort** (for example "Sort by serial ascending").
- **Search** — filter by name, description, or status (placeholder text may vary).
- **New Device** — opens the **Add Device** modal.

## Table columns (typical)

The table may scroll horizontally; columns commonly include:

Column	Purpose
Serial	Display order / row index.
Actions	<b>Edit</b> (pencil) and <b>Delete</b> (trash).
Status	Toggle to enable or disable the device without deleting it.
Picture	Device thumbnail.
Name	Device title.
Description	Short snippet from the rich-text description.
Purchase Price	From linked hardware pricing.
Rental Deposit	From linked hardware pricing.
Rental Monthly Fee	From linked hardware pricing.
Currency	From linked hardware pricing (for example EUR).

## Row actions

- **Edit**: Opens **Update Device** with **pre-filled** values.
- **Delete**: Opens **delete confirmation**; confirming removes the device permanently if allowed by business rules.
- **Status toggle**: Temporarily activates or deactivates the device from the list.

---

## Add Device (create modal)

Click **New Device** to open **Add Device**.

### Fields

- **Name** — required; short label for the device.
- **Weight (grams)** — required.
- **Device Image** — upload (drag-and-drop or click). Typical constraints: formats such as jpg , jpeg , png , gif , webp , svg ; maximum size **2 MB** on create (edit modal may

allow **3 MB**—follow on-screen limits).

- **Hardware Pricing** — **required**. Searchable dropdown listing tiers defined under Hardware Pricing. Each option summarizes purchase price, rental deposit, monthly rental fee, and currency.

Selecting a tier **binds** the device to those amounts and currency for storefront and checkout flows.

- **Description** — required; rich text (TinyMCE) with standard formatting toolbar.

**Cancel** closes without saving; **Create** submits the new device.

---

## Update Device (edit modal)

Click **Edit** on a row to open the update modal with **existing values pre-filled**: name, weight, current image (with option to replace via upload), **Hardware Pricing** summary, and description.

**Save changes** persists edits; **Cancel** discards.

There is **no separate “currency” dropdown on the device form**—currency always follows the selected **Hardware Pricing** row.

---

## Delete flow

**Delete** opens a confirmation modal; confirm only when removal is intended.

---

---

## Web app: store and choosing an active device

End users interact with catalog devices outside the admin panel.

**Boutique / store ( /accessories )**

The URL <https://web.acusolo.net/accessories> opens the web app **store** experience (sidebar label may appear as **Boutique**). Users browse **devices / styluses** and **accessories** tabs and can **buy** or **add to cart** from product cards. Accessory catalogue details are documented under [Accessory List](#). Cart, payment, and post-purchase order handling are covered under [Orders](#).

## **My Products — active device ( /settings/tens-device )**

Under **Settings** → **My Products** (path such as <https://web.acusolo.net/settings/tens-device> ), users see **their devices and accessories**. They can review **owned / rented** units and choose which hardware is **active** for their account (for example via **Actif** / active controls on device rows). The **Active device** summary at the top reflects the current selection.

Admin-side device records, images, descriptions, and **hardware pricing** drive what appears in these screens.

# Accessory List

Use **Accessory List** to manage add-on products (for example electrode pads, patches, styluses). Unlike **Devices**—which pull purchase and rental amounts from **Hardware Pricing**—accessories are priced **directly on the accessory form** using **Currency**, **Currency Symbol**, and **Price**. You can still **link programs** and, when the accessory type calls for it, **associate a device**.

- Admin base URL: <https://admin.acusolo.net/>
- Admin page path: `/admin/accessories`

## Keep checkout predictable

Mixed currencies in one cart often break flows such as **Stripe checkout**. Prefer **one currency** for accessories **and** devices across your storefront. See also **Hardware Pricing** for device-side tiers.

## Accessory List screen

Opening <https://admin.acusolo.net/admin/accessories> shows **Accessory List**. Layout matches other admin lists: toolbar, search, sort, pagination, and a wide table.

The screenshot shows the Acusolo Admin interface. The sidebar on the left contains navigation items: Dashboard, User Settings, Languages, Categories, Manage Programs, Q & A, Device management (highlighted), Devices, Accessories (highlighted), Hardware Pricing, Rewards, Coupons, Refund Requests, Orders, Music Library, Subscription Plans, Medical Point Bank, and AI Training. The main content area is titled "Accessory List" and includes a search bar, a "New Accessory" button, and a table of accessories. The table has the following data:

Serial	Actions	Status	Picture	Name	Type	Weight (grams)	Price	Currency	Color	Description	Programs
1	[edit] [delete]	[status]	[img]	TENS Therapy Machine Pad	PATCHES	250	€99	EUR	BLACK	TENS Therapy Pad TENS Therapy Pad is Suitable for various medium frequency electronic physiother...	INCONFORT SEUL 1H / 3H [17] INCONFORT SEUL
2	[edit] [delete]	[status]	[img]	Patches	PATCHES	496	€199	EUR	BLACK	No description	5H / 7H [19]
3	[edit] [delete]	[status]	[img]	Electrode Patches	PATCHES	500	€5	EUR	BLACK	Standard electrode patches (4 pack)	
4	[edit] [delete]	[status]	[img]	Stylus	STYLUS	500	€25	EUR	BLACK	Official Acusolo stylus for precise point selection	

At the bottom of the table, it says "4 entries (Showing 4 items on page 1 of total 1 pages)" with pagination controls.

## Toolbar and controls

- **Title:** Accessory List (breadcrumb-style hint such as `Accessory List / New Accessory` ).
- Short description about managing accessories.
- **Toggle to See Translated** when available.
- **Items per page, Sort** (for example "Sort by serial ascending").
- **Search** — placeholder along the lines of *Search by name, description, or device*.
- **New Accessory** — opens **Create New Accessory**.

## Table columns (typical)


Column	Purpose
Serial	Display order / index.
Actions	<b>Edit</b> (pencil) and <b>Delete</b> (trash).
Status	Toggle to enable or disable the accessory.
Picture	Thumbnail.
Name	Product title.
Type	Category such as PATCHES, STYLUS, etc.
Weight (grams)	Shipping / logistics weight.
Price	Sell price in the row's currency.
Currency	ISO-style code (for example EUR).
Color	Display color label.
Description	Snippet from details.
Programs	Linked therapy programs (names / serials).
Device	Linked hardware device when configured (column visible when relevant).

## Row actions

- **Edit:** Opens **Edit Accessory** with **pre-filled** data (not the device edit modal—that path is `/admin/devices` ; accessories use **Edit Accessory**).
- **Delete:** Opens **delete confirmation** before permanent removal.
- **Status toggle:** Temporarily enables or disables the row.

## Create New Accessory

Click **New Accessory** to open **Create New Accessory**.



### Fields (typical)

- **Accessory Name** — product title.
- **Weight (grams)** — required ( \* ).
- **Currency** — required; dropdown (for example EUR - Euro).
- **Currency Symbol** — required; aligns with currency (for example €).
- **Price** — required; numeric sell price.
- **Color** — required; dropdown (for example Black).
- **Color Code** — optional text (for example hex #000 ).
- **Side** — required (for example Left / Right / Both—follow UI options).

- **Shape** — required (for example Circle—follow UI options).
- **Type** — required; drives catalog semantics (for example Patches, Stylus, Other). When **Type** implies linkage to hardware, the UI shows a **device** selector—see below.
- **Programs** — multi-select to attach therapy programs.
- **Accessory Image** — upload (drag-and-drop or click); formats shown in UI.

**Cancel** closes without saving; **Create Accessory** submits.

## Device selector (when Type links to a device)

When the accessory **type** is set so that a **device association** applies, the modal exposes a **searchable device list** (search by code, name, description). Pick the device this accessory belongs with.

Programs remain selectable independently so accessories can be scoped to **programs** as well as **devices**.

---

## Edit Accessory

Click **Edit** on a row to open **Edit Accessory**. Values are **pre-filled**: name, weight, currency, symbol, price, color attributes, **Programs** (often shown as removable tags), image replacement zone, and rich-text **Description**.

The screenshot illustrates **Programs** as tagged selections with optional **Clear**. Follow live validation rules if the UI marks fields required only in certain combinations.

**Cancel** discards; **Update Accessory** saves.

---

## Delete flow

**Delete** opens a confirmation modal before removing the accessory.

---

---

## Web app: purchasing accessories

The storefront URL <https://web.acusolo.net/accessories> opens **Boutique** with tabs such as **Devices / styluses** and **Accessories**. Users switch to the **Accessories** tab to browse cards built from admin accessory records and use **Buy / Add to cart**.

Overview with both tabs (devices and accessories):

Accessories tab focused on patch-style products:

Admin **Accessory List** fields (names, descriptions, prices, currencies, images, programs, device linkage) feed these storefront cards where applicable. After checkout, staff and users work with orders under **Orders**.

# Hardware Pricing

Use **Hardware Pricing** to define reusable **purchase** and **rental** price tiers (deposit + monthly rental). Each tier has a **currency** and **currency symbol**. Devices must select a tier when created. Accessories use their own **Currency** and **Price** fields in **Accessory List**, but you should still **match currency** across devices and accessories so carts and checkout stay consistent.

- Base URL: <https://admin.acusolo.net/>
- Page path: `/admin/hardware-pricing`

## Keep one currency across the catalog

The admin UI lets you pick different currencies per tier, but **you should manage hardware pricing in a single currency for your whole catalog**.

When creating **devices**, you **must select a hardware pricing** row. **Accessories** do not use that selector, but if the cart mixes **different currencies**, flows such as **Stripe checkout** can still **reject** payment.

**Stick to one currency** for all hardware pricing rows so carts and checkout stay predictable and the user experience stays smooth.

---

## Pricing list screen

Opening <https://admin.acusolo.net/admin/hardware-pricing> shows the **Hardware Pricing** list. The layout matches other admin list pages: toolbar, search, pagination, and a data table.

Search for a menu

English

Acusolo Admin User

### Hardware Pricing

Manage purchase and rental prices for hardware. These tiers are linked to devices.

Note: If don't see the right translation, please checkout the simplelocalize dashboard and refresh the page to see the latest translations.

Toggle to See Translated

10 items in a page. Sort by serial ascending Search by currency Add pricing

Serial	Actions	Status	Purchase price	Rental deposit	Monthly rental	Currency	Currency Symbol	Timestamp
1			€299	€150	€29	EUR	€	Cr: Friday, December 12, 2025 6:58 PM Up: Wednesday, December 24, 2025 1:27 PM
2			€199	€100	€19	EUR	€	Cr: Friday, December 12, 2025 6:58 PM Up: Friday, April 3, 2026 2:25 AM
3			€149	€50	€12	EUR	€	Cr: Friday, December 12, 2025 6:58 PM Up: Wednesday, December 24, 2025 1:27 PM

3 entries (Showing 3 items on page 1 of total 1 pages)

## Toolbar and controls

- **Title:** Hardware Pricing (under **Device management** in the sidebar).
- Short description explaining that tiers manage purchase and rental prices and are **linked to devices** (and, in product flows, to other hardware products as applicable).
- **Toggle to See Translated** (or equivalent) when translations are shown in the UI.
- **Items per page** (for example 10 ).
- **Sort** (for example "Sort by serial ascending").
- **Search** — for example search by currency.
- **Add pricing** — opens the **create** modal.

## Table columns (typical)

Column	Purpose
Serial	Row identifier / ordering.
Actions	<b>Edit</b> (pencil) and <b>Delete</b> (trash).
Status	Toggle to temporarily <b>enable</b> or <b>disable</b> the tier without deleting it.
Purchase price	One-off purchase amount for this tier.
Rental deposit	Deposit amount for rental.
Monthly rental	Recurring monthly rental amount.
Currency	ISO currency code (for example EUR).
Currency Symbol	Display symbol (for example €).
Timestamp	<b>Cr</b> : created at, <b>Up</b> : last updated at.

## Row actions

- **Edit**: Opens the **Edit hardware pricing** modal with **existing values pre-filled** so you can adjust amounts or currency as needed.
- **Delete**: Opens a **delete confirmation** modal; confirming removes the tier permanently (ensure nothing critical still references it).
- **Status toggle**: Quickly activates or deactivates the tier from the list.

---

## Add hardware pricing (create modal)

Click **Add pricing** to open **Add hardware pricing**. Fill in the required fields and submit with **Create**.

### Typical fields

- **Purchase price** — required.
- **Rental deposit** — required.
- **Monthly rental** — required.
- **Currency** — required; dropdown (for example USD, EUR, GBP, ...).

- **Currency Symbol** — required; aligns with the chosen currency (for example € for EUR).

Use **Cancel** to close without saving.

---

## Edit hardware pricing (update modal)

Click **Edit** on a row to open **Edit hardware pricing**. The form is **pre-filled** with that row's data; change values and save with **Save changes**.

The edit flow usually includes an **Active** checkbox (or equivalent) together with list-level **Status**, so you can control visibility both from the modal and from the table toggle—follow what the live admin shows for your environment.

---

## Delete flow

Choosing **Delete** opens a **confirmation** modal. Only confirm when you intend to remove the pricing tier permanently.

---

## Relation to devices, accessories, and checkout

- **Hardware pricing** tiers are **required** when creating devices; accessories carry price and currency on their own forms.

For device-specific steps, see Device List. For accessory pricing fields and storefront behaviour, see Accessory List.

**Stripe checkout** and similar flows assume a **single currency per cart**. Mixed-currency carts lead to **errors**—another reason to **standardize currency** across hardware pricing rows and accessory prices.


# Rewards, Referrals, and Leaderboard

This section explains how Acusolo handles reward points, referrals, and leaderboard ranking from a business and user-flow perspective.

- Admin reward list: <https://admin.acusolo.net/admin/rewards?translated=true>
- Admin reward settings: <https://admin.acusolo.net/admin/app-settings/site-setting>
- Web referral page: <https://web.acusolo.net/settings/refer-a-friend>
- Web leaderboard page: <https://web.acusolo.net/leaderboard>

## Web leaderboard

The leaderboard page shows users ranked by their earned reward points.



The screenshot displays the Acusolo web interface. The top navigation bar includes 'Accueil', 'Récompenses', 'Classement' (selected), and 'Arbitres'. The main content area is titled 'Classement des points' and lists users with their profiles, names, and point balances. The left sidebar contains a navigation menu with options like 'Accueil', 'Votre assistant vitalité (IA)', 'Leaderboard', 'Abonnements', 'Boutique', 'Paramètres', 'Informations personnelles', 'Facturation', 'Parrainer un ami', 'Historique des programmes', 'Historique des questions', 'Mes Produits', 'Mes Coupons', 'Orders', 'Langue', 'Paramètres de notification', 'Politique de confidentialité', 'Conditions générales', and 'Se déconnecter'.

Rank	User	Points
1.	Rober J	+400
2.	Danie J	+50
2.	Robert Taylor	+50
2.	Queen Suria	+50
5.	Paul Alex Vignon	+30
6.	Frederic Zermati	+0
6.	Benny E.	+0

Users appear on the leaderboard after they earn points through referral or other reward-based activities. The user with the highest eligible point balance appears at the top.









































If two or more users have the same point score, they share the same ranking position.

The following rank continues after those tied users.

# Admin reward list

The reward list page allows admins to manage the reward items used across the system.

The screenshot shows the 'Liste des récompenses' page in the Acusolo admin interface. The page includes a search bar, a language selector (French), and a sidebar with navigation options. The main content is a table of reward items.

Actions	Statut	Nom	Description	Point	Horodatage
  		(DM) Simple Localization vs Translated Content	Le Simple Localization est traduit en Contenu Traduit, mais la traduction automatique a une limite!	1	<b>Ct:</b> Thursday, April 16, 2026 3:27 PM <b>Up:</b> Thursday, April 16, 2026 3:32 PM
  		Récompense de première souscription	L'utilisateur reçoit la récompense une seule fois lorsqu'il s'abonne pour la première fois.	10	<b>Ct:</b> Sunday, March 29, 2026 12:57 AM <b>Up:</b> Thursday, April 16, 2026 11:28 AM
  		Récompense de connexion quotidienne	L'utilisateur reçoit la récompense chaque jour et à rester régulièrement dans l'application un nouveau jour. Cela encourage les utilisateurs à revenir chaque jour et à rester régulièrement.	10	<b>Ct:</b> Wednesday, March 18, 2026 7:09 AM <b>Up:</b> Thursday, April 16, 2026 11:28 AM
  		Récompense de session terminée	L'utilisateur reçoit la récompense lorsqu'il termine une session individuelle comme un entraînement, une leçon ou une activité. Cela signifie que l'utilisateur termine une session.	30	<b>Ct:</b> Wednesday, March 18, 2026 7:09 AM <b>Up:</b> Thursday, April 16, 2026 11:28 AM
  		Récompense du filleul	L'utilisateur reçoit la récompense lorsqu'il parraine un autre utilisateur. Cela signifie que l'utilisateur a rejoint la plateforme en utilisant le code de parrainage d'un autre utilisateur.	50	<b>Ct:</b> Wednesday, March 18, 2026 7:07 AM <b>Up:</b> Thursday, April 16, 2026 11:28 AM
  		Récompense de programme terminé	Attribuée à un utilisateur qui termine un programme complet. Autrement dit : cette récompense est accordée une seule fois après la fin de toutes les sessions.	70	<b>Ct:</b> Wednesday, March 18, 2026 7:10 AM <b>Up:</b> Thursday, April 16, 2026 11:29 AM
  		Récompense d'achat d'accessoires	Attribuée à un utilisateur qui achète des accessoires (articles supplémentaires). Autrement dit : c'est la récompense accordée après l'achat d'accessoires.	80	<b>Ct:</b> Wednesday, March 18, 2026 7:17 AM <b>Up:</b> Thursday, April 16, 2026 11:29 AM
  		Récompense d'accomplissement	Attribuée à un utilisateur qui réalise un accomplissement ou atteint un jalon. Autrement dit : c'est la récompense obtenue lorsqu'un objectif précis est atteint.	90	<b>Ct:</b> Wednesday, March 18, 2026 7:12 AM <b>Up:</b> Thursday, April 16, 2026 11:29 AM
  		Referrer Reward	L'utilisateur reçoit la récompense lorsqu'il invite avec succès une autre personne à rejoindre la plateforme en utilisant leur code de parrainage.	100	<b>Ct:</b> Wednesday, March 18, 2026 7:05 AM <b>Up:</b> Thursday, April 16, 2026 11:29 AM
  		Device Purchase Reward	Attribuée à un utilisateur lorsqu'il achète un appareil de la plateforme. Cela signifie que l'utilisateur achète un appareil et reçoit une récompense pour cette transaction.	500	<b>Ct:</b> Wednesday, March 18, 2026 7:12 AM <b>Up:</b> Thursday, April 16, 2026 11:29 AM

From this page, admins can:

- View all rewards.
- Search and sort reward records.
- Create a new reward.
- Edit an existing reward.
- Delete a reward.
- Enable or disable a reward using the status toggle.

## Table columns

Column	Meaning
Actions	Edit or delete the reward.
Status	Shows whether the reward is active or inactive. Inactive rewards should not be selected for new reward rules.
Name	The reward name shown to admins.
Description	A short explanation of what the reward is for.
Point	The number of points connected to this reward.
Timestamp	When the reward was created or last updated.

## Create reward

Click **New Reward** to open the create modal.

The screenshot displays the Acusolo admin dashboard. On the left is a navigation menu with categories like 'Langues', 'Catégories', 'Gérer les programmes', 'Q et R', 'Gestion des appareils', 'Récompenses', 'Coupons', 'Demandes de remboursement', 'Orders', 'Bibliothèque musicale', 'Plans d'abonnement', 'Banque de points médicaux', 'Formation IA', 'Intégration', 'Gestion FAQ', and 'Jetons de contact'. The 'Récompenses' section is currently selected. The main content area shows a 'Liste des récompenses' table with columns for 'Actions', 'Statut', 'Nom', 'Points', and 'Horodatage'. A modal window titled 'Ajouter une récompense' is open in the foreground, containing the following fields:

- Nom**: A text input field with the placeholder 'Saisir le nom de la récompense'.
- Points requis**: A dropdown menu with the placeholder 'Saisir les points requis'.
- Description**: A text area with the placeholder 'Saisir la description de la récompense'.

At the bottom of the modal are two buttons: 'Annuler' (Cancel) and 'Create'.

## Create fields

Field	Meaning
<b>Name</b>	Required. The admin-facing reward name. It must be unique.
<b>Required Points / Point</b>	Required. The number of points this reward gives when it is assigned to an activity. The value cannot be negative.
<b>Description</b>	Required. Explains what this reward is used for.

There is no visible reward type or category dropdown in the current modal. The reward only defines a reusable point value. The reward is connected to a specific activity later from the reward settings page.

There is also no status field in the create modal. New rewards are created as active by default, and admins can later change the status from the reward list.

After creation:

- The reward becomes available in the reward list.
- Active rewards can be selected from the reward settings page.
- The reward can be used for referral, session, program, login, purchase, subscription, or other configured earning rules.

---

## Edit reward

Click the edit action from a reward row to open the edit modal.

The edit modal is pre-filled with the selected reward's existing information.

Admins can update:

- **Name**
- **Required Points / Point**
- **Description**

If the point value is changed, future rewards that use this reward record will use the updated point value. Previously earned point records remain as historical records.

Status is not edited inside this modal. Admins should use the status toggle from the reward list table.

---

## Delete and status behavior

When an admin clicks delete, the standard delete confirmation modal appears. After confirmation, the reward is removed from the reward list.

Before deleting a reward, admins should check whether it is currently assigned in the reward settings page. If a deleted reward was assigned to an earning rule, that rule should be updated with another active reward.

The status toggle controls whether the reward is active or inactive:

- **Active:** the reward can be used for reward assignment.
  - **Inactive:** the reward should not be used for new reward assignments.
- 

## Reward assignment settings

The reward settings page controls which reward point value is used for each earning activity.

This page does not ask the admin to type point numbers directly. Instead, each field lets the admin select an existing reward. The selected reward's point value becomes the point amount for that activity.

This keeps the point system centralized. Admins first create reward records, then assign those reward records to specific user actions.

## Configurable reward actions

<b>Setting field</b>	<b>Meaning</b>
<b>User Referrer Reward</b>	Points awarded to the existing user who referred someone.
<b>User Referee Reward</b>	Points awarded to the new user who used another user's referral code.
<b>Session Completed Reward</b>	Points awarded when a user completes a session, if this earning rule is active in the product flow.
<b>Program Completed Reward</b>	Points awarded when a user completes a program, if this earning rule is active in the product flow.
<b>Daily Login Reward</b>	Points awarded for daily login activity, if this rule is active.
<b>Device Purchase Reward</b>	Points awarded when a user purchases a device, if this rule is connected to the purchase flow.
<b>Achievement Reward</b>	Points awarded when a user completes an achievement.
<b>Accessories Purchase Reward</b>	Points awarded when a user purchases accessories.
<b>Subscription Reward</b>	Points awarded for subscription purchase activity.
<b>First Subscription Reward</b>	Points awarded when a user purchases their first subscription.

If a setting is left empty, that earning activity will not have a reward selected. When a required reward is missing, the system cannot award points for that activity until an admin assigns a valid reward.

After the admin saves the settings:

- The selected reward rules are stored for the system.
- Future eligible activities use the selected reward values.
- Referral point calculation uses the selected referrer and referee rewards.
- Leaderboard ranking changes over time as users earn points from those activities.

---

## Web referral page

The referral page allows users to invite friends using a referral code or referral link.

From this page, the user can:

- View their referral code.
- Copy the referral code.
- Copy the referral link.
- Share the referral link through supported social channels.
- Use the QR code for sharing.
- Invite someone by email.

The referral link sends the invited person to the sign-up flow with the referral code included.

---

## Referral earning logic

Referral points are awarded when a referred user completes the required referral step. In the current user flow, the referral code can be carried from the sign-up link and submitted during profile completion.

When the referral is accepted:

- The system checks that the referral code belongs to a real user.
- The system checks that the referred user has not already used another referral code.
- The system prevents a user from referring themselves.
- The existing user receives the configured **User Referrer Reward** points.
- The new user receives the configured **User Referee Reward** points.
- Both users' point balances are updated.
- The point earning is recorded for tracking and audit purposes.

If any required condition fails, points are not awarded.

---

## Leaderboard ranking logic

The leaderboard ranks users using earned reward points.

For the all-time leaderboard, users are ranked by their current reward point balance. For time-based views, the ranking is based on points earned during that selected time period.

Referral leaderboard data is based on successful referral activity. Referral-related points and referral counts can be shown separately from the general point leaderboard.

The current user's referral dashboard can show:

- Total points.
- Referral points.
- Referral history.
- Referred users.
- Point history.

---

## Important rules

- Reward names should be clear and unique.
- Reward points cannot be negative.
- A reward should be active before admins assign it to a new earning rule.
- Referral rewards require both the referrer and referee rewards to be configured.
- A user cannot refer themselves.
- A user should not receive referral rewards more than once for the same referral flow.
- Changing a reward point value affects future earning calculations, not old historical point records.
- Empty reward settings can stop point awarding for the related action.

---

## Common error cases

Admins or users may face these issues:

- A reward name already exists.
- A point value is missing, invalid, or negative.

- A required reward setting is not selected.
  - The referral code is missing or invalid.
  - The referred user has already used another referral code.
  - The user tries to refer themselves.
  - No users have earned points yet, so the leaderboard appears empty.
- 

## **Overall flow**

1. Admin creates reward records from the reward list page.
2. Admin assigns rewards to activities from the reward settings page.
3. A user shares their referral code or referral link.
4. Another user signs up or completes the referral step using that code.
5. The system awards points based on the configured reward rules.
6. User point balances are updated.
7. Users appear on the leaderboard according to their earned points.

# Coupon Management

Coupons are created from the admin panel and can be used by customers during subscription checkout, product purchase, and cart checkout. The backend owns validation and discount calculation; the frontend sends the coupon code and displays the validated result returned by the API.

- Admin coupon list: <https://admin.acusolo.net/admin/coupons>
- Web cart checkout: <https://web.acusolo.net/cart>
- Web accessories/store purchase: <https://web.acusolo.net/accessories>
- Web plans purchase: <https://web.acusolo.net/plans>

## Web cart coupon example

On the cart page, a user can enter a coupon code before Stripe checkout. If the coupon is valid, the backend calculates the discount and the Stripe checkout amount is adjusted before payment.

The screenshot displays the ACUSOLO web interface. On the left is a navigation menu with items like 'Accueil', 'Votre assistant vitalité (IA)', 'Leaderboard', 'Abonnements', 'Boutique', 'Paramètres', 'Informations personnelles', 'Facturation', 'Parrainer un ami', 'Historique des programmes', 'Historique des questions', 'Mes Produits', 'Mes Coupons', 'Orders', 'Langue', 'Paramètres de notification', 'Politique de confidentialité', and 'Conditions générales'. The main content area shows a welcome message for 'Matthew Arnold' and a 'Panier' (Cart) section. The cart contains one item: 'Cefar Tens' (DEVICE) for €199.00. Below the cart items is a 'RÉCAPITULATIF DE LA COMMANDE' (Order Summary) table:

RÉCAPITULATIF DE LA COMMANDE	
Articles (1)	€199.00
Poids total (500g)	0.5 kg
Coupon	
STORE30	Supprimer
Coupon appliqué: STORE30	
Livraison	
Calculé à l'étape suivante	Livraison rapide
Remise coupon	-€30.00
<b>Total</b>	<b>€169.00</b>
Taxes calculées au paiement	

At the bottom of the order summary, there is a 'Commander' button with a 'Livraison' icon. A notification banner at the top right of the page states 'Coupon applied successfully'.

Coupons can apply to:

- **Subscription plan payments** from the plans flow.

- **Product purchases** from the store/accessories flow.
- **Cart checkout payments** from the cart page.

## Admin coupon list

Open <https://admin.acusolo.net/admin/coupons> to manage all coupons.

Code	Name	Discount	Applies To	Used / Max	Points	Expires	Status	Actions
SAVE20	Save 20% for new user	20%	SUBSCRIPTION (1 plan)	0 / ∞	-	4/10/2026	On	[Edit] [Delete]
SAVE80TEST	Test coupon for specific users <small>User-Specific</small>	80%	SPECIFIC (2 plans, 7 accessory)	0 / 10	1	1/1/2030	Off	[Edit] [Delete]
AMIFRED26	100% Off of subscription	100%	SUBSCRIPTION (4 plans)	0 / ∞	-	5/9/2026 <small>Δ soon</small>	On	[Edit] [Delete]
STORE30	Store Purchase 30% OFF	30%	ALL	0 / 100	-	5/30/2026	On	[Edit] [Delete]

The list is powered by `GET /admin/coupon/all` with pagination and search. The table shows code, name, discount, scope, usage count, points requirement, expiry, status, and actions.


## Admin actions

- **Create Coupon** opens the create modal.
- **Edit** opens the edit modal with the selected coupon data.
- **Delete** removes the coupon from the database and deactivates/removes the Stripe coupon references.
- **Status toggle** updates the local `active` flag and syncs the Stripe promotion code active state.
- **Search** filters by coupon name, code, or description.

The admin frontend uses RTK Query in `couponApi` : create/update/delete invalidate the coupon list, while status changes optimistically patch all cached coupon lists and roll back if the API fails.

## Create coupon

Click **Create Coupon** to open the modal.



The screenshot shows the 'Create New Coupon' modal in the Acusolo admin interface. The modal is centered on a dark background. At the top, it has the title 'Create New Coupon'. Below the title, there are two input fields: 'Code' (with the example 'e.g. SAVE20') and 'Name' (with the example 'e.g. 20% Off Summer Sale'). A 'Description' field follows, with the placeholder text 'Write your details here...'. Below that, there are two more input fields: 'Discount Type' (a dropdown menu with 'Percentage (%)' selected) and 'Discount Value' (with the example 'e.g. 20'). Next are 'Applies To' (a dropdown menu with 'All (Subscriptions + Products)' selected) and 'Expires At' (a date input field with the format 'mm/dd/yyyy'). A 'Coupon Distribution' section contains a dropdown menu for 'Who can use this coupon?' with 'General - Anyone Can Use' selected. At the bottom, there are three input fields: 'Max Total Uses' (with 'Unlimited' selected), 'Max Uses Per User' (with '1' selected), and 'Min Purchase (EUR)' (with 'None' selected). At the very bottom of the modal, there are two buttons: 'Cancel' and 'Create Coupon'.

## Required fields

Field	Meaning
Code	Required coupon code. The admin UI uppercases it before submit. Must be unique in the backend and cannot exceed 255 characters.
Name	Required display/admin name. Used as the Stripe coupon name.
Discount Type	Required. PERCENTAGE or FIXED_AMOUNT .
Discount Value	Required positive number. Percentage values are blocked in the frontend if greater than 100 . Fixed amount is treated as EUR by the UI.

## Optional fields

Field	Meaning
Description	Admin-facing description stored with the coupon.
Applies To	Scope for where the coupon can apply: ALL , SUBSCRIPTION , PRODUCT , or SPECIFIC .
Expires At	Optional expiry date. Expired coupons are rejected by backend validation.
Select Subscription Plans	Shown for SUBSCRIPTION and SPECIFIC . Empty means all subscriptions for SUBSCRIPTION ; required when SPECIFIC relies on plan targets.
Select Devices	Shown for PRODUCT and SPECIFIC . Empty means all devices for PRODUCT ; specific IDs restrict eligible device lines.
Select Accessories	Shown for PRODUCT and SPECIFIC . Empty means all accessories for PRODUCT ; specific IDs restrict eligible accessory lines.
Coupon Distribution	Who can use the coupon: GENERAL , POINTS_REDEEMABLE , or USER_SPECIFIC .
Allowed User Emails	Only for USER_SPECIFIC . Comma/newline separated email allow-list.
Points Required to Redeem	Only for POINTS_REDEEMABLE . Required in the UI for that distribution type.
Max Total Uses	Global redemption cap. Synced to Stripe max redemptions when the coupon is created.
Max Uses Per User	Per-user completed checkout cap. Defaults to 1 in create flow.
Min Purchase (EUR)	Minimum eligible amount before the coupon can be applied.

## Scope options

Option	Behavior
All (Subscriptions + Products)	Can apply to subscriptions, devices, and accessories. Shipping lines are not discounted.
Subscriptions Only	Applies only to subscription line items; selected plan IDs can narrow the eligible plans.
Products Only	Applies only to device/accessory line items; selected device/accessory IDs can narrow eligible products.
Specific Items	Requires at least one selected plan, device, or accessory in backend validation. Only those selected items are eligible.

## Distribution options

Option	Behavior
General	Any eligible user can apply the coupon until limits, expiry, or status block it.
Points Redeemable	User must already have a coupon redemption/reservation before checkout can use it. If a Stripe session expires, the backend refunds the reserved points and removes the reservation.
User Specific	Backend compares the signed-in user's email with <code>allowedUserEmails</code> . Non-listed users are rejected.

## What happens after creation

The backend `POST /admin/coupon` validates unique code, creates a Stripe coupon, creates/reactivates a Stripe promotion code, then stores the coupon with Stripe IDs in the database. Percentage coupons use `percent_off`; fixed amount coupons use `amount_off` in cents.

## Edit coupon

Click the edit button from the coupon list to open the edit modal.

The modal is pre-filled from the selected row data. **Code**, **Type**, and **Discount Value** are displayed but disabled in the current admin UI. Editable fields include name, description, applies-to scope, expiry, selected plans/devices/accessories, max uses, max uses per user, minimum purchase, distribution type, allowed user emails, and points required.

Status is changed from the list toggle, not inside the edit modal. Turning a coupon off makes it unusable in checkout and deactivates the Stripe promotion code.

Updated rules affect future validation and future payment sessions. Existing completed payments are not recalculated.

---

## Backend validation

Coupon checks happen server-side before the frontend treats a coupon as applied.

### Apply coupon endpoint

GET /payment/apply-coupon/:codeOrId validates:

- Code or ID exists and is active.
- Coupon is not expired.
- Global `maxUses` has not been reached.
- User exists.
- `USER_SPECIFIC` email allow-list includes the user.
- `POINTS_REDEEMABLE` has an existing redemption/reservation.
- `maxUsesPerUser` has not been reached for completed checkouts.
- Stripe coupon and promotion code references are still valid and active when present.

The response returns coupon ID, code, discount value, currency, and currency symbol.

The frontend should show that validated result and not invent its own coupon status.

### Cart checkout validation

POST /payment/cart-checkout validates the submitted cart, shipping option, and coupon again before creating Stripe checkout. It rejects invalid cart totals, inactive/expired

coupons, and minimum-purchase failures.

For cart checkout, the backend computes the discount from the cart subtotal:

- `PERCENTAGE` : subtotal multiplied by the percentage.
- `FIXED_AMOUNT` : fixed amount capped at the subtotal.
- Discount never goes below 0 or above the cart subtotal.
- Shipping is added after the discounted cart subtotal.
- Stripe receives adjusted line-item amounts, so the user pays the discounted total.

The order stores `couponId` , coupon data in metadata, and `discountAmount` .

## Subscription/product checkout validation

The wallet payment-link flow accepts an optional `couponCode` . It validates the coupon, then applies it to eligible checkout line items for subscription checkouts. Eligibility follows `appliesTo` and selected target IDs from metadata. Shipping is excluded from discount eligibility.

For non-subscription product payment links, the current backend expects the frontend amount to already be post-discount and does not re-apply the coupon again.

---

## Stripe and usage tracking

Admin coupon create/update/status/delete operations sync to Stripe coupon or promotion-code records. Checkout sessions carry `couponCode` in metadata where applicable.

On `checkout.session.completed` , the Stripe webhook records coupon usage in `coupon_redemptions` and increments `Coupon.usedCount` . This tracking applies across subscription and payment checkout modes. For points-redeemable coupons, the webhook converts the reserved redemption into a completed redemption by attaching the Stripe session ID.

---

## Error cases

The user should expect a rejection message when:

- Coupon code is missing or not found.
- Coupon is inactive or expired.
- Stripe coupon/promotion-code sync is invalid.
- Global usage limit or per-user usage limit is reached.
- Minimum purchase amount is not met.
- User-specific coupon is used by a non-allowed email.
- Points-redeemable coupon was not redeemed/reserved first.
- Specific-item coupon has no eligible line item in the checkout.

---

## Usage flow

1. Admin creates a coupon from <https://admin.acusolo.net/admin/coupons> .
2. Backend stores it and syncs it to Stripe.
3. User enters the coupon in cart, product, or subscription checkout.
4. Backend validates the coupon and target rules.
5. Backend calculates the discount for eligible items.
6. Stripe checkout is created with the discounted amount.
7. After successful payment, the Stripe webhook records redemption usage.

# Subscription Refund Requests

This page covers the subscription refund flow from the web app to the admin panel.

- Web user plans page: <https://web.acusolo.net/plans>
- Web billing page: <https://web.acusolo.net/settings/billings>
- Admin refunds page: <https://admin.acusolo.net/admin/refunds>

## User subscribed plan details

On <https://web.acusolo.net/plans>, a signed-in user can see the plan they are currently subscribed to, including the plan details and subscription state.

The screenshot shows the user interface for 'Mon abonnement' (My subscription) for Matthew Arnold. The page is divided into several sections:


- Header:** Welcome message, user name, and navigation links like 'Votre assistant vitalité (IA)' and a shopping cart icon.
- Subscription Status:** 'Mon abonnement' with a green 'Active' indicator and the text 'Gérer votre abonnement et vos appareils'.
- Cancel Subscription:** A red box with the heading 'Annuler l'abonnement' and a red button 'Annuler et demander un remboursement'. Text below explains the 7-day cancellation window for a full refund.
- 12 Months Plan:** A light blue box showing '12 Months Plan de 12 mois' with pricing: 'Prix total €299.00', 'Équivalent mensuel €24.92/month', and 'Économies 58% off'.
- Chronologie de l'abonnement:** A light blue box showing 'Démarré April 14, 2026', 'Expire April 21, 2027 (including 7 days trial)', and 'Jours restants 354 jours'.
- Votre appareil avec abonnement:** A light blue box with a cube icon and the text 'Aucun accessoire assigné à cet abonnement'.
- Informations supplémentaires:** A light blue box showing 'Type de plan MONTHLY' and 'Durée du plan 12 mois'.

From this subscription detail area, the user can start a refund request when the product allows it.

---

## Refund request form

The refund request form is used by the user to submit the refund reason/details for the subscribed plan.



**Demander un remboursement** ✕

Veuillez fournir des détails sur votre demande de remboursement. Notre équipe l'examinera et vous répondra bientôt.

Raison du remboursement \*

e.g., Device malfunction, Not satisfied with service

Additional Details

Please provide any additional information that might help us process your refund request.

**Refund Policy**

Refunds are typically processed within 7-14 business days. If you cancel within 7 days of delivery, you may be eligible for a full refund upon hardware return.

Annuler Soumettre la demande

After submission, the request becomes visible in the admin refund list for review.

---

## Admin refund list

Open <https://admin.acusolo.net/admin/refunds> to review refund requests created from the web app.

**Refund Requests**  
Review and process user refund requests

#	User	Reason	Amount	Status	Date	Actions
1	b22fd177	—	TBD	Pending	3/18/2026	
2	e7a784b8	—	TBD	Pending	3/9/2026	

The admin can review the user, subscription/payment context, status, request details, and available row actions.

## Approve refund request

Click the row green checkmark action to approve a refund request. This opens the approval modal.

**Approve & Process Refund**

Approving will automatically process the refund via Stripe. The money will be returned to the user's payment method.

User  
e7a784b8-efcc-4609-a704-078704f145e5

Reason  
No reason provided

Refund Amount (€)  
Leave empty for auto-calculated amount

Auto-calculates from subscription + device + accessories if empty


Admin Note  
Optional note...

Cancel Approve & Refund via Stripe

Use the modal to confirm the approval action. Once approved, the refund is processed through Stripe.

## Stripe refund and billing method

The user billing page is available at <https://web.acusolo.net/settings/billings>.



When the user subscribed, the payment card was automatically saved as the default payment method. After the admin approves the refund request, Stripe refunds the amount back through that saved/default payment method.

## Overall refund flow

1. User subscribes to a plan from the web app.
2. The subscribed plan is visible on <https://web.acusolo.net/plans>.
3. User submits a refund request from the refund request form.
4. Admin opens <https://admin.acusolo.net/admin/refunds>.
5. Admin clicks the row green checkmark action.

6. Admin confirms approval from the approval modal.

7. Stripe refunds the user through the saved/default payment method.

For subscription records and VIP access rules, see [User Subscriptions](#).

# Orders

This page covers **admin order management** at

<https://admin.acusolo.net/admin/orders> and the related **web app** flow: cart, coupons, **Stripe** checkout, success or cancel screens, **order history**, and a **sample invoice PDF** after purchase.

---

## Video: product, cart, coupons, and payment (user guide)

The following tutorial walks through Acusolo **product and cart management**, applying a **coupon** for a discount, completing **payment**, purchasing devices, and obtaining an **invoice** (PDF) with cart line items and payment or shipping details.

<https://www.youtube.com/watch?v=Y9K9s6C2iSg>

**Sample invoice (PDF)** — example document matching the end-of-checkout documentation bundle:

[Download sample invoice PDF](#)

---

---

## Admin: Orders list

Open <https://admin.acusolo.net/admin/orders> to see the **Orders** table: review records, search, sort, and open actions for each row.

The screenshot shows the Acusolo dashboard with the 'Orders' section active. The sidebar on the left lists various navigation items, with 'Orders' highlighted. The main content area features a toolbar with a search bar, a 'Toggle to See Translated' button, and a 'Sort by created at descending' dropdown. Below the toolbar is a table of orders with the following columns: Actions, Code, User, Amount, Status, Delivery Status, and Timestamp. The table contains five rows of order data, each with edit and delete icons. The user 'Acusolo Admin' is logged in.

Actions	Code	User	Amount	Status	Delivery Status	Timestamp
	acu_9k03nx3b2m	Matthew Arnold	€215.91	Processing	NOT_READY	Cr: Tuesday, April 28, 2026 10:50 PM Up: Tuesday, April 28, 2026 10:50 PM
	acu_dcmyvntf2zc	Matthew Arnold	€190.61	CANCELLED	NOT_READY	Cr: Tuesday, April 28, 2026 10:46 PM Up: Tuesday, April 28, 2026 10:47 PM
	acu_o0dujfte00	Matthew Arnold	€234.40	Processing	NOT_READY	Cr: Tuesday, April 28, 2026 10:42 PM Up: Tuesday, April 28, 2026 10:43 PM
	acu_1xvj2k6lme	Matthew Arnold	€290.61	Pending	NOT_READY	Cr: Tuesday, April 28, 2026 10:41 PM Up: Tuesday, April 28, 2026 10:41 PM
	acu_27voqqw58f	Matthew Arnold	€290.61	Pending	NOT_READY	Cr: Tuesday, April 28, 2026 10:41 PM Up: Tuesday, April 28, 2026 10:41 PM

## Toolbar (typical)

- Short note: review orders, **update order and delivery status**, remove invalid orders where allowed.
- **Toggle to See Translated** when the UI offers it.
- **Items per page**, **Sort** (for example "Sort by created at descending").
- **Search** — by order code, user, status, amount, shipping, or tracking (placeholder may vary).

## Row actions


- **Edit** (yellow pencil): opens **Update Order Status** (same modal whether you start from the row's main edit control or from the **delivery status** edit control when shown).
- **Delete** (red trash): opens a **confirmation** modal; confirming removes the order record when the product allows it.

## Table columns (typical)

Column	Purpose
Actions	Edit and Delete.
Code	Order reference (for example <code>acu_...</code> ).
User	Customer display name.
Amount	Total in the order currency.
Status	Order lifecycle badge (for example Processing, Pending, Cancelled).
Delivery Status	Logistics state (for example <code>NOT_READY</code> ); may include a small edit affordance.
Timestamp	<b>Cr:</b> created, <b>Up:</b> last updated.

## Update Order Status modal

Use the modal to change **order status** and **delivery status** together, and optionally record a **reason** for refunds, cancellations, or returns.



- **Status** — overall payment / order lifecycle (see options below).
- **Delivery Status** — shipment progress (see options below).

- **Reason** — optional textarea (for example refunded / cancelled / returned explanations).
- **Cancel / Update** — discard or save.

## Supported order statuses

Values shown in the admin selector (follow the live list if your deployment adds more):

Value	Typical meaning
<b>PENDING</b>	Awaiting payment or confirmation.
<b>PROCESSING</b>	Paid or captured; being prepared.
<b>REFUNDED</b>	Money returned to the customer.
<b>COMPLETED</b>	Order fulfilled successfully.
<b>FAILED</b>	Payment or checkout failed.
<b>CANCELLED</b>	Order cancelled and not completed.

## Supported delivery statuses

Value	Typical meaning
<b>NOT_READY</b>	Not yet handed to carrier / not shipped.
<b>SHIPPING</b>	In transit with carrier.
<b>SHIPPED</b>	Dispatched from warehouse perspective.
<b>FAILED</b>	Delivery attempt or logistics failure.
<b>OUT_FOR_DELIVERY</b>	With driver for final delivery.
<b>DELIVERED</b>	Received by customer.
<b>RETURNED</b>	Goods returned.
<b>CANCELLED_BY_ADMIN</b>	Stopped from admin side.
<b>CANCELLED_BY_CUSTOMER</b>	Stopped from customer side.

---

## Order details drawer

Click an **order row** (the record itself, not only the action icons) to open a **right-hand drawer** with full context: totals, customer, shipping address and method, coupons, line items, payment metadata (for example Stripe session identifiers and success/cancel URLs), and optional raw JSON for support.

Drawer footer actions commonly include **Print Order** and **Done** (close).

---

---

## Web app: cart → Stripe → success or cancel

### Shopping cart

The cart page (path such as `https://web.acusolo.net/cart` ) lists selected products with quantities, line subtotals, and an **order summary**. Users can enter a **coupon code** and click **Apply** for discounts, then continue to shipping and **checkout**.

**Proceed to Shipping / Checkout Now** (with Stripe branding) sends the user into **Stripe Checkout** for payment. Keep cart items in **one currency** so checkout succeeds; see [Hardware Pricing](#) and [Accessory List](#).

### After checkout

- **Success** — confirmation page with order code, payment status, totals, shipping, and line items; actions may include **Print invoice**, continue shopping, or return to cart depending on build.
- **Cancel** — if the user abandons Stripe or the session is cancelled, a **Cancelled** summary can appear with order code, amounts, and cart items for that attempt.

### Order history

Users can review past orders under **Settings → Orders** at

**<https://web.acusolo.net/settings/orders>** : list of cards with order code, relative time, **order** and **delivery** badges, product thumbnails, totals, payment state, and **View details**.


# Music Library

This page documents the **Music Library** module in admin and how configured tracks are used in the web app session finish flow.

- Admin route: <https://admin.acusolo.net/admin/music>
- Web app base: <https://web.acusolo.net/>

Related docs: [Sessions](#), [Session modals](#), [Program](#).

## Admin: music list page



The screenshot shows the Admin Music Library page. The page has a sidebar on the left with navigation items like Q & A, Device management, Devices, Accessories, Hardware Pricing, Rewards, Coupons, Refund Requests, Orders, Music Library (highlighted), Subscription Plans, Medical Point Bank, Categories, Medical Point, AI Training, Onboarding, FAQ Management, Contact Chips, App Settings, and Site Setting. The main content area is titled "Music Library" and includes a search bar, a "Toggle to See Translated" button, and a table of tracks. The table has columns for Serial, Actions, Status, Title, Cover, Artist, Album, Genre, Duration, Play Count, Year, and Timestamp. The table contains 10 rows of tracks, each with a status toggle and a play count of 0. The tracks are: 1. Walk in the Forest (Center of Attention), 2. Tangled Reflections (Luba Hilman), 3. Tangeh (DEX 1200), 4. Sunset over Varanasi (Instrumental Version) (Aks & Lakshmi), 5. Sparkling Sunset (Megan Wofford), 6. Space Elf (David Edward), 7. Sense of Clarity (Spirits Of Our Dreams), 8. Saya Cair (DEX 1200), 9. Raga for Stillness (Instrumental Version) (Aks & Lakshmi), and 10. Particle 65 (Rand Aldo). The page also shows pagination information: "21 entries (Showing 10 items on page 1 of total 3 pages)".

Serial	Actions	Status	Title	Cover	Artist	Album	Genre	Duration	Play Count	Year	Timestamp
1	<a href="#">Edit</a> <a href="#">Play</a> <a href="#">Delete</a> <a href="#">Preview</a>	<input type="checkbox"/>	<a href="#">Walk in the Forest</a>		Center of Attention	Walk	RELAXATION	4:39	0 plays	2020	Cr: Tuesday, December 16, 2020 Up: Saturday, December 20, 2020
2	<a href="#">Edit</a> <a href="#">Play</a> <a href="#">Delete</a>	<input type="checkbox"/>	<a href="#">Tangled Reflections</a>		Luba Hilman	Walk	RELAXATION	6:12	0 plays	2020	Cr: Tuesday, December 16, 2020 Up: Saturday, December 20, 2020
3	<a href="#">Edit</a> <a href="#">Play</a> <a href="#">Delete</a>	<input type="checkbox"/>	<a href="#">Tangeh</a>		DEX 1200	Walk	RELAXATION	5:53	0 plays	2020	Cr: Tuesday, December 16, 2020 Up: Saturday, December 20, 2020
4	<a href="#">Edit</a> <a href="#">Play</a> <a href="#">Delete</a>	<input type="checkbox"/>	<a href="#">Sunset over Varanasi (Instrumental Version)</a>		Aks & Lakshmi	Walk	RELAXATION	7:12	0 plays	2020	Cr: Tuesday, December 16, 2020 Up: Saturday, December 20, 2020
5	<a href="#">Edit</a> <a href="#">Play</a> <a href="#">Delete</a>	<input type="checkbox"/>	<a href="#">Sparkling Sunset</a>		Megan Wofford	Walk	RELAXATION	6:14	0 plays	2020	Cr: Tuesday, December 16, 2020 Up: Saturday, December 20, 2020
6	<a href="#">Edit</a> <a href="#">Play</a> <a href="#">Delete</a>	<input type="checkbox"/>	<a href="#">Space Elf</a>		David Edward	Walk	RELAXATION	7:56	0 plays	2020	Cr: Tuesday, December 16, 2020 Up: Saturday, December 20, 2020
7	<a href="#">Edit</a> <a href="#">Play</a> <a href="#">Delete</a>	<input type="checkbox"/>	<a href="#">Sense of Clarity</a>		Spirits Of Our Dreams	Walk	RELAXATION	7:37	0 plays	2020	Cr: Tuesday, December 16, 2020 Up: Saturday, December 20, 2020
8	<a href="#">Edit</a> <a href="#">Play</a> <a href="#">Delete</a>	<input type="checkbox"/>	<a href="#">Saya Cair</a>		DEX 1200	Walk	RELAXATION	7:17	0 plays	2020	Cr: Tuesday, December 16, 2020 Up: Saturday, December 20, 2020
9	<a href="#">Edit</a> <a href="#">Play</a> <a href="#">Delete</a>	<input type="checkbox"/>	<a href="#">Raga for Stillness (Instrumental Version)</a>		Aks & Lakshmi	Walk	RELAXATION	6:11	0 plays	2020	Cr: Tuesday, December 16, 2020 Up: Saturday, December 20, 2020
10	<a href="#">Edit</a> <a href="#">Play</a> <a href="#">Delete</a>	<input type="checkbox"/>	<a href="#">Particle 65</a>		Rand Aldo	Walk	RELAXATION	7:15	0 plays	2020	Cr: Tuesday, December 16, 2020 Up: Saturday, December 20, 2020

The list follows the standard admin table pattern: search, sort, pagination, items per page, row actions, and status toggle.


## Table columns

Column	Definition
Serial	Row index / serial order in list view.
Actions	<b>Edit</b> (yellow pen), <b>Preview</b> (blue play), <b>Delete</b> (red trash).
Status	Active/inactive toggle for temporary enable/disable.
Title	Music track title.
Cover	Thumbnail image used for the track.
Artist	Artist name.
Album	Album name.
Genre	Genre tag (for example RELAXATION ).
Duration	Track length shown in mm:ss .
Play Count	Usage count (e.g. 0 plays ).
Year	Release/metadata year.
Timestamp	Created/updated timestamps.

---

## Preview action


Clicking **Preview** opens the audio file directly in browser media player.



This is a quick validation step for playback, duration, and audio quality before publishing.

## Create music modal

Click Add New Music to open the create modal.



## Fields

- **Music Title** ( \* ) - required.
- **Artist** - optional text input.
- **Album** - optional text input.
- **Genre** - dropdown selector.
- **Year** - year input.
- **Duration (seconds)** - auto-detected from uploaded audio.
- **Cover Image (5MB max)** - image upload/drag-drop.
  - Supported formats shown: jpg , jpeg , png , gif , webp , svg
- **Music File** ( \* ) - audio file upload.
  - Supported formats shown: MP3 , WAV , OGG , AAC

## Actions

- **Cancel** - close without saving.
  - **Add Music** - create and persist the record.
- 

## Edit music modal

Click **Edit** in a row to open the update modal.

Behavior:

- all existing values are pre-filled,
- current audio file reference is shown,
- admin can replace audio file and/or cover image,
- metadata fields (title, artist, album, genre, year) can be modified,
- duration is retained/updated based on file changes.

Actions:

- **Cancel**
- **Update Music**

---

## Status and delete behavior

- **Status toggle:** temporary availability control.
  - **On:** available for session music playback.
  - **Off:** hidden from active playback selection.
- **Delete:** opens standard confirmation modal; confirming removes the track record.

---

## Web app flow: 10-minute music player

After opening a session details page (example:

<https://web.acusolo.net/session/8ea383d1-90e3-41ca-98e1-7fe1e23a6c46> ), when the user completes all steps and clicks **Finished**, a full-screen music player modal appears.

### Core behavior

- Session timer runs for **10 minutes**.
- Background image is taken from the **first music track thumbnail**.
- Tracks continue **auto-play** in sequence during the 10-minute flow.
- Playback continues until user chooses **Cancel** or **Complete** from the modal actions.

### Player controls

- **Mute/unmute** control.
- **Reset Timer** control.
- **Pause** action.
- **Cancel** session action.
- **Complete** session action.

---

## Soundscape library (manual selection)

Users can open and choose a specific track manually from the in-modal music list.

The **Soundscape Library** section shows available tracks with title, artist, and duration, and highlights the currently selected one.

# Medical Point Categories

This section explains how to manage Medical Point Categories from the admin panel.

- Base URL: <https://admin.acusolo.net/>
- Page path: </admin/medical-point-bank/categories>

## Categories List Screen

Use this screen to view, search, and manage all categories.

The screenshot displays the 'Liste des catégories' (List of categories) screen in the Acusolo admin panel. The interface includes a sidebar with navigation options, a top header with a search bar and user profile, and a main content area with a table of categories. The table has columns for 'Numéro', 'Actions', 'Statut', 'Nom', 'Description', and 'Horodatage'. A 'Nouvelle catégorie' button is visible in the top right of the table area.


Numéro	Actions	Statut	Nom	Description	Horodatage
1		<input checked="" type="checkbox"/>	Instruction steps	Describing some specific action user need to do.	Cr: Saturday, January 24, 2026 6:01 PM Up: Saturday, January 24, 2026 6:01 PM
2		<input checked="" type="checkbox"/>	nan	N/A	Cr: Thursday, September 25, 2025 2:47 PM Up: Friday, January 2, 2026 11:48 PM
3		<input checked="" type="checkbox"/>	HORMONES	N/A	Cr: Wednesday, September 24, 2025 4:57 PM Up: Friday, January 2, 2026 11:48 PM
4		<input checked="" type="checkbox"/>	PT URGENCE (XI)	N/A	Cr: Wednesday, September 24, 2025 4:56 PM Up: Friday, January 2, 2026 11:48 PM
5		<input checked="" type="checkbox"/>	LUO	N/A	Cr: Wednesday, September 24, 2025 4:54 PM Up: Friday, January 2, 2026 11:48 PM
6		<input checked="" type="checkbox"/>	PT IMPORTANT	N/A	Cr: Wednesday, September 24, 2025 4:53 PM Up: Friday, January 2, 2026 11:48 PM
7		<input checked="" type="checkbox"/>	PT RÉUNION	N/A	Cr: Wednesday, September 24, 2025 4:53 PM Up: Friday, January 2, 2026 11:48 PM
8		<input checked="" type="checkbox"/>	PT CROISEMENT	N/A	Cr: Wednesday, September 24, 2025 4:51 PM Up: Friday, January 2, 2026 11:48 PM
9		<input checked="" type="checkbox"/>	8 MERVEILLEUX	N/A	Cr: Wednesday, September 24, 2025 4:50 PM Up: Friday, January 2, 2026 11:48 PM
10		<input checked="" type="checkbox"/>	OREILLE-NEZ TÊTE	N/A	Cr: Wednesday, September 24, 2025 4:04 PM Up: Friday, January 2, 2026 11:48 PM

## What you can do on this screen

- Create a new category using the **Nouvelle catégorie** button.
- Edit a category using the yellow **pen** icon in each row.
- Delete a category using the red **trash** icon in each row.
- Toggle category status from the **Statut** switch.
- Review row details like name, description, and timestamps.

# Create New Category

Click **Nouvelle categorie** to open the create modal.



## Field rules





















- **Name:** required, maximum 256 characters.
- **Description:** optional, maximum MySQL TEXT limit ( 65,535 bytes).

## Actions

- **Create:** submits and saves the new category record in the database.
- **Annuler:** closes the modal without saving.

## Category Row Actions

Each table row represents one category and has dedicated actions.

Numéro	Actions	Statut	Nom	Description	Horodatage
1	 	<input checked="" type="checkbox"/>	Instruction steps	Describing some specific action user need to do.	<b>Cr:</b> Saturday, January 24, 2026 6:01 PM <b>Up:</b> Saturday, January 24, 2026 6:01 PM
2	 	<input checked="" type="checkbox"/>	<a href="#">nan</a>	N/A	<b>Cr:</b> Thursday, September 25, 2025 2:47 PM <b>Up:</b> Friday, January 2, 2026 11:48 PM
3	 	<input checked="" type="checkbox"/>	<a href="#">HORMONES</a>	N/A	<b>Cr:</b> Wednesday, September 24, 2025 4:57 PM <b>Up:</b> Friday, January 2, 2026 11:48 PM
4	 	<input checked="" type="checkbox"/>	<a href="#">PT URGENCE (XI)</a>	N/A	<b>Cr:</b> Wednesday, September 24, 2025 4:56 PM <b>Up:</b> Friday, January 2, 2026 11:48 PM
5	 	<input checked="" type="checkbox"/>	<a href="#">LUO</a>	N/A	<b>Cr:</b> Wednesday, September 24, 2025 4:54 PM <b>Up:</b> Friday, January 2, 2026 11:48 PM
6	 	<input checked="" type="checkbox"/>	<a href="#">PT IMPORTANT</a>	N/A	<b>Cr:</b> Wednesday, September 24, 2025 4:53 PM <b>Up:</b> Friday, January 2, 2026 11:48 PM
7	 	<input checked="" type="checkbox"/>	<a href="#">PT RÉUNION</a>	N/A	<b>Cr:</b> Wednesday, September 24, 2025 4:53 PM <b>Up:</b> Friday, January 2, 2026 11:48 PM
8	 	<input checked="" type="checkbox"/>	<a href="#">PT CROISEMENT</a>	N/A	<b>Cr:</b> Wednesday, September 24, 2025 4:51 PM <b>Up:</b> Friday, January 2, 2026 11:48 PM
9	 	<input checked="" type="checkbox"/>	<a href="#">8 MERVEILLEUX</a>	N/A	<b>Cr:</b> Wednesday, September 24, 2025 4:50 PM <b>Up:</b> Friday, January 2, 2026 11:48 PM
10	 	<input checked="" type="checkbox"/>	<a href="#">OREILLE-NEZ TÊTE</a>	N/A	<b>Cr:</b> Wednesday, September 24, 2025 4:04 PM <b>Up:</b> Friday, January 2, 2026 11:48 PM

26 entrées (10 éléments par page, page 1 sur 3)

« < 1 2 3 > »

From each row:

- Click the yellow **edit** icon to modify the existing category.
- Click the red **delete** icon to remove the category.
- Use the status switch to update active/inactive state.

## Edit Existing Category

Click the yellow **edit** icon to open the edit modal with pre-filled values.

Rechercher un menu

French

Acusolo Admin User

### Liste des catégories

Gérez et suivez les catégories de points médicaux. Consultez l'historique et maintenez des enregistrements précis.

Note: si vous ne trouvez pas la traduction qui vous convient, veuillez consulter le tableau de bord amputé et actualiser la page pour voir les dernières traductions. [Afficher la traduction](#)

10 éléments par page Trier par nombre croissant Rechercher par nom ou description Nouvelle catégorie

Numéro	Actions	Horodatage
1		Or Saturday, January 24, 2026 6:01 PM Up Saturday, January 24, 2026 6:01 PM
2		Or Thursday, September 25, 2025 2:47 PM Up Friday, January 2, 2026 9:48 PM
3		Or Wednesday, September 24, 2025 4:57 PM Up Friday, January 2, 2026 9:48 PM
4		Or Wednesday, September 24, 2025 4:56 PM Up Friday, January 2, 2026 9:48 PM
5		Or Wednesday, September 24, 2025 4:54 PM Up Friday, January 2, 2026 9:48 PM
6		Or Wednesday, September 24, 2025 4:53 PM Up Friday, January 2, 2026 9:48 PM
7		Or Wednesday, September 24, 2025 4:53 PM Up Friday, January 2, 2026 9:48 PM
8		Or Wednesday, September 24, 2025 4:50 PM Up Friday, January 2, 2026 9:48 PM
9		Or Wednesday, September 24, 2025 4:50 PM Up Friday, January 2, 2026 9:48 PM
10		Or Wednesday, September 24, 2025 4:04 PM Up Friday, January 2, 2026 9:48 PM

26 entrées (10 éléments par page, page 1 sur 3)

## Edit behavior

- Existing values are loaded into input fields.
- Update fields as needed and click **Update** to persist changes.
- Click **Annuler** to close without saving updates.

## Delete Category

Click the red **delete** icon to open the delete confirmation modal.

Acusolo

Rechercher un menu

French























































Acusolo Admin User

### Liste des catégories

Gérez et suivez les catégories de points médicaux. Consultez l'historique et maintenez des enregistrements précis.

Note: si vous ne trouvez pas la traduction qui vous convient, veuillez consulter le tableau de bord amplementaire et actualiser la page pour voir les dernières traductions. [Afficher la traduction](#)


10 éléments par page Trier par numéro croissant Rechercher par nom ou description [Nouvelle catégorie](#)

Numéro	Actions	Statut	Traductions
1	  		No action user need to do.  Saturday, January 24, 2026 6:01 PM  Saturday, January 24, 2026 6:01 PM
2	  		N/A.  Thursday, September 25, 2025 2:47 PM  Friday, January 2, 2026 9:48 PM
3	  		N/A.  Wednesday, September 24, 2025 4:57 PM  Friday, January 2, 2026 9:48 PM
4	  		N/A.  Wednesday, September 24, 2025 4:56 PM  Friday, January 2, 2026 9:48 PM
5	  		N/A.  Wednesday, September 24, 2025 4:54 PM  Friday, January 2, 2026 9:48 PM
6	  		N/A.  Wednesday, September 24, 2025 4:53 PM  Friday, January 2, 2026 9:48 PM
7	  	 PT REUNION	N/A.  Wednesday, September 24, 2025 4:53 PM  Friday, January 2, 2026 9:48 PM
8	  	 PT CROISEMENT	N/A.  Wednesday, September 24, 2025 4:50 PM  Friday, January 2, 2026 9:48 PM
9	  	 8 MERVEILLEUX	N/A.  Wednesday, September 24, 2025 4:50 PM  Friday, January 2, 2026 9:48 PM
10	  	 OREILLES-NEZ TETE	N/A.  Wednesday, September 24, 2025 4:04 PM  Friday, January 2, 2026 9:48 PM



26 entries (10 éléments par page, page 1 sur 3)

**Delete** - [id: 43baf90d-836b-414a-a924-5fcb95591d6]

Are you sure you want to delete this item?



Click the download button to download the file. If don't see the download button or it's not working, please copy the link and paste it in your browser.

## Delete behavior

- Confirmation action permanently removes the selected record from the database.
- Cancel action closes the modal and keeps the record unchanged.

# Medical Point Items

This section explains how to manage **Medical Point** records under **Medical Point Bank** in the admin panel.

- Base URL: <https://admin.acusolo.net/>
  - Page path: `/admin/medical-point-bank/medical-points` (sidebar: **Banque de points médicaux** → **Point médical**)
- 

## Sessions: video walkthrough (create, assign, preview, delete, status)

The following video walks through **creating** a medical point, **assigning** it in a **session step**, using **preview**, **deleting**, and **updating status** (toggle).



<https://www.youtube.com/watch?v=7U5ZcIB3z5E>

**What this covers (follow along in the admin UI)**


1. **Create** — add a medical point using **Nouveau point médical** and the form rules below.
  2. **Assign in a session step** — attach the point to the relevant session step where the product expects it (see on-screen navigation in the video).
  3. **Preview** — verify how the point appears in the preview flow shown in the video.
  4. **Update status** — use the **Statut** toggle on the list row to enable or disable the point.
  5. **Delete** — use the red **delete** action and confirm; removal is permanent.
- 

## Medical Point List Screen



















































Use this screen to browse, search, paginate, and open create or edit flows for medical points.

ca French  Acusolo Admin User 



**Liste des points médicaux** Liste des points médicaux / Nouveau point médical

Gérez et suivez les points médicaux de votre application. Consultez l'historique et maintenez des enregistrements précis.  
 Note: si vous ne trouvez pas la traduction qui vous convient, veuillez consulter le tableau de bord simplelocalize et actualiser la page pour voir les dernières traductions. Afficher la traduction 


10 éléments par page. **Trier par numéro croissant** Rechercher par nom, description ou statut  Nouveau point médical

Actions	Statut	Image	Nom du point médical	Nom chinois	Catégorie	Couleur	Side
  			2 RT ( FEU)	Da Du	PIEDS/ORTELS	ROUGE	GAUCH
  			12 IG	Bing Feng	Dos	NOIR	DROITE
  			8PE	Lao Gong	MAIN	ROUGE	DROITE
  			7 IG	Zhi Zheng	BRAS	ROUGE	GAUCH
  			11 GI (ALLERGIE)	Qu Chi	BRAS	NOIR	GAUCH
  			14 F (MO)	Qi Men	ventre/torse	ROUGE	GAUCH
  			13 F	Zhang Men	ventre/torse	ROUGE	GAUCH
  			25 VB ( LE POINT NEST PAS SUR LE BRAS)	Jing Men	ventre/torse	ROUGE	DROITE
  			5/6 TF(FEU/STRESS)	N/A	BRAS	ROUGE	GAUCH
  			9P (SOURCE)	Tai Yuan	MAIN	ROUGE	DROITE

255 entrées (10 éléments par page, page 25 sur 26) « < 1 ... 24 **25** 26 > »

ca French  Acusolo Admin User 

**Liste des points médicaux** Liste des points médicaux / Nouveau point médical

Gérez et suivez les points médicaux de votre application. Consultez l'historique et maintenez des enregistrements précis.  
 Note: si vous ne trouvez pas la traduction qui vous convient, veuillez consulter le tableau de bord simplelocalize et actualiser la page pour voir les dernières traductions. Afficher la traduction 

10 éléments par page. **Trier par numéro croissant** Rechercher par nom, description ou statut  Nouveau point médical

Side	Description	Description du point chinois	Titre de l'histoire	Description de l'histoire	Horodatage
GAUCHE	Appliquez le patch avec le fil ROUGE sur la partie interne du...	La Grande Capitale	Le Gouverneur du Marché	Le Gouverneur du Marché de greniers de riz de Hangzhou. Lors...	Cr: Thursday, September 25, 2025 2:27 PM Up: Saturday, January 17, 2026 12:53 AM
DROITE	Appliquez le patch NOIR dans la partie supérieure du dos entre le...	Saisir le Vent	Le Chasseur de Courants d'Air	Le Chasseur de Courants d'Air de chantiers navals de Xiamen. Au...	Cr: Thursday, September 25, 2025 2:27 PM Up: Sunday, January 18, 2026 3:25 AM
DROITE	Appliquez le patch avec le fil ROUGE dans la paume de la mai...	Le Palais du Labeur	Le Guérisseur aux Mains de...	L'Artisan et le Potier Lao Gong tire son nom d'une ancienne légend...	Cr: Thursday, September 25, 2025 2:27 PM Up: Friday, January 16, 2026 1:06 PM
GAUCHE	Appliquez le patch avec le fil ROUGE sur la tranche de l'avant...	La Branche Droite	Le Déviateur	Le Déviateur de portes de Luoyang. Dans portes de...	Cr: Thursday, September 25, 2025 2:27 PM Up: Sunday, January 18, 2026 3:22 AM
GAUCHE	Appliquez le patch avec le fil NOIR sur la partie externe du pli du...	L'Étang de la Courbe	L'Immunologue de l'Empire	Le Réparateur de Parapluies Qui Chi répare les parapluies cassés...	Cr: Thursday, September 25, 2025 2:27 PM Up: Saturday, January 17, 2026 12:22 PM
GAUCHE	Appliquez le patch avec le fil ROUGE sur les côtes dans la zon...	La Porte du Cycle	Le Déverrouilleur des Côtes	Le Déverrouilleur des Côtes de falaises rouges du Danxia. Au...	Cr: Thursday, September 25, 2025 2:27 PM Up: Friday, January 16, 2026 12:06 AM
GAUCHE	Appliquez le patch avec le fil ROUGE sur la partie supérieure d...	Le Chef d'Orchestre de jardins de pierres de Suzhou. Dans jardins...	Le Chef d'Orchestre	N/A	Cr: Thursday, September 25, 2025 2:27 PM Up: Friday, January 16, 2026 12:24 AM
DROITE	Appliquez le patch avec le fil ROUGE sur le flanc de votre ventr...	La Porte Capitale	Le Gardien du Coffre Latéral	Le Gardien du Coffre Latéral de falaise au-dessus du fleuve Min...	Cr: Thursday, September 25, 2025 2:27 PM Up: Friday, January 16, 2026 12:37 AM
GAUCHE	Appliquez le patch avec le fil ROUGE sur l'avant-bras, ou...	N/A	N/A	N/A	Cr: Thursday, September 25, 2025 2:27 PM Up: Saturday, January 17, 2026 12:09 PM
DROITE	Appliquez le patch avec le fil ROUGE sur le pli interne du...	Le Grand Abîme	Le Trésorier du Qi	Le Marchand de Thé de Suzhou He Ran, un marchand de thé...	Cr: Thursday, September 25, 2025 2:27 PM Up: Sunday, January 18, 2026 3:19 AM

255 entrées (10 éléments par page, page 25 sur 26) « < 1 ... 24 **25** 26 > »

## Toolbar and controls

- **Title:** Liste des points médicaux (with back / refresh / forward where shown).
- **Description and Afficher la traduction** toggle.
- **Items per page** (for example 10 ).
- **Sort** (for example "Trier par numéro croissant").

- **Search** — placeholder along the lines of *Rechercher par nom, description ou statut* (search by name, description, or status).
- **Nouveau point médical** — opens the create modal.

## Table scrolling

The list table is **scrollable horizontally and vertically**. Many columns exist; use the **horizontal scrollbar** at the bottom of the table to see fields that are not visible in the first viewport.

## Columns shown in the table

Depending on scroll position, you will see some or all of these columns:

Column	What it shows
<b>Actions</b>	Yellow <b>edit</b> (pen) and red <b>delete</b> (trash) for each row.
<b>Statut</b>	Toggle to enable or disable the medical point.
<b>Image</b>	Thumbnail strip for point images (male/female and crops as configured).
<b>Nom du point médical</b>	Medical point name (often with a link icon).
<b>Nom chinois</b>	Chinese name, or N/A when empty.
<b>Catégorie</b>	Assigned category.
<b>Couleur</b>	Color indicator (for example dot + label).
<b>Side</b>	Body side (for example left / right).
<b>Description</b>	Snippet of the main details text.
<b>Description du point chinois</b>	Chinese point description.
<b>Titre de l'histoire</b>	Story title.
<b>Description de l'histoire</b>	Story description snippet, or N/A .
<b>Horodatage</b>	<b>Cr:</b> created at, <b>Up:</b> last updated at.

## Row actions

- **Edit** (yellow pen): opens the edit flow with existing values.
  - **Delete** (red trash): opens delete confirmation; confirming removes the record permanently.
  - **Statut** toggle: updates active/inactive state without opening the full form (where applicable).
- 

## Add Medical Point (create modal)

Open **Nouveau point médical** to add a record. The modal title is **Ajouter un point médical** (or **Add Medical Point** in English, depending on locale).

The form is long; use the modal's **vertical scroll** to reach every section.

### Top of the form — intro / presentation mode

- **This point is for intro/presentation (not medical)** (FR: *Ce point est destiné à l'introduction/présentation (non médicale)*): optional checkbox that **changes which fields are shown** (see [Intro / presentation simplified form](#) below).

### Full form — text and rich text (typical flow)

#### Field rules (full mode)

##### Required

- **Medical Point Name** — \* ; maximum 256 characters.
- **Category** — \* ; choose from [Medical point categories](#) (same pool as [Medical Point Categories](#)).
- **Write details about the medical point** — \* ; rich text (TinyMCE). Stored as MySQL TEXT (up to 65,535 bytes).

##### Optional (hidden when intro/presentation mode is enabled)

- **Chinese Name**
- **Color**
- **Side**
- **Story Title**
- **Chinese Point Description** — rich text ( TEXT limit as above).
- **Story Description** — rich text ( TEXT limit as above).

### **Optional media — images (5 MB max each)**

Supported formats: jpg , jpeg , png , gif , webp , svg .

- Male Point Image / Female Point Image
- Male Square Image / Female Square Image
- Male Rectangular Image / Female Rectangular Image
- Story Image

### **Optional media — video (150 MB max each)**

Supported formats: mp4 , webm , mov , avi , mkv .

- Male Video / Female Video
- Story Video

### **Footer actions**

- **Annuler / Cancel:** closes the modal without saving.
- **Create:** submits and creates the record in the database.

---

## **Intro / presentation simplified form**

When **This point is for intro/presentation (not medical)** is **checked**, the form hides the extra medical/story fields and keeps a shorter set of inputs.

### **Fields shown in this mode**

- Medical Point Name

- Category
  - Write details about the medical point (rich text)
  - Male Point Image, Female Point Image (5 MB max)
  - Male Square Image, Female Square Image (5 MB max)
  - Male Rectangular Image, Female Rectangular Image (5 MB max)
  - Male Video, Female Video (optional, 150 MB max)
- 

## Category field (searchable list)

The **Category** field is not a plain dropdown: it opens a **searchable, paginated** list of medical point categories.

- Search by **code**, **name**, and **description** (placeholder text may vary slightly by locale).
- Use **Load more** or page controls when there are many categories.
- The footer can show totals (for example total entries and current page).

For category management (the list used inside **Category**), see [Medical Point Categories](#).

# AI Manage Rules

This module manages structured AI rule records that feed your training pipeline (including vector-style ingestion and embedding workflows).

- Base URL (Admin): <https://admin.acusolo.net/>

## AI Rule list

Under AI Training → Manage Rules.

The screenshot shows the Acusolo Admin interface. On the left is a navigation menu with 'AI Training' selected and 'Manage Rules' highlighted with a red box. The main content area is titled 'AI Rule List' and contains a table of AI rules. The table has columns for Actions, Name, Category, Status, Embedding Status, Priority, Files, Chunks, and Timestamp. One rule is visible with the name 'Maladie commune vers programme' and status 'Active'.

Actions	Name	Category	Status	Embedding Status	Priority	Files	Chunks	Timestamp
<a href="#">Edit</a> <a href="#">Delete</a>	Maladie commune vers programme	KNOWLEDGE flechage programme	Active	COMPLETED	High	1 (PDF)	2 Chunks	Cr: Friday, Septem Up: Friday, Septem

## Columns

Column	Definition
Actions	<b>Edit</b> (update rule) and <b>Delete</b> (remove rule, with confirmation).
Name	Rule name / internal subject of the training item.
Category	Optional grouping label (domain, feature, or topic bucket).
Status	Active state of the rule (for serving/training selection).
Embedding Status	Processing result for embedding pipeline (for example COMPLETED ).
Priority	Rule priority level (for ranking/selection behavior).
Files	Number of attached files ingested for this rule (for example PDF count).
Chunks	Number of generated chunks after document split/index stage.
Timestamp	Created / updated dates.

## List behavior

- Search by **name / category / status**.
- Sort and pagination work like other admin tables.
- New AI Rule opens the create modal.

---

## Create AI Rule

**Create AI Rule**

Rule Name \*  
Enter AI rule name

Category  
Enter category (optional)

Priority: Low      Kind: Knowledge      Content Method:  Text Description  Upload File

Description \*  
Enter detailed description for AI training...

Scope Empty selection defaults to GLOBAL

AUDIENCE  
 Global  Male  Female

AGE  
 Under 18  18 to 40  Over 40

LANGUAGE  
 French (fr)  English (en)  Arabic (ar)  Bengali (bn)  Spanish (es)  Italian (it)  German (de)  
 Portuguese (pt)  Japanese (ja)

Enter detailed description for AI training...

Scope Empty selection defaults to GLOBAL

AUDIENCE  
 Global  Male  Female

AGE  
 Under 18  18 to 40  Over 40

LANGUAGE  
 French (fr)  English (en)  Arabic (ar)  Bengali (bn)  Spanish (es)  Italian (it)  German (de)  
 Portuguese (pt)  Japanese (ja)

Guardrail Rule (JSON, optional)

Tags  
Enter tags separated by commas (optional)  
Enter multiple tags separated by commas (e.g., 'AI training, rules')

Metadata  
{ "version": "1.0", "author": "admin" } (optional)

Cancel    **Create AI Rule**

## Main fields

- Rule Name (required)
- Category (optional)
- Priority (for example Low / High)
- Kind (for example Knowledge)
- Content Method

- **Text Description**
- **Upload File**
- **Description** (required content body when using text route)

## Scope targeting

- **Audience:** Global / Male / Female
- **Age:** Under 18 / 18 to 40 / Over 40
- **Language:** multiple language chips (fr, en, ar, bn, es, it, de, pt, ja, etc.)

If no scope is selected, UI indicates fallback to **GLOBAL**.

## Advanced fields

- **Guardrail Rule (JSON, optional)**
- **Tags** (comma-separated)
- **Metadata** (JSON-style object)

## Actions

- **Cancel**
- **Create AI Rule**

---

## Edit AI Rule

Edit opens with existing values and processing summary:

- **Status**
- **Embeddings**
- **Files**
- **Chunks**

## File-based ingestion behavior

When **Upload File** is used:

- Current files are shown (example: PDF).
- New file upload/dropzone is available.
- Accepted formats and size limit are displayed in the UI (example shows PDF/DOC/DOCX/TXT up to 10 MB).

## Update actions

- Cancel
  - Update AI Rule
- 

## Data and training intent

This module is intended for AI knowledge input where content can come from:

- structured text,
- uploaded documents,
- JSON-style guardrails/metadata.

Configured records are then prepared for embedding/index workflows (shown by **Embedding Status**, **Files**, and **Chunks**) so they can be consumed by your AI training/serving pipeline.

# AI Audit Log

This page documents the admin audit view at:

- <https://admin.acusolo.net/admin/ai/audit-log>

It is a **read/monitoring module** (no create/edit/delete actions in this screen). Purpose: track AI request lifecycle, model behavior, tool calls, and runtime metadata.

## List page overview

The screenshot shows the 'AI Audit Log' page in the Acusolo admin interface. The page includes a search bar, a sidebar with navigation options, and a main content area with filters and a data table.

**Filters:**

- User ID:
- Action: **All actions** (dropdown menu showing: All actions, AGENT\_RUN, SEARCH\_PROGRAMS, SEARCH\_CATEGORIES, GENERATE\_RESPONSE, GUARDRAIL\_CHECK)
- Model name:
- Date range:  mm/dd/yyyy to  mm/dd/yyyy
- Buttons: Reset, Apply

**Table Headers:** Created, User, Model, Latency (ms), Entity, Prompt

Created	User	Action	Model	Latency (ms)	Entity	Prompt
4/27/2026, 1:23 AM	fred@acusolo.net b78f695b	AI_CHAT_STREAM_RESPONSE	gpt-4o-2024-08-06	8244	AIConversation 47955b4a-6473-448f-ac4f-18e8d52286a3	J'ai mal au coup a cause d'un refroidissement
4/25/2026, 4:36:10 PM	fred@acusolo.net b78f695b	AI_CHAT_STREAM_RESPONSE	gpt-4o-2024-08-06	3360	AIConversation 47955b4a-6473-448f-ac4f-18e8d52286a3	J'ai mal au dos
4/25/2026, 4:35:15 PM	fred@acusolo.net b78f695b	AI_CHAT_STREAM_RESPONSE	gpt-4o-2024-08-06	6358	AIConversation 47955b4a-6473-448f-ac4f-18e8d52286a3	J'ai une spondylarhrite anquilosante
4/22/2026, 12:01:13 AM	fred@acusolo.net b78f695b	AI_CHAT_STREAM_RESPONSE	gpt-4o-2024-08-06	5742	AIConversation 47955b4a-6473-448f-ac4f-18e8d52286a3	J'AI MALEN BAS DU DOS
4/21/2026, 10:11:56 PM	zayn.miraj@gmail.com b22f9177	AI_CHAT_STREAM_RESPONSE	gpt-4o-2024-08-06	5927	AIConversation e8aac2fb-8c28-45b8-83ae-8bf2f588e77f	back pain
4/21/2026, 10:11:38 PM	zayn.miraj@gmail.com b22f9177	AI_CHAT_STREAM_RESPONSE	gpt-4o-2024-08-06	1085	AIConversation e8aac2fb-8c28-45b8-83ae-8bf2f588e77f	I need some programs
4/21/2026, 10:11:18 PM	zayn.miraj@gmail.com b22f9177	AI_CHAT_STREAM_RESPONSE	gpt-4o-2024-08-06	1366	AIConversation e8aac2fb-8c28-45b8-83ae-8bf2f588e77f	Hi
4/21/2026, 10:08:43 PM	zayn.miraj@gmail.com b22f9177	AI_CHAT_STREAM_RESPONSE	gpt-4o-2024-08-06	5747	AIConversation 129c1059-8af0-45c9-b786-635f114686ff	stop smokingg
4/21/2026, 10:02:45 PM	domemej525@ferairex.com 339117ab	AI_CHAT_STREAM_RESPONSE	gpt-4o-2024-08-06	6746	AIConversation b411d9a1-3256-4b58-9111-8bb77891e38b	I feel backpain
4/21/2026, 10:02:31 PM	zayn.miraj@gmail.com b22f9177	AI_CHAT_STREAM_RESPONSE	gpt-4o-2024-08-06	1843	AIConversation 129c1059-8af0-45c9-b786-635f114686ff	can you suggest me some programs?

## Filters and controls

- User ID
- Action (dropdown; examples in UI: AGENT\_RUN , SEARCH\_PROGRAMS , SEARCH\_CATEGORIES , GENERATE\_RESPONSE , GUARDRAIL\_CHECK , AI\_CHAT\_STREAM\_RESPONSE )
- Model name
- Date range ( from / to )
- Apply and Reset



## Detail fields (from UI)

- Created
  - Action
  - Model
  - Latency (ms)
  - User
  - Entity
  - Prompt
  - Raw AI response
  - Tool calls (JSON block; includes called tool, args, outputs)
  - Metadata (JSON payload with extra tracing context)
- 

## Operational note

From this screen, admins mainly:

- inspect status/health of AI interactions,
- verify tool-call behavior (for example program/category search results),
- review performance via latency,
- troubleshoot content by comparing prompt vs raw response vs tool metadata.

No direct create/update/delete workflow is shown in this module.

# AI Suggestions

This page tracks which programs are recommended to users by AI systems, mainly from:

- AI chat suggestions
- Questionnaire-result suggestions

Admin route:

- <https://admin.acusolo.net/admin/ai/suggestions>

Web route where users can view suggested programs:

- <https://web.acusolo.net/programs/suggested-via-questions>

## List page

The screenshot displays the 'AI Suggestions' page in the Acusolo admin interface. The page features a sidebar with navigation options like 'Q & A', 'Device management', 'Rewards', 'Coupons', 'Refund Requests', 'Music Library', 'Subscription Plans', 'Medical Point Bank', 'AI Training', 'Manage Rules', 'AI Audit Log', 'AI Suggestions', 'AI Test Bench', 'AI Indexing', 'Onboarding', 'FAQ Management', 'Contact Chips', and 'App Settings'. The main content area shows a search bar, a language selector (English), and a user profile (Acusolo Admin). Below this, there are summary cards for 'ALL TIME' (865 suggestions) and 'THIS WEEK' (31 suggestions). A 'BY SOURCE' section shows 'AI chat' (166) and 'Q&A' (699). A filter section allows searching by 'User ID', 'Program ID', and 'All sources', with sorting options for 'Created' and 'Newest first'. The main table lists suggestions with columns for 'Created', 'User', 'Program', 'Source', and 'Actions'. The table contains 10 rows of data, with some cells highlighted by red boxes.

Created	User	Program	Source	Actions
4/27/2026, 6:51:39 PM	fred@acusolo.net b78f695b	Stop cigarette /stop-cigarette-1	Q&A	Open program 64825026-9
4/27/2026, 6:51:38 PM	fred@acusolo.net b78f695b	Articulaire /articulaire-1	Q&A	Open program es4f8861-2
4/27/2026, 6:51:38 PM	fred@acusolo.net b78f695b	Articulations en générales /articulations-en-generales	Q&A	Open program 83e24e74-f
4/27/2026, 11:20 AM	fred@acusolo.net b78f695b	INCONFORT LIÉ AU FROID /inconfort-lie-au-froid	AI chat	Open program 3d41621f-b
4/27/2026, 11:20 AM	fred@acusolo.net b78f695b	INCONFORT LIÉ AU FROID /inconfort-lie-au-froid-1	AI chat	Open program 47898bc2-c
4/27/2026, 11:20 AM	fred@acusolo.net b78f695b	INCONFORT LIÉ AU FROID /inconfort-lie-au-froid-2	AI chat	Open program 85fa218b-4
4/27/2026, 11:20 AM	fred@acusolo.net b78f695b	Circulatoire /circulatoire-2	AI chat	Open program e3077b40-4
4/27/2026, 11:20 AM	fred@acusolo.net b78f695b	Tête et Cou /tete-et-cou	Q&A	Open program 413d28dc-1
4/27/2026, 10:03 AM	fred@acusolo.net b78f695b	Emotionnel /emotionnel	Q&A	Open program 495df129-d
4/27/2026, 10:03 AM	fred@acusolo.net b78f695b	TRANSPIRATION /transpiration	Q&A	Open program 17d69b96-0

The screen is read-only monitoring/analytics style (no direct create/edit/delete for suggestion rows).

## Summary cards

- All time total suggestions

- **This week** total suggestions
- **By source** split (for example AI chat vs Q&A)

## Filters

- **User ID**
- **Program ID**
- **Source**
- **Sort**
- **Order** (for example newest first)
- **Apply / Reset**
- **Reload**

## Table columns


Column	Meaning
<b>Created</b>	When the recommendation event was generated
<b>User</b>	Recommended user (email/id)
<b>Program</b>	Suggested program title (with route slug preview)
<b>Source</b>	Suggestion origin, typically <b>AI chat</b> or <b>Q&amp;A</b>
<b>Actions</b>	Quick link button (for example <b>Open program</b> )

---

## Source flows tracked

---

### 1) AI chat based suggestions



When user chats with AI assistant and asks for help/recommendation, program cards suggested in that chat can be logged here with source AI chat .

Captured observability signals typically include:

- user query context
- chosen/recommended program
- timestamp
- source classification

---

## 2) Questionnaire based suggestions

After users answer the questionnaire, resulting recommended programs are tracked with source Q&A / questionnaire context.

---

## Monitoring goal

This module helps admins observe:

- who is getting suggestions,
- how often each program is suggested,
- what source generated the suggestion,
- and how query/answer context maps to recommendation output.

# AI Test Bench

The **AI Test Bench** page is used to run controlled AI tests against a selected user context (impersonation), then inspect agent events and responses.


Admin route:

- <https://admin.acusolo.net/admin/ai/test-bench>

Related web chat route:

- <https://web.acusolo.net/ai-chat>

## Page overview



The page has two main panes:

1. **Input pane** (left): choose user + language + message, then run the agent.
2. **Agent events pane** (right): shows execution trace, tool events, assembled response, and completion status.

# Input pane

## Fields

- **Impersonate user:** choose target user identity (email + id context).
- **Language:** set prompt language.
- **Message:** test prompt text.

## Action

- **Run Agent:** executes AI pipeline as if the selected user sent that message.

# Agent events pane

The screenshot displays the Acusolo AI Test Bench interface. On the left is a navigation sidebar with options like Q & A, Device management, Rewards, Coupons, Refund Requests, Music Library, Subscription Plans, Medical Point Bank, AI Training (selected), Manage Rules, AI Audit Log, AI Suggestions, AI Test Bench, AI Indexing, Onboarding, FAQ Management, Contact Chips, and App Settings. The main area is titled 'AI Test Bench' and contains an 'Impersonate user' field with the email 'amiralli300400@gmail.com', a 'Language' dropdown set to 'English (en)', and a 'Message' field containing 'Suggest me programs for sleep'. A 'Run Agent' button is at the bottom of the input pane. To the right, the 'Agent events' pane shows a 'Thinking...' status, a 'SEARCH\_PROGRAMS' event block listing 'Sommel' programs, and an 'ASSEMBLED RESPONSE' block with a detailed recommendation for the 'Sommel' program. A 'Done.' indicator and 'total ms' are shown at the bottom of the events pane.

This section shows runtime diagnostics, for example:

- tool event blocks (e.g., SEARCH\_PROGRAMS )
- candidate programs returned by search
- assembled final response text
- completion indicator ( Done ) and total timing


- conversation id ( conv ) for traceability

This makes it easier to validate:

- prompt understanding,
- retrieval/tool behavior,
- and final answer quality before production usage.

## Impersonation effect in web app

Test-bench runs are visible in the targeted user's AI chat history, because execution is attached to that user context.



Typical observable behavior:

- chat thread appears under assistant history (example label like AGENT\_TEST )
- generated suggestion cards/messages are visible in that user's chat stream
- useful for validating end-user experience from admin side

## Usage guidance

- Use dedicated test accounts when possible.
- Keep prompts traceable (clear intent per test run).
- Cross-check outputs with:
  - AI Audit Log for low-level tracing
  - AI Suggestions if program recommendations are generated

# AI Indexing

This page controls vector index maintenance for AI retrieval data (programs/categories and related knowledge records).

Admin route:

- <https://admin.acusolo.net/admin/ai/indexing>

## Main page overview

The screenshot shows the 'AI Indexing' page in the Acusolo admin interface. The page title is 'AI Indexing' with a subtitle 'Vector index statistics and full re-index trigger.' and a 'Refresh' button. The main content area is divided into three summary cards: 'TOTAL RECORDS' (744), 'DIMENSION' (1024), and 'INITIALIZED' (Yes). Below these is a section for 'INDEX NAME' (ai-tules) and a 'QUEUE' status block showing a JSON object with counters for active, waiting, completed, and failed records. A 'Reindex everything' button is present, along with a warning message and a note about the embedding model configuration.


The screen is operational (maintenance + status) and typically includes:

- Total Records
- Dimension
- Initialized
- Index Name
- Queue status block (active / waiting / completed / failed counters)

Top-right **Refresh** reloads current stats.

# Reindex action (important)

The marked action button triggers re-indexing.



The screenshot shows the Acusolo AI Indexing dashboard. The top navigation bar includes the Acusolo logo, a search bar, and user information (Acusolo Admin User). The left sidebar lists various menu items, with 'AI Training' expanded to show 'AI Indexing' selected. The main content area is titled 'AI Indexing' and contains a 'Refresh' button. Below this, there are three summary cards: 'TOTAL RECORDS' (744), 'DIMENSION' (1024), and 'INITIALIZED' (Yes). A 'QUEUE' section displays a JSON object with the following structure:

```
{
  "active": 0,
  "waiting": 0,
  "completed": 0,
  "failed": 150
}
```

Below the queue, there is a 'Reindex everything' button highlighted with a red box. A note below the button states: 'The embedding model is configured server-side via the EMBEDDING\_MODEL env var (default text-embedding-ada-002, can be swapped to text-embedding-3-small). After switching models run yarn ai:backfill on the backend so queries and stored vectors live in the same model's space.'

- Button: **Reindex everything**
- Purpose: enqueue re-embedding / re-index jobs for program and category vectors
- Expected effect: vector entries are rebuilt/overwritten in the configured index space

## Status and observability

After running reindex:

- monitor **Queue** counters ( active , waiting , completed , failed )
- verify **Initialized** and **Total Records**
- use **Refresh** to inspect latest progress and final state

This is the primary place to check the **last indexing condition/status** in admin.

## Usage notes

- Use after embedding model changes, major content updates, or translation refreshes.
- Use after inserting/updating many rows in **program** and **category** tables so retrieval can include latest records.
- Reindex keeps AI chat suggestions aligned with newest operational data (instead of stale vector snapshots).
- Run during controlled windows if index rebuild can affect retrieval consistency.
- For downstream behavior verification, cross-check:
  - AI Audit Log for runtime traces
  - AI Suggestions for recommendation output trends

# Onboarding

This page documents the **Onboarding** module in admin and how onboarding slides are rendered in the web app sign-in flow.

- Admin route: <https://admin.acusolo.net/admin/onboarding>
- Web app sign-in: <https://web.acusolo.net/auth/signin>

## Admin: onboarding list page

The screenshot displays the 'Onboarding List' page in the admin interface. The page includes a sidebar with navigation options, a search bar, and a 'New Onboarding' button. The main content area shows a table of onboarding items with the following data:

Serial	Actions	Status	Web Image	Mobile Image	Title	Description	Timestamp
10	[Icons]	[Toggle]	[Image]	[Image]	Manage and track onboarding items for your team.	Manage and track onboarding items for your team. Manage and track onboarding items for your team.	Cr: Tuesday, March 3, 2026 5:42 PM Up: Thursday, April 9, 2026 8:40 PM
4	[Icons]	[Toggle]	[Image]	[Image]	De 7 à 97 ans	Une méthode douce, adaptable et sécurisée, pour les enfants, les adultes et les seniors.	Cr: Wednesday, January 7, 2026 2:57 AM Up: Monday, January 12, 2026 5:04 PM
3	[Icons]	[Toggle]	[Image]	[Image]	Questions et guide AI pour vous accompagner	Répondez à quelques questions simples, l'IA Acusolo adapte vos séances à votre âge et votre sensibilité.	Cr: Wednesday, January 7, 2026 2:55 AM Up: Monday, January 12, 2026 5:04 PM
2	[Icons]	[Toggle]	[Image]	[Image]	10 minutes par jour pour soulager vos problèmes	C'est simple, c'est court, et c'est ciblé sur vos vrais problèmes de tous les jours.	Cr: Wednesday, January 7, 2026 2:54 AM Up: Monday, January 12, 2026 5:03 PM
1	[Icons]	[Toggle]	[Image]	[Image]	Acusolo, votre bien-être au quotidien	Prenez soin de votre corps avec de petites routines simples, guidées par Acusolo, jour après jour.	Cr: Wednesday, January 7, 2026 2:52 AM Up: Monday, January 12, 2026 5:03 PM

The page uses the same table layout pattern as other modules: search, sort, pagination, row actions, and status toggle.

## List behavior


- **Edit** action opens the update modal.
- **Links preview** action opens linked onboarding preview.
- **Delete** action opens delete confirmation modal.
- **Status** toggle enables/disables onboarding temporarily.

## Typical columns

From the UI pattern and flow, onboarding records are managed with serial/order and content metadata, where serial is important for front-end rendering order.

## Links preview action


Clicking the links preview action opens a preview page showing related linked entries.



This helps verify linked onboarding items before publishing.

## Create onboarding modal


Clicking **Create** opens the new onboarding modal.



## Important field rule

- Onboarding select field is mandatory when creating linked onboarding entries.

Referenced combobox UI:




## Form behavior

The create modal follows the same admin form conventions:

- required fields must be completed before submit,
- media/content values are entered in modal inputs,
- save action creates the onboarding record,
- cancel closes without saving.

## Edit onboarding modal

Clicking **Edit** opens the update modal with existing values pre-filled.



Edit flow:

- current values are loaded for quick modification,
- updates are saved via submit/update action,
- status can be used to enable/disable without deleting.

## Delete and status behavior

- **Status toggle** is for temporary availability control.

- **Delete** opens confirmation modal; confirming removes the record.
- 

## Web app onboarding display

On the web app sign-in entry ( `/auth/signin` ), onboarding slides are displayed and auto-slide.

### Ordering rule

- Slides are sorted by the **Serial** column configured in admin.
- Lower serial entries appear first in the web app onboarding sequence.

# Onboarding Links

This page documents the **Onboarding Link List** module in admin and how link chips are shown on web app sign-in onboarding slides.

- Admin route: <https://admin.acusolo.net/admin/onboarding-links>
- Web app sign-in route: <https://web.acusolo.net/auth/signin>

Related doc: [Onboarding Lists](#)

## Admin: onboarding links list page

The screenshot displays the 'Onboarding Link List' page in the admin interface. The page title is 'Onboarding Link List' and it includes a subtitle: 'Manage and track onboarding links for your team. View onboarding link history, approve or reject onboarding links, and maintain accurate records.' A note states: 'Note: if don't see the right translation, please checkout the simplelocalize dashboard and refresh the page to see the latest translations.' The page has a search bar and a 'New Onboarding Link' button. The table below shows 10 items with columns: Serial, Actions, Status, Title, Onboarding, Icon, URL, Target, Color, Sort Order, and Timestamp.

Serial	Actions	Status	Title	Onboarding	Icon	URL	Target	Color	Sort Order	Timestamp
1	[Edit] [Delete]	[Toggle]	Sérénité	Acusolo, votre bien-être au quotidien	[Icon]	web.acusolo.net	_self	#000000	3	Cr: Wednesday, January 7, 2026 3:14 AM Up: Monday, January 12, 2026 5:05 PM
2	[Edit] [Delete]	[Toggle]	Vitalité	Acusolo, votre bien-être au quotidien	[Icon]	web.acusolo.net	_self	#000000	1	Cr: Wednesday, January 7, 2026 3:14 AM Up: Monday, January 12, 2026 5:05 PM
3	[Edit] [Delete]	[Toggle]	Confort	Acusolo, votre bien-être au quotidien	[Icon]	web.acusolo.net	_self	#2e2e2e	2	Cr: Wednesday, January 7, 2026 3:14 AM Up: Monday, January 12, 2026 5:05 PM
4	[Edit] [Delete]	[Toggle]	Sommeil	10 minutes par jour pour soulager vos problèmes	[Icon]	web.acusolo.net	_self	#000000	3	Cr: Wednesday, January 7, 2026 3:13 AM Up: Monday, January 12, 2026 5:06 PM
5	[Edit] [Delete]	[Toggle]	Tensions & stress	10 minutes par jour pour soulager vos problèmes	[Icon]	web.acusolo.net	_self	#000000	2	Cr: Wednesday, January 7, 2026 3:12 AM Up: Monday, January 12, 2026 5:06 PM
6	[Edit] [Delete]	[Toggle]	Dos & articulations	10 minutes par jour pour soulager vos problèmes	[Icon]	web.acusolo.net	_self	#000000	1	Cr: Wednesday, January 7, 2026 3:12 AM Up: Monday, January 12, 2026 5:06 PM
7	[Edit] [Delete]	[Toggle]	Rassurant	Questions et guide AI pour vous accompagner	[Icon]	web.acusolo.net	_self	#000000	3	Cr: Wednesday, January 7, 2026 3:10 AM Up: Monday, January 12, 2026 5:07 PM
8	[Edit] [Delete]	[Toggle]	Intelligent	Questions et guide AI pour vous accompagner	[Icon]	web.acusolo.net	_self	#000000	2	Cr: Wednesday, January 7, 2026 3:09 AM Up: Monday, January 12, 2026 4:11 PM
9	[Edit] [Delete]	[Toggle]	Personnalisé	Questions et guide AI pour vous accompagner	[Icon]	web.acusolo.net	_self	#000000	1	Cr: Wednesday, January 7, 2026 3:09 AM Up: Monday, January 12, 2026 5:07 PM
10	[Edit] [Delete]	[Toggle]	Intensité adaptée	De 7 à 97 ans	[Icon]	https://web.acusolo.net/	_self	#000000	1	Cr: Wednesday, January 7, 2026 3:01 AM Up: Monday, January 12, 2026 5:08 PM

The page follows the common admin table pattern with search, sort, pagination, row actions, and status toggle.

## Actions per row

- **Edit** (yellow pen)
- **Delete** (red trash)
- **Status toggle** (temporary enable/disable)


## Table columns

Column	Definition
Serial	Row sequence in admin list.
Actions	Edit and delete actions.
Status	Active/inactive toggle.
Title	Link label shown in onboarding chips.
Onboarding	Linked onboarding item this chip belongs to.
Icon	Icon preview (rendered from icon HTML/SVG value).
URL	Link destination URL/domain.
Target	Link target behavior (e.g. same tab <code>_self</code> ).
Color	Chip/icon color configured from color input.
Sort Order	Ordering priority among chips of the same onboarding item.
Timestamp	Created/updated timestamps.

---

## Create onboarding link modal


Click **New Onboarding Link** to open create modal.



## Fields

- **Title** ( \* ) - link label.
- **Onboarding** ( \* ) - mandatory linked onboarding selector.
- **Icon (HTML)** - optional icon markup (typically SVG/HTML string).
- **URL** - optional destination URL.
- **Target** - link open behavior (e.g. same window `_self` ).
- **Color** - color picker + hex value (used in web app link chip styling).
- **Sort Order** - numeric ordering value.

Onboarding select combobox reference:



## Actions

- Cancel
- Create

---

## Edit onboarding link modal

Click **Edit** to open update modal with existing values pre-filled.

Edit behavior:

- keeps existing onboarding relation unless changed,
- allows icon HTML, URL, target, color, and sort order updates,
- preserves current data for quick modification flow.

Actions:

- Cancel
- Update

---

## Status and delete behavior

- **Status toggle** controls temporary visibility/availability.
- **Delete** opens standard confirmation modal before permanent removal.

---

## Web app behavior (sign-in onboarding)

On the sign-in screen, linked onboarding items are rendered as chips/buttons inside the onboarding slide area.

### Rendering rules

- Chip **text** comes from `Title` .
- Chip **icon** and **color** come from admin form ( `Icon (HTML)` and `Color` ).
- Links are ordered by **Serial/Sort Order** configuration from admin.

This ensures onboarding slide links stay consistent with admin-managed visual and ordering settings.

# FAQ Management

The FAQ system allows admins to organize reusable questions and answers into categories. These categories can be used inside admin-managed content areas such as the privacy policy page.

At the moment, this FAQ feature is not one of the most active or business-critical areas. It has still been built in an expandable way so that future content pages can reuse FAQ categories, grouped answers, icons, ordering, and different display styles.

- FAQ category list: <https://admin.acusolo.net/admin/faq-category>
  - FAQ list: <https://admin.acusolo.net/admin/faq>
  - Category-specific FAQ list: <https://admin.acusolo.net/admin/faq?faqCategoryId=fc79471a-21e8-4b50-9389-41ffe0b59b08&faqCategoryTitle=Footer%20Actions>
  - Privacy policy settings: <https://admin.acusolo.net/admin/app-settings/privacy-policy>
  - Web privacy policy page: <https://web.acusolo.net/privacy-policy>
- 

## FAQ category list

The FAQ category list page lets admins create and manage groups of FAQs.

acUSOLO

Rechercher un menu

French

Acusolo Admin User

- Bibliothèque musicale
- Plans d'abonnement
- Banque de points médicaux
- Formation IA
- Intégration
- Gestion FAQ**
  - Catégories FAQ**
  - FAQ
- Jetons de contact
- Paramètres de l'application
  - Paramètres de site
  - Schéma de couleurs
  - Avertissements de début de session
  - Modèles de notification
  - Modèles localisés
  - Notifications push
  - Politique de confidentialité
  - Conditions générales
  - Données de l'application
  - Caches disponibles

### Liste des catégories FAQ

Gérez et suivez les catégories FAQ de votre application. Consultez l'historique, approuvez ou rejetez et maintenez des enregistrements précis.

**Note:** si vous ne trouvez pas la traduction qui vous convient, veuillez consulter le tableau de bord simplelocalize et actualiser la page pour voir les dernières traductions. [Afficher la traduction](#)

10 éléments par page. Trier par numéro croissant. Rechercher par titre, slug ou description

Numéro	Actions	Statut	Icône	Titre	Nombre de FAQ	Description	Horodatage
16		<input checked="" type="checkbox"/>		Footer Actions	2	N/A	<b>Cr:</b> Tuesday, January 27, 2026 8:56 PM <b>Up:</b> Tuesday, January 27, 2026 8:56 PM
15		<input checked="" type="checkbox"/>		Data Retention	5	N/A	<b>Cr:</b> Tuesday, January 27, 2026 8:55 PM <b>Up:</b> Tuesday, January 27, 2026 8:55 PM
14		<input checked="" type="checkbox"/>		Permissions	3	N/A	<b>Cr:</b> Tuesday, January 27, 2026 8:55 PM <b>Up:</b> Tuesday, January 27, 2026 8:55 PM
13		<input checked="" type="checkbox"/>		Processor	5	N/A	<b>Cr:</b> Tuesday, January 27, 2026 8:52 PM <b>Up:</b> Tuesday, January 27, 2026 8:55 PM
12		<input checked="" type="checkbox"/>		Permissions & integrations	3	N/A	<b>Cr:</b> Tuesday, January 27, 2026 1:37 AM <b>Up:</b> Tuesday, January 27, 2026 8:55 PM
11		<input checked="" type="checkbox"/>		Health & medical information	6	<a href="#">Not intended for children under 13 (or under 16 in some regions) without parental consent.</a>	<b>Cr:</b> Tuesday, January 27, 2026 1:37 AM <b>Up:</b> Tuesday, January 27, 2026 8:55 PM
10		<input checked="" type="checkbox"/>		Children's privacy	6	<a href="#">Not intended for children under 13 (or under 16 in some regions) without parental consent.</a>	<b>Cr:</b> Tuesday, January 27, 2026 1:37 AM <b>Up:</b> Tuesday, January 27, 2026 8:55 PM
9		<input checked="" type="checkbox"/>		Security	3	N/A	<b>Cr:</b> Tuesday, January 27, 2026 1:37 AM <b>Up:</b> Tuesday, January 27, 2026 8:55 PM
8		<input checked="" type="checkbox"/>		Your rights & controls	5	N/A	<b>Cr:</b> Tuesday, January 27, 2026 1:37 AM <b>Up:</b> Tuesday, January 27, 2026 8:55 PM
7		<input checked="" type="checkbox"/>		Data retention	5	N/A	<b>Cr:</b> Tuesday, January 27, 2026 1:37 AM <b>Up:</b> Tuesday, January 27, 2026 8:55 PM

Admins can:

- View all FAQ categories.
- Search categories.
- Create a new category.
- Edit an existing category.
- Delete a category.
- Enable or disable a category.
- See how many FAQs are inside each category.
- Open the FAQ list filtered by a selected category.

## Category table columns

Column	Meaning
No.	Serial/order value used for display ordering.
Actions	Edit, delete, or view FAQs inside the category.
Status	Shows whether the category is active or inactive.
Icon	Optional icon shown with the category.
Title	Category name.
FAQs Count	Number of FAQ items inside that category.
Description	Category description or body text, depending on how the category is used.
Timestamp	Created and updated time.

## Create FAQ category

Click New FAQ Category to open the create modal.

The screenshot displays the Acusolo admin interface. A modal titled "Créer une nouvelle catégorie FAQ" is open, allowing the user to create a new FAQ category. The modal includes the following fields and options:

- Titre:** A text input field with the placeholder "Saisir le titre de la catégorie FAQ".
- Numéro:** A text input field with the value "0".
- Type:** A dropdown menu currently set to "List".
- Icône (HTML/SVG):** A text area for entering icon code, with a "Hide Editor" checkbox and "Prettyfy" and "Reset" buttons.
- Description:** A rich text editor with a toolbar containing "File", "Edit", "View", "Insert", "Format", and "Table" menus, along with undo/redo, paragraph selection, font settings, and bold/italic/underline/links buttons.

At the bottom of the modal are "Annuler" and "Créer la catégorie FAQ" buttons. The background interface shows a sidebar with "Gestion FAQ" selected, and a main area displaying a list of existing FAQ categories with columns for "Horodatage", "Cr", and "Up".

## Category fields

Field	Meaning
<b>Title</b>	Required. The category name shown in the admin panel and on pages where the category is displayed.
<b>Serial</b>	Optional. Controls display order. Lower numbers appear earlier. If empty, it is treated as 0 .
<b>Type</b>	Controls how the category content is displayed.
<b>Icon</b>	Optional icon markup. This can be used to show an icon beside the category title.
<b>Description</b>	Optional category description. For text-style categories, this can become the main visible content.

## Category type options

Type	Meaning
<b>List</b>	Shows the category's FAQ items as a list.
<b>Table</b>	Shows FAQ items in a table format. This is useful for structured policy-style content.
<b>Rights</b>	Shows FAQ items as a list with a rights/action-oriented presentation.
<b>Permissions</b>	Shows FAQ items as a list for permission-related content.

After creation, the category appears in the category list. If it is active, it can be selected in other content settings such as the privacy policy page.

---

## Edit FAQ category

The edit modal opens with the selected category's existing data already filled in.

Admins can update:

- **Title**

- **Serial**
- **Type**
- **Icon**
- **Description**

Changing the serial changes where the category appears in pages that display categories by order. Changing the type can change how the category content appears on the web app, for example from list-style content to table-style content.

---

## **View FAQs by category**

From the FAQ category list, the **View FAQs** action opens the FAQ list filtered to that category.

This helps admins manage only the questions that belong to a specific category, instead of searching through all FAQ items.

---

## **FAQ list**

The main FAQ list page shows individual FAQ items.

Admins can:

- View all FAQ items.
- Search FAQs.
- Create a new FAQ.
- Edit an FAQ.
- Delete an FAQ.
- Enable or disable an FAQ.
- See which category each FAQ belongs to.

## **FAQ table columns**

Column	Meaning
No.	Serial/order value used for display ordering.
Actions	Edit or delete the FAQ.
Status	Shows whether the FAQ is active or inactive.
Icon	Optional icon for the FAQ item.
Title	The question or FAQ heading.
Category	The category that this FAQ belongs to.
Description	The answer or content for the FAQ.
Timestamp	Created and updated time.

---

## Create FAQ

Click **New FAQ** to open the create modal.

### FAQ fields

Field	Meaning
FAQ Category	Required. Selects which category the FAQ belongs to.
Title	Required. The question or heading.
Serial	Optional. Controls display order inside the category. Lower numbers appear earlier.
Icon	Optional icon markup for the FAQ item.
Description	Optional answer/content shown for the FAQ.
Metadata	Optional extra structured information for future use. For normal FAQ management, admins usually do not need to change this.

The category and title are required. Without a category, the FAQ cannot be grouped or displayed correctly.

---

## Edit FAQ

The edit modal opens with the selected FAQ's existing data already filled in.

Admins can update:

- **FAQ Category**
- **Title**
- **Serial**
- **Icon**
- **Description**
- **Metadata**

Changing the category moves the FAQ into another category. Changing the serial changes the order of that FAQ inside its category.

---

## Delete and status behavior

FAQ categories and FAQ items both use the standard delete confirmation pattern.

Before deleting a category, admins should check whether it contains FAQ items or is used in privacy policy settings. If a category is removed, related content should be reviewed so the web page does not lose expected sections.

Status behavior:

- **Active category:** can be used in public-facing content areas.
- **Inactive category:** should not appear in active public-facing selections.
- **Active FAQ:** can appear in public-facing category content.
- **Inactive FAQ:** should not appear in active public-facing FAQ lists.

---

## Privacy policy usage

The privacy policy settings page can use selected FAQ categories to build accordion-style content.

When the privacy policy content type is set to an accordion-style layout, admins can select FAQ categories. The selected categories become sections on the web privacy policy page.

On the web page:

- Categories appear as accordion sections.
- Categories are ordered by their serial value.
- The first category can open by default.
- Category icons can appear beside the category title.
- FAQ items appear inside their selected category.
- Table-style categories show FAQ items in a structured table.
- Text-style categories show the category description as the main content.

This is why the FAQ category feature is useful beyond a normal FAQ page. It can also power policy-style pages and future content sections.

---

## Important rules

- Category title is required.
- FAQ title is required.
- FAQ category is required for each FAQ item.
- Serial values should be planned carefully because they control display order.
- Category type should match how the content should appear on the web page.
- Inactive categories or FAQs should not be used for public-facing content.
- Deleting categories used by privacy policy can remove visible sections from the web privacy policy page.

- The FAQ feature is currently not heavily used, but it is designed for broader future content management.
- 

## Common error cases

Admins may face these issues:

- Required title is missing.
  - FAQ category is not selected.
  - Serial value is invalid.
  - Metadata format is invalid.
  - A selected category has no FAQ items.
  - A category is inactive, so it does not appear where the admin expects.
  - A deleted or inactive category causes missing sections on the web privacy policy page.
- 

## Overall flow

1. Admin creates FAQ categories.
2. Admin creates FAQ items and assigns each FAQ to a category.
3. Admin orders categories and FAQs using serial values.
4. Admin selects FAQ categories in privacy policy settings if needed.
5. The web privacy policy page displays the selected categories and FAQ items.
6. Future pages can reuse the same category-based FAQ structure.

# Theme Color Scheme

The Theme Color Scheme page allows admins to manage the color palette used across the web app. These settings help keep the user experience visually consistent while allowing different color sets for different user profile groups.

- Admin color scheme page: <https://admin.acusolo.net/admin/app-settings/color-scheme>

## Manage theme colors

Admins can update theme colors from the color scheme settings page.

The screenshot displays the 'Paramètres du schéma de couleurs' (Color Scheme Parameters) page. The page title is 'Paramètres du schéma de couleurs' with a subtitle 'Personnalisez les couleurs pour différents genres dans votre application'. There are two buttons: 'Réinitialiser' (Reset) and 'Enregistrer le schéma de couleurs' (Save color scheme). The settings are organized into four sections, each with a color field and three input boxes for MALE, FEMALE, and OTHER (Optional) user groups.

Color Type	MALE	FEMALE	OTHER (Optional)
Accent Color (Important)	#045769	#E7ACB7	#2D7FF9
Main Text Color (Important)	#5A3A40	#5A3A40	#5A3A40
Subtle Color (Important)	#045769	#E7ACB7	#045769
Sub Text Color	#045769	#E7ACB7	#045769

The page is organized by color field. Each color field has separate values for:

- Male
- Female
- Other

The **Other** value is optional. It can be used as a fallback or neutral color group where needed.

---

## Color input behavior

Each color value can be updated using:

- A visual color picker.
- A color text input.

Admins can use the **Reset** button to return the form to the currently saved values, or **Save Color Scheme** to apply the new values.

Empty color groups are ignored when saving. This helps avoid saving incomplete color rows by mistake.

---

## Color fields

Field	Meaning
Accent Color	Important. The main highlight color used for selected states, progress accents, active UI elements, and other noticeable brand accents.
Main Text Color	Important. The main readable text color used in themed areas.
Subtle Color	Important. A softer supporting color used for lighter accents or secondary visual emphasis.
Sub Text Color	Supporting text color for less prominent text.
Dark Background Color	Background color used in darker themed areas.
Light Background Color	Background color used in lighter themed areas.
Border Color	Main border color for themed UI sections.
Light Border Color	Softer border color for lighter surfaces.
Button Color	Button background color.
Button Text Color	Text color used inside themed buttons.
Button Border Color	Border color used around themed buttons.

Fields marked **Important** should be reviewed carefully because they are more likely to affect visible areas of the web app.

---

## Web app accent color example

The web app can use the saved accent color to style visible elements.

In the example, the accent color is used for highlighted controls and progress-style UI. When the admin changes the accent color, matching web app areas can visually change for users who receive that color group.

---

## Gender-based color behavior

The color scheme is saved separately for Male, Female, and Other groups.

When a user has a profile gender, the web app can apply the matching color group:

- A male user receives the Male color values.
- A female user receives the Female color values.
- Other or fallback cases can use the Other values where supported.

If a user does not have a matching color value, the web app continues using its default colors.

---

## Reset and save behavior

Action	Meaning
Reset	Restores the form to the last saved color values. It does not permanently change anything by itself.
Save Color Scheme	Saves the updated color scheme so the web app can use the new colors.

After saving, users may need to reload or revisit affected pages before they see the latest colors.

---

## Important rules

- Use valid color values.
- Keep enough contrast between text colors and background colors.
- Review important fields before saving.
- Avoid using very light button text on light button backgrounds.
- Avoid using very dark text on dark backgrounds.
- Use the accent color carefully because it can affect noticeable UI highlights.

- Test Male and Female color sets separately, because users may see different colors based on their profile.
  - Keep the Other group neutral if it is used as a fallback.
- 

## Common error cases

Admins may face these issues:

- A color value is empty or invalid.
  - Text becomes difficult to read because contrast is too low.
  - A button becomes hard to see because button and text colors are too similar.
  - A user does not see the expected colors because their profile group does not match the edited group.
  - The page still shows the old color until the user reloads or the latest settings are applied.
- 

## Overall flow

1. Admin opens the color scheme settings page.
2. Admin updates color values for Male, Female, and optionally Other.
3. Admin reviews important fields such as Accent Color, Main Text Color, and Subtle Color.
4. Admin saves the color scheme.
5. The web app applies the matching color group for users where supported.
6. Users see updated accent and theme colors in affected web app areas.

# Notification Templates































Notification templates are reusable message designs used for email, push, SMS, in-app, web, and other notification flows. They help keep system messages consistent, easier to maintain, and ready for multilingual delivery.

- Notification template list: <https://admin.acusolo.net/admin/notification-templates>
- Localized notification template list: <https://admin.acusolo.net/admin/app-settings/localized-notification-templates>

## Template list

The notification template list shows all base notification templates.

The screenshot displays the 'Liste des modèles de notification' (Notification Templates List) in the admin interface. The page shows a table of 10 notification templates for 'Order checkout success' in various languages. The table columns include Numéro, Actions, Statut, Nom, Type, Catégorie, Priorité, Modèle système, and Horodatage. The templates are sorted by creation date in descending order.

Numéro	Actions	Statut	Nom	Type	Catégorie	Priorité	Modèle système	Horodatage
1	 		Order checkout success (Portuguese - Portugues) acusolo - Pedido confirmado Ola {{user_na...	EMAIL	GENERAL	HIGH	Personnalisé	Cr: Tuesday, April 28, 2026 10:35 PM Up: Tuesday, April 28, 2026 10:35 PM
2	 		Order checkout success (Japanese - 日本語) acusolo - 注文確認 {{user_name}} 様 ご注文も...	EMAIL	GENERAL	HIGH	Personnalisé	Cr: Tuesday, April 28, 2026 10:35 PM Up: Tuesday, April 28, 2026 10:35 PM
3	 		Order checkout success (Italian - Italiano) acusolo - Ordine confermato Ciao {{user_na...	EMAIL	GENERAL	HIGH	Personnalisé	Cr: Tuesday, April 28, 2026 10:35 PM Up: Tuesday, April 28, 2026 10:35 PM
4	 		Order checkout success (French - Français) acusolo - Commande confirmée Bonjour {{u...	EMAIL	GENERAL	HIGH	Personnalisé	Cr: Tuesday, April 28, 2026 10:35 PM Up: Tuesday, April 28, 2026 10:35 PM
5	 		Order checkout success (Spanish - Español) acusolo - Pedido confirmado Hola {{user_na...	EMAIL	GENERAL	HIGH	Personnalisé	Cr: Tuesday, April 28, 2026 10:35 PM Up: Tuesday, April 28, 2026 10:35 PM
6	 		Order checkout success (English - English) acusolo - Order Confirmed Hi {{user_name}}...	EMAIL	GENERAL	HIGH	Personnalisé	Cr: Tuesday, April 28, 2026 10:35 PM Up: Tuesday, April 28, 2026 10:35 PM
7	 		Order checkout success (German - Deutsch) acusolo - Bestellung bestätigt Hallo {{user_...	EMAIL	GENERAL	HIGH	Personnalisé	Cr: Tuesday, April 28, 2026 10:35 PM Up: Tuesday, April 28, 2026 10:35 PM
8	 		Order checkout success (Bengali - বাংলা) acusolo - অর্ডার বিক্রিওত সাংগো {{user_name}}...	EMAIL	GENERAL	HIGH	Personnalisé	Cr: Tuesday, April 28, 2026 10:35 PM Up: Tuesday, April 28, 2026 10:35 PM
9	 		Order checkout success (Arabic - العربية) acusolo - تم تأكيد الطلب مرحباً {{user_name}}... الطلب	EMAIL	GENERAL	HIGH	Personnalisé	Cr: Tuesday, April 28, 2026 10:35 PM Up: Tuesday, April 28, 2026 10:35 PM
10	 		Order checkout cancel (Portuguese - Portugues) acusolo - Pedido cancelado Ola {{user_nam...	EMAIL	GENERAL	HIGH	Personnalisé	Cr: Tuesday, April 28, 2026 10:35 PM Up: Tuesday, April 28, 2026 10:35 PM

Admins can:

- View all base notification templates.
- Search templates.
- Create a new template.
- Edit an existing template.

- Delete a template.
- Enable or disable a template.
- Mark a template as a system template.
- Review the template type, category, and priority.

## Table columns

Column	Meaning
No.	Row number.
Actions	Edit or delete the template.
Status	Shows whether the template is active or inactive.
Name	Internal admin name and optional description.
Type	Delivery type, such as push, in-app, email, or SMS.
Category	Business category, such as general, payment, support, security alert, promotional, health tip, or motivational.
Priority	Priority level, such as low, normal, high, or urgent.
System Template	Shows whether the template is a system-level template or a custom template.
Timestamp	Created and updated time.

---

## Create notification template

Click **New Notification Template** to open the create modal.

ACUSOLO

Rechercher un menu

French

Acusolo Admin User

### Créer un nouveau modèle de notification

Nom du modèle \*  Type de notification \*

Corps texte brut du modèle

Données JSON supplémentaires (optional)  Show Editor

#### Contenu du modèle

Sujet / Titre de notification \*

Contenu de la notification \* (valid HTML)   
Enter HTML or SVG code for the icon. Leave empty if no icon is needed.

Variables (JSON)

122 entrées (10 éléments par page, page 1 sur 13)

## Create fields

Field	Meaning
Template Name	Required. Admin-facing name used to identify the template.
Notification Type	Required. Defines the delivery channel, such as push, in-app, email, or SMS.
Template Plain Text Body	Optional admin description or plain-text summary of the template.
Additional Data	Optional extra structured values for advanced notification behavior. Most admins should only edit this when they know the expected format.
Notification Subject / Title	Required. The title or subject shown to the user.
Notification Body	Required. The main message content. Visual email formatting can be used for email-style templates.
Variables	Optional list of placeholder values used inside the title or body.
Category	Required. Groups the template by business purpose.
Priority	Required. Controls the importance level of the message.
Active	Allows the template to be used.
System Template	Marks the template as a system-level template.

---

## Visual email template example

Some templates can contain full visual email content.

Visual templates are useful for payment messages, order messages, account security emails, and other formal system communication. The template body should preserve the intended layout, branding, links, and placeholders.

---

## Template variables

Templates can include placeholders in the title or body.

Examples:

- 
- 

When a notification is sent, these placeholders are replaced with real values. Admins should not remove required placeholders unless the related notification flow no longer needs them.

---

## Edit notification template

Click the edit action from a template row to open the edit modal.

The edit modal is pre-filled with the selected template's existing data.

Admins can update:

- Template name.
- Notification type.
- Plain text body or description.
- Additional data.
- Subject or title.
- Body content.
- Variables.
- Category.
- Priority.
- Active status.
- System template flag.

Changes affect future notifications that use the template. Notifications that were already sent are not changed retroactively.

---

## Delete and status behavior

Templates use the standard delete confirmation pattern. After confirmation, the template is removed from the list.

Before deleting a template, admins should check whether it is connected to localized versions or used by automated notification flows.

Status behavior:

- **Active:** the template can be used for notifications.
- **Inactive:** the template is kept in the system but should not be used for new notifications.

---

## Localized notification templates

Localized notification templates connect a base template with a specific language and notification purpose.

This allows Acusolo to use the same notification purpose while serving different language versions for users.

Admins can:

- View localized template records.
- Create a localized template.
- Edit a localized template.
- Delete a localized template.
- Enable or disable a localized template.
- Mark one localized version as default for a matching template/type/target.

## Localized table columns

Column	Meaning
No.	Row number.
Actions	Edit or delete the localized template.
Status	Shows whether this localized version is active.
Default	Marks the default localized version for the matching purpose.
Title	Admin-facing localized template title.
Template	The base notification template connected to this localized record.
Language	The language assigned to this localized version.
Type	Delivery type, such as Email, SMS, Push, In App, Web, or Other.
Target	The event or purpose this localized template is used for.
Timestamp	Created and updated time.

## Create localized notification template

Click **New Localized Notification Template** to open the create modal.

### Localized template fields

Field	Meaning
Title	Required. Admin-facing title for this localized version.
Notification Template	Required. Selects the base template this localized version belongs to.
Language	Required. Selects the language for this localized version.
Template Type	Required. Selects the delivery channel. Options include Email, SMS, Push, In App, Web, and Other.
Template Target	Required. Selects the event or purpose for the template.

Common targets include:

- Signup and login messages.
  - Forgot password and reset password messages.
  - Email, phone, and OTP verification messages.
  - New-device sign-in alerts.
  - Subscription payment success, failure, cancellation, refund, and reminder messages.
  - Device purchase success or failure messages.
  - Accessory purchase success or failure messages.
  - Order checkout and delivery status messages.
- 

## Edit localized notification template

Click the edit action from a localized template row to open the edit modal.

The edit modal is pre-filled with the selected localized template's existing data.

Admins can update:

- Title.
- Base notification template.
- Language.
- Template type.
- Template target.

Changing the language or target changes when and where this localized version is used.

Admins should verify that the selected base template matches the intended target.

---

## Default localized template behavior

The **Default** toggle identifies the fallback localized version for a matching base template, delivery type, and target.

If one localized version is set as default, other localized versions for the same matching group are unset as default. This prevents multiple defaults from conflicting.

A default localized template should stay active. If a default template needs to be disabled, another active localized version should be selected as the default first.

---

## Prepared template behavior

Some notification templates are prepared in advance so the system has ready-made transactional messages.

Prepared examples include:

- Payment success.
- Payment reminder.
- Order checkout success or cancellation.
- OTP verification.
- New-device sign-in.
- Password changed.
- Device purchase success or cancellation.
- Accessory purchase success or cancellation.

These prepared templates help the system start with complete notification content instead of requiring admins to manually create every transactional message from scratch.

---

## Important rules

- Template name is required.
- Template title or subject is required.
- Template body is required.
- Localized templates require a base template and language.
- Variables should be kept consistent with the related notification flow.
- Visual email layouts should be tested before use.

- Inactive templates should not be used for new notifications.
  - Do not delete a base template if localized versions or automated flows still depend on it.
  - Only one localized template should be default for the same template, type, and target combination.
- 

## Common error cases

Admins may face these issues:

- Required template fields are missing.
  - Variables are written incorrectly.
  - Extra structured data has an invalid format.
  - A localized template is created without selecting a language.
  - A localized template is linked to the wrong base template.
  - Multiple localized versions are created for the same purpose without choosing a clear default.
  - A template is inactive, so the related notification flow cannot use it.
  - A visual email template loses its layout because the required structure was changed incorrectly.
- 

## Overall flow

1. Admin creates or reviews a base notification template.
2. Admin defines the title, body, variables, category, priority, and status.
3. Admin creates localized versions for required languages and targets.
4. Admin marks the correct localized version as default where needed.
5. Automated notification flows use the matching template when sending messages.
6. Users receive the notification in the appropriate channel and language where available.

# Push Notifications


Push notifications allow admins to send messages to mobile app users, while users can control which types of notifications they want to receive from their own settings page.

- Admin push notifications page: <https://admin.acusolo.net/admin/push-notifications>
- Web app notification settings: <https://web.acusolo.net/settings/notifications-settings>

---

## User notification settings

Users can manage their notification preferences from the web app settings page.



This page lets each user decide how they want to be notified for different notification areas.

Current notification areas include:

- **Progress notification management**
- **Session notification management**
- **Program notification management**

- Step notification management

Each area can show available delivery options:

Option	Meaning
Push Notification	Allows mobile push notifications for that area.
SMS Notification	Allows SMS notifications for that area.
Email Notification	Shown as a preference option, but currently disabled in the UI.

When a user changes a checkbox, the preference is saved for that notification area. If the save fails, the page returns the checkbox to its previous value and shows an error message.

The main toggle beside each notification area is shown for future control of the full area. In the current UI, changing that main area toggle shows a "coming soon" message, while the individual push/SMS options are the active controls.

## Admin push notification list

Admins can manage outgoing push notifications from the admin panel.

The screenshot shows the admin interface for managing push notifications. The main content area is titled "Liste des notifications push" and includes a "Nouvelle notification push" button. Below this, there are filters for "Tous les utilisateurs", "Utilisateurs enregistrés", and "Utilisateurs non enregistrés". A table lists the notifications with the following columns: Numéro, Actions, Statut, Titre, Contenu, Type, Catégorie, Priorité, Type de cible, and Nombre envoyés. The table contains several rows of notifications, most with a "SENT" status and a count of 0.

Numéro	Actions	Statut	Titre	Contenu	Type	Catégorie	Priorité	Type de cible	Nombre envoyés
-	[Edit] [Delete]	SENT		How was your last acupuncture session? We...	PUSH	SUPPORT	NORMAL	---	0
-	[Edit] [Delete]	SENT		The app will be under maintenance tonight f...	PUSH	SYSTEM UPDATE	LOW	---	0
-	[Edit] [Delete]	SENT		Limited time offer: 20% off your next acupun...	PUSH	PROMOTIONAL	HIGH	---	0
-	[Edit] [Delete]	SENT		Great progress! You've completed 5 acupun...	PUSH	PROGRAM REMINDER	NORMAL	---	0
-	[Edit] [Delete]	SENT		Did you know? Regular acupuncture can hel...	PUSH	HEALTH TIP	NORMAL	---	0
-	[Edit] [Delete]	SENT		Your acupuncture appointment is schedule...	PUSH	SESSION REMINDER	HIGH	---	0
-	[Edit] [Delete]	SENT		A new acupuncture treatment program is n...	PUSH	PROGRAM REMINDER	HIGH	---	0
-	[Edit] [Delete]	SENT		Welcome to Acusolo! Start your journey with...	PUSH	GENERAL	NORMAL	---	0
-	[Edit] [Delete]	SENT		Welcome to Acusolo! Start your journey with...	PUSH	GENERAL	NORMAL	---	0
-	[Edit] [Delete]	DRAFT		* Keep titles concise and enaaaina (under 5...	PUSH	GENERAL	NORMAL	---	0

The list page helps admins:

- View existing push notification records.
- Search notification records.
- Create and send a new push notification.
- Edit an existing notification record.
- Delete a notification record.
- Review notification status and delivery numbers.

The page also shows quick audience buttons for:

- **All Users**
- **Registered Users**
- **Unregistered Users**

These buttons represent the main audience groups the push notification system is designed to support.

## **List table columns**

Column	Meaning
No.	Row number or ordering value.
Actions	Edit or delete the notification.
Status	Current notification state, such as draft, sent, delivered, failed, or scheduled.
Title	Notification title shown to the recipient.
Body	Main notification message.
Type	Notification channel, such as push, in-app, email, or SMS.
Category	Business category, such as general, program reminder, payment, support, security alert, or promotional.
Priority	Priority level, such as low, normal, high, or urgent.
Target Type	Audience type for the notification.
Sent Count	Number of send attempts or sent notifications.
Delivered Count	Number of successfully delivered notifications.
Timestamp	Created and updated time.

---

## Create push notification

Click **New Push Notification** to open the create modal.

### Create fields

Field	Meaning
Notification Title	Required. Short title shown in the notification. It should be concise and attention-friendly.
Notification Body	Required. Main notification text. It should be clear, useful, and action-oriented.
Click Action URL	Optional. A link or action destination that opens when the user taps the notification.
Select Users	Selects specific users who should receive the notification.

After submitting, the notification is sent to the selected users who have active mobile push devices available.

## Writing guidelines

The create modal includes writing guidance:

- Keep titles concise and engaging.
- Keep body text clear and actionable.
- Use push notifications carefully to avoid overwhelming users.
- Test important messages before sending them to a large audience.

---

## Edit push notification

Click the edit action from a notification row to open the edit modal.

The edit modal opens with the selected notification's existing information.

Admins can review or update:

- **Notification Title**
- **Notification Body**
- **Click Action URL**
- **Notification Type**

- **Category**
- **Priority**
- **Target Type**
- **Status**
- **Schedule Date**
- **Expiration Date**

The edit modal also shows delivery analytics:

- **Sent**
- **Delivered**
- **Opened**
- **Failed**

Changes to notifications that were already delivered do not change the message already received on a user's device. Scheduled or pending notifications should be edited carefully before they are sent.

---

## Delete behavior

Deleting a push notification uses the standard delete confirmation pattern. After confirmation, the notification record is removed from the admin list.

Deleting a record does not take back notifications that were already delivered to user devices.

---

## Audience behavior

Push notifications depend on active mobile device registration. A user must have a registered active device before they can receive a mobile push notification.

Supported audience concepts include:

- **Selected users:** Admin chooses specific users.

- **Registered users:** Users who have accounts and active devices.
- **Unregistered users:** Devices that exist without a signed-in user account.
- **All users/devices:** All active devices known to the system.

If no active device is available for the selected audience, the notification cannot be delivered to that audience.

---

## User preference behavior

User notification settings affect which notification channels are allowed for each area. For example, a user may keep push notifications enabled for sessions but turn off SMS for program notifications.

The settings page is designed so each user can control their own notification experience without needing admin support.

---

## Important rules

- Notification title and body are required.
  - A selected-user notification needs at least one selected recipient.
  - Users need active mobile devices to receive push notifications.
  - Optional click actions should point to a useful destination.
  - High or urgent priority should be used carefully.
  - Delivered notifications cannot be edited retroactively on user devices.
  - User notification preferences should be respected when sending notifications.
- 

## Common error cases

Admins or users may face these issues:

- Title is missing.
- Body is missing.

- No user is selected for a selected-user notification.
  - The selected audience has no active mobile devices.
  - A notification preference update fails and returns to the previous value.
  - A user has no notification settings available yet.
  - A user disables a notification channel and stops receiving that channel for the related area.
- 

## Overall flow

1. A user manages notification preferences from the web app settings page.
2. The user's active mobile device is stored for push notification delivery.
3. Admin creates a push notification from the admin panel.
4. Admin writes the title, body, optional click action, and selects the target audience.
5. The system sends the notification to active devices in the selected audience.
6. Delivery counts and status information appear in the admin list.
7. Users receive notifications according to their device availability and notification preferences.


# Privacy Policy

The Privacy Policy settings page allows admins to manage the privacy policy content that users see in the web app. This page is useful for keeping legal, contact, and data-protection information up to date from the admin panel.

- Admin privacy policy page: <https://admin.acusolo.net/admin/app-settings/privacy-policy>
- Web app privacy policy page: <https://web.acusolo.net/settings/privacy-policy>

## Manage privacy policy

Admins can update the privacy policy from the application settings area.



The screenshot displays the 'Politique de confidentialité' (Privacy Policy) settings page in the Acusolo admin panel. The page is titled 'Politique de confidentialité' and includes a note: 'Gérez et configurez les informations de politique de confidentialité de votre application. Note: si vous ne trouvez pas la traduction qui vous convient, veuillez consulter le tableau de bord simplelocalize et actualiser la page pour voir les dernières traductions.' The main content area features a WYSIWYG editor with a toolbar and a preview of the privacy policy content. The preview shows the title 'Privacy Policy' and the text 'Acusolo TENS — Acusolo Health Effective Date: February 2025 | Last Updated: February 2026'. Below the editor, there is a section for 'Informations de l'application' (Application Information) with fields for 'Nom de l'application' (Acusolo TENS), 'Company' (Any- Acupuncture & you (Acusolo)), and 'Date d'effet'.

The page includes:

- Language selection.
- Content type selection.
- Privacy policy content.
- Application information.
- Data Protection Officer information.

- Contact information.
  - Reset and save actions.
- 

## Language selection

The language selector controls which language version is being edited.

When the admin changes the language, the page loads the saved privacy policy content for that language if available. If the selected language does not already have translated content, the admin can create or update it from this page.

The note on the page reminds admins that the content is saved for the selected language. After updating translations, admins should refresh or reload the page to see the latest language content.

---

## Content type

The **Content Type** field controls how the privacy policy is built and displayed.

Content type	Meaning
<b>PARAGRAPH</b>	The admin writes the full privacy policy as one rich content block. This is useful for a traditional long-form privacy policy page.
<b>ACCORDION</b>	The admin selects FAQ categories. The selected categories become expandable privacy policy sections in the web app.

---

## Paragraph content

When **PARAGRAPH** is selected, the page shows a content editor.

Admins can use this editor to write the full privacy policy text, format headings, add lists, and structure the page content. The saved content becomes the main privacy policy body

shown to users.

This mode is best when the privacy policy should be managed as one complete document.

---

## Accordion content

When **ACCORDION** is selected, the page lets admins select FAQ categories for the privacy policy.

Selected categories become expandable sections on the web app privacy policy page. The category order follows the category serial/order value already configured in FAQ Management.

This mode is best when the privacy policy should be split into clear sections such as data collection, user rights, contact details, retention, permissions, and similar policy topics.

Before using this mode, admins should prepare the required FAQ categories and FAQ items in FAQ Management.

---

## Application information

The **Application Information** section controls the main identity and summary details displayed with the privacy policy.

Field	Meaning
App Name	The application or service name shown with the privacy policy.
Company	The company or organization responsible for the privacy policy.
Effective Date	The date from which the privacy policy becomes active.
Description	A short privacy summary or explanation shown with the policy information.
Office Address	The official office or business address.

These fields help users understand which product and company the privacy policy belongs to.

---

## Data Protection Officer

The **Data Protection Officer (DPO)** section stores the privacy contact person details.

Field	Meaning
<b>DPO Name</b>	Name of the responsible privacy or data-protection contact.
<b>DPO Email</b>	Email address users can use for privacy or data-protection questions.

Admins should keep this information accurate because users may rely on it for privacy requests.

---

## Contact information

The **Contact Information** section stores the general contact details shown with the privacy policy.

Field	Meaning
<b>Contact Email</b>	Support or contact email for privacy-policy related communication.
<b>Contact Phone</b>	Phone number for user support or policy-related contact.

---

## Web app preview

Users can view the saved privacy policy from the web app settings area.

On the web app:

- Paragraph content appears as the full privacy policy body.

- Accordion content appears as expandable privacy policy sections.
  - Accordion sections are ordered by their configured serial/order value.
  - The first accordion section can open by default.
  - Application information can appear with the policy in the settings view.
  - If no privacy policy content is available, users see an unavailable or empty-content message.
- 

## Reset and save behavior

Action	Meaning
Reset	Restores the form to the last loaded values. It does not permanently change anything by itself.
Save Changes	Saves the selected language, content type, content, selected FAQ categories, and application/contact information.

After saving, users may need to refresh or revisit the privacy policy page before seeing the latest updates.

---

## Important rules

- Select the correct language before editing.
- Choose **PARAGRAPH** when the policy should be one complete document.
- Choose **ACCORDION** when the policy should be built from FAQ categories.
- For accordion content, only active and properly prepared FAQ categories should be selected.
- Category serial/order values affect the order users see on the web app.
- Keep App Name, Company, Effective Date, DPO, and Contact Information accurate.
- Review the web app preview after saving important policy changes.
- Avoid deleting FAQ categories that are currently used by the privacy policy.

---

## Common error cases

Admins may face these issues:

- The wrong language was selected before saving.
- The privacy policy appears empty because no content was saved for the selected language.
- Accordion mode appears empty because no FAQ categories were selected.
- A selected FAQ category has no active content.
- The web app still shows old content until the page is refreshed.
- Contact or DPO information is outdated.
- Category order looks incorrect because serial/order values were not planned.

---

## Overall flow

1. Admin opens the Privacy Policy settings page.
2. Admin selects the language to edit.
3. Admin chooses Paragraph or Accordion content.
4. Admin writes the policy content or selects FAQ categories.
5. Admin updates application, DPO, and contact information.
6. Admin saves the changes.
7. Users view the updated privacy policy from the web app settings page.


# Terms and Conditions

The Terms and Conditions settings page allows admins to manage the legal terms shown to users in the web app. This content is important because users can open it from the web app settings area, public terms page, and consent links during sign-in or sign-up flows.

- Admin terms page: <https://admin.acusolo.net/admin/app-settings/terms-and-conditions>
- Web app settings preview: <https://web.acusolo.net/settings/terms-and-conditions>
- Public web page: <https://web.acusolo.net/terms-and-conditions>

## Manage terms and conditions

Admins can update the terms content from the application settings area.



The screenshot displays the 'Conditions générales' (General Conditions) settings page in the Acusolo admin interface. The page is titled 'Conditions générales' and includes a note: 'Gérez les conditions générales (ex. Conditions Générales d'Utilisation et de Vente). Utilisez paragraphe pour le HTML ou accordéon à partir des catégories FAQ. Note: si vous ne trouvez pas la traduction qui vous convient, veuillez consulter le tableau de bord simplelocalize et actualiser la page pour voir les dernières traductions.' Below the note, there is a 'Type de contenu' dropdown menu set to 'Paragraphe'. A 'URL PDF (optionnel)' field is present with the value 'https://... ou laisser vide'. The main content area is a rich text editor with a toolbar and the text 'Acusolo' and 'Terms of Use' followed by 'Last updated: February 26, 2026'. At the bottom, there are buttons for 'Réinitialiser' and 'Enregistrer les modifications'.

The page includes:

- Language selection.
- Content type selection.

- Optional PDF URL.
  - Terms and conditions content.
  - FAQ category selection for accordion-style content.
  - Reset and save actions.
- 

## Language selection

The language selector controls which language version is being edited.

When the admin changes the language, the page loads the saved terms content for that language if available. If the selected language does not already have translated terms, the admin can create or update that language version from this page.

The note on the page reminds admins that the content is saved for the selected language. Admins should confirm the language before saving because users may see different terms based on their selected language.

---

## Content type

The **Content Type** field controls how the terms are built and displayed.

Content type	Meaning
<b>PARAGRAPH</b>	The admin writes the full terms and conditions as one rich content block. This is useful for a traditional long legal document.
<b>ACCORDION</b>	The admin selects FAQ categories. The selected categories become expandable terms sections in the web app.

---

## Paragraph content

When **PARAGRAPH** is selected, the page shows a content editor and an optional PDF URL field.

Admins can write the full terms text, add headings, use lists, and structure the document in a readable way. The saved content becomes the main terms and conditions body shown to users.

This mode is best when the terms should be managed as one complete document.

---

## PDF URL

The **PDF URL** field is optional.

Admins can use it when there is a separate PDF version of the terms and conditions. If no PDF version is needed, the field can be left empty.

Use a valid URL if this field is filled in, so users can open the correct document when the link is shown.

---

## Accordion content

When **ACCORDION** is selected, the page lets admins select FAQ categories for the terms and conditions.

Selected categories become expandable sections on the web app terms page. The category order follows the category serial/order value already configured in FAQ Management.

This mode is best when the terms should be split into sections such as account usage, subscriptions, payments, refunds, restrictions, user responsibilities, or similar legal topics.

Before using this mode, admins should prepare the required FAQ categories and FAQ items in FAQ Management.

---

## Web app preview

Users can view the saved terms and conditions from the web app.

The terms can be opened from:

- The web app settings page.
- The public terms and conditions page.
- Sign-in and sign-up consent links.
- Other payment or account flows where users need to review legal terms.

On the web app:

- Paragraph content appears as the full terms body.
- Accordion content appears as expandable sections.
- Accordion sections are ordered by their configured serial/order value.
- The first accordion section can open by default.
- If no terms content is available, users see an unavailable or empty-content message.

---

## Reset and save behavior

Action	Meaning
Reset	Restores the form to the last loaded values. It does not permanently change anything by itself.
Save Changes	Saves the selected language, content type, optional PDF URL, content, and selected FAQ categories.

After saving, users may need to refresh or revisit the terms page before seeing the latest updates.

---

## Important rules

- Select the correct language before editing.
  - Choose **PARAGRAPH** when the terms should be one complete document.
  - Choose **ACCORDION** when the terms should be built from FAQ categories.
  - For accordion content, only active and properly prepared FAQ categories should be selected.
  - Category serial/order values affect the order users see on the web app.
  - Keep the PDF URL empty unless a valid PDF document is available.
  - Review the public terms page after saving important legal changes.
  - Avoid deleting FAQ categories that are currently used by the terms and conditions page.
- 

## Common error cases

Admins may face these issues:

- The wrong language was selected before saving.
  - The terms page appears empty because no content was saved for the selected language.
  - Accordion mode appears empty because no FAQ categories were selected.
  - A selected FAQ category has no active content.
  - The PDF URL is invalid or points to the wrong document.
  - The web app still shows old content until the page is refreshed.
  - Category order looks incorrect because serial/order values were not planned.
- 

## Overall flow

1. Admin opens the Terms and Conditions settings page.
2. Admin selects the language to edit.
3. Admin chooses Paragraph or Accordion content.
4. Admin optionally adds a PDF URL.
5. Admin writes the terms content or selects FAQ categories.

6. Admin saves the changes.

7. Users can view the updated terms from settings, public terms page, sign-in, sign-up, and other relevant flows.

# App Data

The App Data page allows admins to manage global web app settings from one place. These settings can affect tracking tools, the cookie consent message shown to users, and extra app-level configuration.

- Admin app data page: <https://admin.acusolo.net/admin/app-settings/app-data>

## Manage app data

Admins can update app-level data from the application settings area.

The screenshot displays the 'Données de l'application' (Application Data) page in the Acusolo admin interface. The page is titled 'Données de l'application' and includes a search bar at the top. The main content area is divided into several sections:

- Language Selection:** A dropdown menu currently set to 'English'.
- Tracking Scripts:** A section containing several input fields for tracking tools:
  - Google GTag: Google GTag ID or script
  - Google Analytics: Google Analytics ID
  - Facebook Pixel: Facebook Pixel ID
  - Google Tag Manager ID: GTM-TGKQJNL9
- Cookie Policy:** A section with a 'Title' input field containing 'Cookie policy title'.

A note at the top of the page states: 'Paramètres globaux : langue par défaut, scripts de suivi, politique de cookies et configuration supplémentaire. Note: si vous ne trouvez pas la traduction qui vous convient, veuillez consulter le tableau de bord simplelocalize et actualiser la page pour voir les dernières traductions. Afficher la traduction'.

The page includes:

- Language selection.
- Tracking script fields.
- Cookie policy content.
- Accept and reject button settings.
- Extra configuration.
- Reset and save actions.

---

## Language selection

The language selector controls which language version of the app data is being edited.

This is especially important for cookie policy text and button labels, because users may see the cookie consent message in their selected language.

Admins should confirm the selected language before saving changes.

---

## Tracking scripts

The **Tracking Scripts** section stores tracking and analytics identifiers used by the web app.

Field	Meaning
Google GTag	Stores a Google tag value or related tracking setup value.
Google Analytics	Stores the Google Analytics tracking value.
Facebook Pixel	Stores the Facebook Pixel tracking value.
Google Tag Manager ID	Stores the Google Tag Manager ID, such as a value beginning with GTM- .

These fields should only be filled with approved tracking values. Incorrect values can stop tracking from working correctly or connect the web app to the wrong analytics account.

---

## Cookie policy

The **Cookie Policy** section controls the cookie consent message shown to users.

When a user visits the web app and has not already made a cookie choice, the cookie policy message can appear as a modal. After the user accepts or rejects, the web app remembers that choice and does not show the same message again unless the saved choice is cleared.

## Cookie policy fields

Field	Meaning
Title	The heading shown at the top of the cookie consent message.
Description	The main cookie policy explanation shown to the user. This can include formatted content.

---

## Cookie policy buttons

The page includes separate settings for the **Accept Button** and **Reject Button**.

Field	Meaning
Title	Text shown on the button.
URL	Optional link opened after the button is clicked.
Target	Controls where the URL opens.
Type	Controls the visual style of the button.

## Target options

Option	Meaning
Same window	Opens the link in the current browser window.
New tab	Opens the link in a new browser tab.
Parent	Opens the link in the parent browsing area where supported.
Top	Opens the link in the top-level browsing area where supported.

For normal admin usage, **Same window** or **New tab** is usually enough.

## Button type options

Option	Meaning
Normal	Standard neutral button style.
Primary	Main highlighted button style. Useful for the preferred action.
Secondary	Supporting button style.
Tertiary	Alternative emphasis style, often used for a more cautious or less preferred action.

---

## Extra configuration

The **Extra Configuration** section is for advanced app-level settings that do not have a dedicated field yet.

Admins should only change this area when they know exactly what value is expected. If the format is invalid, the page will not save and will show an invalid format warning.

For normal content management, this section can usually be left unchanged.

---

## Reset and save behavior

Action	Meaning
Reset	Restores the form to the last loaded values. It does not permanently change anything by itself.
Save Changes	Saves the selected language, tracking values, cookie policy content, button settings, and extra configuration.

After saving, users may need to refresh or revisit the web app before seeing the latest cookie policy or tracking behavior.

---

## Important rules

- Select the correct language before editing cookie policy text.
  - Use only approved tracking IDs or tracking values.
  - Keep cookie policy text clear and user-friendly.
  - Make the accept and reject button labels easy to understand.
  - Use **New tab** when a button should open an external policy page without moving the user away from the current page.
  - Do not change extra configuration unless the expected format and purpose are known.
  - Test the web app after updating cookie consent or tracking settings.
- 

## Common error cases

Admins may face these issues:

- The wrong language was selected before saving.
  - A tracking value is missing, invalid, or connected to the wrong account.
  - The cookie message does not appear because the user already made a cookie choice earlier.
  - A button opens the wrong URL.
  - A button opens in the wrong browser location because the target option is incorrect.
  - The page does not save because the extra configuration format is invalid.
  - The web app still shows old behavior until the page is refreshed.
- 

## Overall flow

1. Admin opens the App Data settings page.
2. Admin selects the language to edit.
3. Admin updates tracking values if needed.
4. Admin updates cookie policy title, description, and buttons.
5. Admin changes extra configuration only if required.
6. Admin saves the changes.

7. The web app uses the updated app data for tracking setup and cookie consent behavior.

# Available Caches

The Available Caches page allows admins to inspect server-side cache entries and clear selected cache keys when fresh data is needed. This page is mainly used for maintenance, troubleshooting, and refreshing stale data after important updates.

- Admin cache page: <https://admin.acusolo.net/admin/app-settings/caches>

## Cache management page

Admins can view available cache keys from the application settings area.

The screenshot shows the 'Gestion du cache' page in the Acusolo admin interface. The page has a sidebar on the left with navigation options like 'Bibliothèque musicale', 'Plans d'abonnement', and 'Paramètres de l'application'. The main content area is titled 'Gestion du cache' and contains a search bar, a table of cache keys, and a 'Vider les caches sélectionnés' button. The table has two columns: 'Numéro' and 'Clé de cache'. The cache keys listed are:

Numéro	Clé de cache
1	bull:ai-indexing:15
2	bull:ai-indexing:29
3	bull:subscription-expiration:delayed
4	bull:ai-indexing:42
5	bull:ai-indexing:31
6	bull:ai-indexing:95
7	bull:ai-indexing:119
8	bull:mail:140
9	bull:mail:72
10	bull:ai-indexing:103
11	bull:ai-indexing:85
12	bull:mail:144
13	bull:ai-indexing:121

The page includes:

- Cache category tabs.
- Search within the current tab.
- Cache key table.
- Select-all checkbox for visible keys.
- Individual row selection.
- Clear selected caches action.
- Refresh list action.

---

## What cache keys mean

A cache key represents saved temporary data used by the system to respond faster. Clearing a cache key removes that saved temporary entry, so the system can rebuild fresh data the next time it is needed.

Clearing cache does not delete normal business records such as users, orders, plans, rewards, or settings. It only removes temporary cached entries.

---

## Cache category tabs

The page groups cache keys into tabs so admins can find related entries more easily.

Tab	Meaning
All	Shows every available cache key.
AI indexing	Shows cache keys related to AI indexing jobs.
Subscription balance	Shows cache keys related to subscription balance deduction jobs.
Mail	Shows cache keys related to mail jobs.
Subscription expiration	Shows cache keys related to subscription expiration jobs.
User	Shows cache keys related to user data.
Non-bull	Shows cache keys that are not part of background job groups.

Each tab displays a count so admins can quickly understand how many keys are in that category.

---

## Search and refresh

The search field filters cache keys inside the currently selected tab. It helps admins find a specific key without browsing the full list.

The **Refresh list** action reloads the latest available cache keys. Use this after clearing caches or when the list may have changed.

---

## Selecting cache keys

Admins can select cache keys in two ways:

- Use the checkbox beside a single row to select one cache key.
- Use the checkbox in the table header to select all visible cache keys in the current filtered list.

The toolbar shows how many keys are currently visible and how many are selected.

---

## Clear selected caches

After selecting one or more cache keys, admins can click **Clear selected caches**.

A confirmation modal appears before clearing. The modal shows:

- How many keys will be cleared.
- The exact selected cache keys.
- A cancel action.
- A final clear action.

After confirmation, the selected cache entries are removed. Active users may receive refreshed data on their next request.

---

## When to clear cache

Admins may clear cache when:

- A page or list appears to show stale data.
- A setting was updated but the web app still shows older behavior.

- Background job information needs to be refreshed.
  - A support or operations team member asks for a specific cache key to be cleared.
  - The system should rebuild temporary data after an important change.
- 

## Important rules

- Clear only the cache keys that are needed.
  - Use search and tabs to avoid selecting unrelated keys.
  - Review the confirmation modal before clearing.
  - Avoid clearing a large number of caches during high-traffic periods unless necessary.
  - Clearing caches can briefly increase load because the system may need to rebuild fresh data.
  - If unsure, refresh the list first and confirm the selected keys.
- 

## Common error cases

Admins may face these issues:

- No cache keys are returned by the server.
  - No keys match the selected tab.
  - No keys match the search query.
  - The clear action is disabled because no key is selected.
  - A selected key disappears after refresh because it was already removed or expired.
  - Data may not change immediately if the user still has a page open and needs to reload it.
  - Clearing too many unrelated keys can cause temporary slower responses while data is rebuilt.
- 

## Overall flow

1. Admin opens the Available Caches page.

2. Admin selects a cache category tab.
3. Admin searches for the needed cache key if required.
4. Admin selects one or more cache keys.
5. Admin clicks **Clear selected caches**.
6. Admin reviews the confirmation modal.
7. Admin confirms the clear action.
8. The selected cache entries are removed and the system rebuilds fresh data when needed.

# Languages

This module manages language availability in the admin panel and controls which languages users can select in web/mobile apps.

Admin route:

- <https://admin.acusolo.net/admin/languages>

Web route (user language settings):

- <https://web.acusolo.net/settings/language>

## Language list (admin)

The screenshot shows the 'Language List' page in the Acusolo admin panel. The page has a sidebar on the left with navigation options like Dashboard, User Settings, Languages (highlighted), Categories, Manage Programs, Q & A, Device management, Rewards, Coupons, Refund Requests, Music Library, Subscription Plans, Medical Point Bank, AI Training, Manage Rules, AI Audit Log, and AI Suggestions. The main content area features a search bar, a 'Toggle to See Translated' button, and a table of language entries. The table has columns for Actions (edit/delete), Status (toggle), Title, Language ISO, ISO Code, Native Name, and Timestamp. The entries are sorted by creation date in descending order.

Actions	Status	Title	Language ISO	ISO Code	Native Name	Timestamp
	<input checked="" type="checkbox"/>	<a href="#">Japanese</a>	Japanese	ja	日本語	Cr: Saturday, January 10, 2026 8:55 PM Up: Saturday, January 17, 2026 12:22 AM
	<input checked="" type="checkbox"/>	<a href="#">Portuguese</a>	Portuguese	pt	Português	Cr: Thursday, January 8, 2026 4:01 PM Up: Saturday, January 17, 2026 12:22 AM
	<input checked="" type="checkbox"/>	<a href="#">Spanish</a>	Spanish	es	Español	Cr: Sunday, January 4, 2026 3:44 PM Up: Saturday, January 17, 2026 12:22 AM
	<input checked="" type="checkbox"/>	<a href="#">German</a>	German	de	Deutsch	Cr: Sunday, January 4, 2026 3:42 PM Up: Saturday, January 17, 2026 12:22 AM
	<input checked="" type="checkbox"/>	<a href="#">Arabic</a>	Arabic	ar	العربية	Cr: Sunday, January 4, 2026 3:42 PM Up: Saturday, January 17, 2026 12:22 AM
	<input checked="" type="checkbox"/>	<a href="#">Italian</a>	Italian	it	Italiano	Cr: Monday, December 29, 2025 3:38 PM Up: Saturday, January 17, 2026 12:22 AM
	<input checked="" type="checkbox"/>	<a href="#">Bangla</a>	Bengali	bn	বাংলা	Cr: Sunday, November 23, 2025 11:35 PM Up: Tuesday, March 10, 2026 10:21 AM
	<input checked="" type="checkbox"/>	<a href="#">French</a>	French	fr	Français	Cr: Sunday, November 23, 2025 11:35 PM Up: Saturday, January 17, 2026 12:22 AM
	<input checked="" type="checkbox"/>	<a href="#">English</a>	English	en	English	Cr: Sunday, November 23, 2025 11:34 PM Up: Saturday, January 17, 2026 12:22 AM

## What this page does

- Shows all currently configured languages in admin.
- Lets admin **enable/disable** language records.
- Provides create/edit/delete actions for language entries.
- Displays per-language metadata such as:


- title,
- language ISO,
- ISO code,
- native name,
- timestamp.

## Table columns

Column	Purpose
Actions	Edit / Delete
Status	Enabled/disabled state
Title	Display title in admin
Language ISO	Selected language object (from supported ISO list)
ISO Code	Compact code (e.g. en , fr , bn )
Native Name	Local script/native representation
Timestamp	Created / updated values

---

## Create language



Create opens a modal with:

- Language Title (required)
- Language ISO selector (searchable list)


The ISO dropdown supports a catalog of **183** languages (as shown in UI/list source).

Actions:

- Cancel
- Create

---

## Edit language



Edit modal uses the same fields as create, but pre-fills existing values for quick updates:

- title,
- selected ISO entry.

Actions:

- **Cancel**
- **Update**

Delete follows standard confirmation modal pattern before final removal.

---

## User-facing language selection (web/mobile)

Enabled languages become selectable to users in web/mobile settings. Users can choose their preferred language for app experience.

---

## SimpleLocalize integration

Language content management is handled via SimpleLocalize projects.

Referenced dashboards/projects:

- [SimpleLocalize dashboard](#)
  - [Project 1](#)
  - [Project 2](#)
  - [Project 3](#)
- 

## Translation management

For the `Translations` tab inside the `Languages` module, see the dedicated page:

- [/languages/translations](#)
- 

## Current support snapshot

From the provided setup/screens:

- **Web + Mobile:** 9 enabled languages
- **Admin panel:** 2 languages ( `en` , `fr` )

## Web/Mobile enabled languages (current)

Language	Code
Arabic	ar
Bengali	bn
German	de
English	en
Spanish	es
French	fr
Italian	it
Japanese	ja
Portuguese	pt

---

## Supported ISO catalog source

Source file:

- `src/public/images/languages/language-list/supported_language_iso.json`

This file contains the wider supported ISO catalog (183 entries) used by the create/edit ISO picker.

## ISO catalog structure (table)

Field	Meaning	Example
id	Internal UUID of ISO record	0d6831f1-aa6b-4ab0-94ba-334f4f430373
code	ISO code	en
name	English language name	English
nativeName	Native script/name	English , 英語 , 英語
countryCode	Reference country code	GB , BD , JP
active	Availability flag in ISO source	true
languages	Linked configured app-language records	array

## Full ISO list (all entries from source)

Code	Name	Native Name	Country	Integrated
aa	Afar	Afaraf	ET	No
ab	Abkhaz	аҧсуа бызшәа	GE	No
ae	Avestan	avesta	IR	No
af	Afrikaans	Afrikaans	ZA	No
ak	Akan	Akan	GH	No
am	Amharic	አማርኛ	ET	No
an	Aragonese	aragonés	ES	No
ar	Arabic	العربية	SA	Yes
as	Assamese	অসমীয়া	IN	No
av	Avaric	авар мацӀ	RU	No
ay	Aymara	aymar aru	BO	No
az	Azerbaijani	azərbaycan dili	AZ	No
ba	Bashkir	башҡорт теле	RU	No
be	Belarusian	беларуская мова	BY	No
bg	Bulgarian	български език	BG	No
bi	Bislama	Bislama	VU	No
bm	Bambara	bamanankan	ML	No
bn	Bengali	বাংলা	BD	Yes
bo	Tibetan	བོད་སྐད་	CN	No
br	Breton	brezhoneg	FR	No
bs	Bosnian	bosanski jezik	BA	No
ca	Catalan	Català	ES	No



Code	Name	Native Name	Country	Integrated
fj	Fijian	vosa Vakaviti	FJ	No
fo	Faroese	Føroyskt	FO	No
fr	French	Français	FR	Yes
fy	Western Frisian	Frysk	NL	No
ga	Irish	Gaeilge	IE	No
gd	Scottish Gaelic	Gàidhlig	GB	No
gl	Galician	galego	ES	No
gn	Guaraní	Avañe'ẽ	PY	No
gu	Gujarati	ગુજરાતી	IN	No
gv	Manx	Gaelg	GB	No
ha	Hausa	هَوُسَ	NG	No
he	Hebrew	עברית	IL	No
hi	Hindi	हिन्दी	IN	No
ho	Hiri Motu	Hiri Motu	TO	No
hr	Croatian	Hrvatski	HR	No
ht	Haitian	Kreyòl ayisyen	HT	No
hu	Hungarian	magyar	HU	No
hy	Armenian	Հայերեն	AM	No
hz	Herero	Otjiherero	NA	No
ia	Interlingua	Interlingua	IA	No
id	Indonesian	Bahasa Indonesia	ID	No
ie	Interlingue	Interlingue	IA	No

Code	Name	Native Name	Country	Integrated
ig	Igbo	Asụsụ Igbo	NG	No
ii	Nuosu	Nuosuhxop	CN	No
ik	Inupiaq	Iñupiaq	US	No
io	Ido	Ido	IO	No
is	Icelandic	Íslenska	IS	No
it	Italian	Italiano	IT	Yes
iu	Inuktitut	ᐃᓂᐅᐅᐅᐅ	CA	No
ja	Japanese	日本語	JP	Yes
jv	Javanese	basa Jawa	ID	No
ka	Georgian	ქართული	GE	No
kg	Kongo	Kikongo	CD	No
ki	Kikuyu	Gĩkũyũ	KE	No
kj	Kwanyama	Kuanyama	NA	No
kk	Kazakh	қазақ тілі	KZ	No
kl	Kalaallisut	kalaallisut	GL	No
km	Khmer	ខ្មែរ	KH	No
kn	Kannada	ಕನ್ನಡ	IN	No
ko	Korean	한국어	KR	No
kr	Kanuri	Kanuri	NE	No
ks	Kashmiri	كٲشُر	IN	No
ku	Kurdish	Kurdî	TR	No
kv	Komi	КОМИ КЫВ	RU	No

Code	Name	Native Name	Country	Integrated
kw	Cornish	Kernewek	GB	No
ky	Kyrgyz	Кыргызча	KG	No
la	Latin	latine	VA	No
lb	Luxembourgish	Lëtzebuergesch	LU	No
lg	Ganda	Luganda	UG	No
li	Limburgish	Limburgs	NL	No
ln	Lingala	Lingála	CD	No
lo	Lao	ພາສາລາວ	LA	No
lt	Lithuanian	lietuvių kalba	LT	No
lu	Luba-Katanga	Kiluba	CD	No
lv	Latvian	latviešu valoda	LV	No
mg	Malagasy	fiteny malagasy	MG	No
mh	Marshallese	Kajin Ṃajeḷ	MH	No
mi	Māori	te reo Māori	NZ	No
mk	Macedonian	македонски јазик	MK	No
ml	Malayalam	മലയാളം	IN	No
mn	Mongolian	Монгол хэл	MN	No
mr	Marathi	मराठी	IN	No
ms	Malay	Bahasa Melayu	MY	No
mt	Maltese	Malti	MT	No
my	Burmese	မြန်မာစာ	MM	No
na	Nauru	Dorerin Naoero	NR	No



Code	Name	Native Name	Country	Integrated
rn	Kirundi	Ikirundi	BI	No
ro	Romanian	Română	RO	No
ru	Russian	Русский	RU	No
rw	Kinyarwanda	Ikinyarwanda	RW	No
sa	Sanskrit	संस्कृतम्	IN	No
sc	Sardinian	sardu	IT	No
sd	Sindhi	سنڌي	IN	No
se	Northern Sami	Davvisámegiella	NO	No
sg	Sango	yângâ tî sängö	CF	No
si	Sinhala	සිංහල	LK	No
sk	Slovak	Slovenčina	SK	No
sl	Slovenian	slovenščina	SI	No
sm	Samoan	gagana fa'a Samoa	WS	No
sn	Shona	chiShona	ZW	No
so	Somali	Soomaaliga	SO	No
sq	Albanian	Shqip	AL	No
sr	Serbian	српски језик	RS	No
ss	Swati	SiSwati	SZ	No
st	Southern Sotho	Sesotho	ZA	No
su	Sundanese	Basa Sunda	ID	No
sv	Swedish	Svenska	SE	No
sw	Swahili	Kiswahili	KE	No

Code	Name	Native Name	Country	Integrated
ta	Tamil	தமிழ்	IN	No
te	Telugu	తెలుగు	IN	No
tg	Tajik	тоҷикӣ	TJ	No
th	Thai	ไทย	TH	No
ti	Tigrinya	ትግርኛ	ET	No
tk	Turkmen	Türkmençe	TM	No
tl	Tagalog	Wikang Tagalog	PH	No
tn	Tswana	Setswana	BW	No
to	Tonga	faka Tonga	TO	No
tr	Turkish	Türkçe	TR	No
ts	Tsonga	Xitsonga	ZA	No
tt	Tatar	татар теле	RU	No
tw	Twi	Twi	GH	No
ty	Tahitian	Reo Tahiti	PF	No
ug	Uyghur	ئۇيغۇرچە	CN	No
uk	Ukrainian	Українська	UA	No
ur	Urdu	اردو	PK	No
uz	Uzbek	Ўзбек	UZ	No
ve	Venda	Tshivenda	ZA	No
vi	Vietnamese	Tiếng Việt	VN	No
vo	Volapük	Volapük	VA	No
wa	Walloon	walon	BE	No

Code	Name	Native Name	Country	Integrated
wo	Wolof	Wollof	SN	No
xh	Xhosa	isiXhosa	ZA	No
yi	Yiddish	ייִדיש	IL	No
yo	Yoruba	Yorùbá	NG	No
za	Zhuang	Saw cuenṯ	CN	No
zh	Chinese	汉语	CN	No
zu	Zulu	isiZulu	ZA	No

# Translations

This page documents the **Translations** tab under the Languages module in admin.

Primary route:


- <https://admin.acusolo.net/admin/languages>

Reference platform:

- [SimpleLocalize Dashboard](#)

---

## Translation Manager (admin)



The UI acts like an embedded/alternative translation workspace for managing content that syncs across web, mobile, and admin.

## Main controls

Control	Purpose
Project switcher	Switch context (for example static app text vs dynamic content)
Base language selector	Choose source/editing language context (for example EN )
Auto Translate All	Trigger auto-translation for target languages
Publish to CDN	Push translation content to CDN for app consumption

## Translation workflows available

- **Browse Keys:** inspect existing key/value records.
- **Add Key:** create a new translation key manually.
- **Bulk Import:** add/update many keys at once in table form.
- **Grid editing:** maintain one key across multiple languages ( EN , FR , AR , BN , DE , ES , IT , JA , PT , etc.).
- **Save All & Sync:** persist batch updates and synchronize.

## Bulk import table behavior

From the interface:

- each row represents one translation key,
- each language column stores that key's localized value,
- rows can be added quickly with **Add Row**,
- empty keys are generated if needed during save,
- selected language text is persisted directly; other languages can be auto-translated.

---

## Relation to SimpleLocalize

This in-admin page mirrors important parts of a SimpleLocalize workflow (key/value management, sync, publish), so it can be used for quick operational updates.

---

## Recommended workflow

Team recommendation:

- use admin Translation Manager for lightweight or urgent edits,
- manage most production translation content from SimpleLocalize dashboard for stronger governance, consistency, and project-level visibility.

Useful links:

- [Admin Languages](#)
- [SimpleLocalize Dashboard](#)